



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 11:55 AM BST

PDB ID : 5XLB
Title : The structure of hemagglutinin Q226L-G228S mutant from an avian-origin H4N6 influenza virus
Authors : Song, H.; Qi, J.; Gao, G.F.
Deposited on : 2017-05-10
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	327	<div> <div>14%</div> <div> <div></div> <div>70%</div> <div>23%</div> <div>• • •</div> </div> </div>
1	B	327	<div> <div>4%</div> <div> <div></div> <div>85%</div> <div>11%</div> <div>• •</div> </div> </div>
2	C	176	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>9%</div> <div>•</div> </div> </div>
2	D	176	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>7%</div> <div>• •</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8029 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	319	Total	C	N	O	S	0	0	0
			2460	1542	436	470	12			
1	B	319	Total	C	N	O	S	0	0	0
			2460	1542	436	470	12			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	223	LEU	GLN	engineered mutation	UNP A3KF09
A	225	SER	GLY	engineered mutation	UNP A3KF09
B	223	LEU	GLN	engineered mutation	UNP A3KF09
B	225	SER	GLY	engineered mutation	UNP A3KF09

- Molecule 2 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	172	Total	C	N	O	S	0	0	0
			1404	871	250	279	4			
2	D	172	Total	C	N	O	S	0	0	0
			1404	871	250	279	4			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).






Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	29	Total	O	0	0
			29	29		
4	C	65	Total	O	0	0
			65	65		
4	B	72	Total	O	0	0
			72	72		
4	D	79	Total	O	0	0
			79	79		

- Molecule 1: Hemagglutinin





4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	100.52Å 100.52Å 686.35Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.14 – 2.50 45.14 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (45.14-2.50) 89.9 (45.14-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.11 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.218 , 0.258 0.222 , 0.260	Depositor DCC
R_{free} test set	2398 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	38.8	Xtriage
Anisotropy	0.485	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 37.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8029	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 49.46 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.4335e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	1/2514 (0.0%)	0.78	8/3423 (0.2%)
1	B	0.28	0/2514	0.50	0/3423
2	C	0.29	0/1428	0.45	0/1922
2	D	0.30	0/1428	0.47	0/1922
All	All	0.36	1/7884 (0.0%)	0.59	8/10690 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	192	TYR	CE2-CZ	5.71	1.46	1.38

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	192	TYR	N-CA-C	7.87	132.25	111.00
1	A	192	TYR	CB-CG-CD2	-6.79	116.93	121.00
1	A	193	LYS	CA-CB-CG	6.61	127.95	113.40
1	A	239	LEU	CA-CB-CG	6.10	129.34	115.30
1	A	158	TYR	CA-CB-CG	5.61	124.06	113.40
1	A	223	LEU	CA-CB-CG	5.14	127.11	115.30
1	A	192	TYR	C-N-CA	5.12	134.51	121.70
1	A	191	LEU	CA-CB-CG	-5.03	103.73	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	191	LEU	Peptide
1	A	95	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2460	0	2414	107	1
1	B	2460	0	2414	29	1
2	C	1404	0	1320	10	0
2	D	1404	0	1320	14	0
3	A	28	0	26	0	0
3	B	28	0	26	1	0
4	A	29	0	0	6	0
4	B	72	0	0	4	0
4	C	65	0	0	3	0
4	D	79	0	0	5	0
All	All	8029	0	7520	157	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:14:HIS:HD2	2:D:348:TRP:HA	1.15	1.05
1:A:220:VAL:O	1:A:222:GLY:N	2.00	0.94
1:A:220:VAL:HG22	1:A:221:ARG:HD3	1.45	0.94
1:A:158:TYR:H	1:A:193:LYS:HD3	1.35	0.92
1:B:244:THR:HG22	1:B:246:GLY:H	1.37	0.86
1:B:14:HIS:CD2	2:D:348:TRP:HA	2.08	0.85
1:A:218:PRO:O	1:A:221:ARG:NH2	2.10	0.84
1:A:220:VAL:H	1:A:221:ARG:NH1	1.75	0.83
1:A:56:ASP:OD2	4:A:702:HOH:O	1.96	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:385:LYS:NZ	4:C:601:HOH:O	2.10	0.82
1:A:221:ARG:HH21	1:A:224:SER:HA	1.44	0.82
1:B:128:GLN:HG2	1:B:148:ASN:HD21	1.44	0.81
1:A:152:LYS:NZ	1:A:189:THR:O	2.13	0.79
1:A:221:ARG:NH2	1:A:223:LEU:O	2.14	0.79
1:A:212:PRO:HG2	1:A:247:ASN:HD22	1.46	0.79
1:B:152:LYS:NZ	1:B:189:THR:O	2.16	0.78
1:A:260:GLN:OE1	1:A:262:LYS:NZ	2.17	0.77
1:A:152:LYS:HB2	1:A:192:TYR:HB3	1.68	0.73
1:A:158:TYR:CD2	1:A:192:TYR:CE2	2.76	0.73
1:A:103:SER:OG	4:A:703:HOH:O	2.06	0.73
1:A:183:SER:N	1:A:187:GLU:OE1	2.19	0.73
1:A:221:ARG:NH2	1:A:224:SER:HA	2.01	0.73
2:D:382:LEU:O	2:D:383:ILE:C	2.26	0.72
2:D:346:ASP:OD1	4:D:601:HOH:O	2.06	0.72
1:B:43:ASN:HB3	1:B:295:ILE:HD13	1.71	0.72
1:A:127:LYS:HD3	1:A:152:LYS:O	1.90	0.71
1:B:6:ASN:ND2	4:B:705:HOH:O	2.24	0.71
1:A:119:GLU:OE2	1:A:254:HIS:ND1	2.24	0.70
1:A:152:LYS:HE3	1:A:192:TYR:CB	2.22	0.69
1:A:244:THR:HG21	1:A:248:LEU:HB2	1.72	0.69
1:A:311:SER:O	4:A:704:HOH:O	2.09	0.69
1:A:212:PRO:HG2	1:A:247:ASN:ND2	2.09	0.68
1:A:188:GLN:HE21	1:A:247:ASN:HD21	1.41	0.68
1:A:43:ASN:HB3	1:A:295:ILE:HD13	1.76	0.67
2:D:422:ASN:OD1	4:D:602:HOH:O	2.13	0.67
1:A:152:LYS:HD3	1:A:156:ASN:OD1	1.95	0.66
2:D:456:ASN:OD1	4:D:603:HOH:O	2.15	0.65
1:A:124:ASN:HB2	1:A:161:GLN:HE21	1.61	0.65
1:A:191:LEU:HD23	1:A:192:TYR:HD1	1.63	0.64
1:A:238:ASP:OD1	1:A:239:LEU:N	2.23	0.64
1:A:226:ARG:HG2	1:A:226:ARG:HH11	1.64	0.63
1:A:191:LEU:O	1:A:192:TYR:HB3	1.98	0.62
1:A:191:LEU:HD23	1:A:192:TYR:CD1	2.34	0.62
1:A:162:ASN:HB3	1:A:243:ASN:HD21	1.64	0.62
1:A:137:ARG:HH22	1:A:145:ASN:HD22	1.48	0.62
2:D:383:ILE:HG22	2:D:384:GLU:HG3	1.81	0.61
1:A:199:VAL:HG22	1:A:244:THR:HG22	1.83	0.60
1:A:188:GLN:NE2	1:A:247:ASN:HD21	1.99	0.60
1:A:244:THR:HG21	1:A:248:LEU:CB	2.32	0.58
1:A:158:TYR:HB3	1:A:193:LYS:NZ	2.18	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158:TYR:N	1:A:193:LYS:HD3	2.13	0.58
1:A:219:LEU:HA	1:A:221:ARG:NH2	2.19	0.58
1:A:113:LYS:NZ	4:A:707:HOH:O	2.36	0.58
1:A:119:GLU:HG3	1:A:253:GLY:HA2	1.85	0.58
1:A:203:THR:HG1	1:A:206:SER:HG	1.49	0.58
1:A:182:PRO:HG2	1:A:188:GLN:HG2	1.85	0.57
2:D:382:LEU:O	2:D:383:ILE:O	2.21	0.57
1:A:137:ARG:HH12	1:A:145:ASN:HB3	1.68	0.57
1:A:199:VAL:HG11	1:A:248:LEU:HD13	1.87	0.57
1:A:162:ASN:HB3	1:A:243:ASN:ND2	2.19	0.57
1:A:322:PRO:O	1:A:323:GLU:HB2	2.04	0.57
1:A:183:SER:HB3	1:A:224:SER:HB3	1.86	0.56
1:B:156:ASN:HB3	1:B:193:LYS:NZ	2.20	0.56
1:B:164:THR:OG1	3:B:601:NAG:O7	2.23	0.55
1:B:14:HIS:CE1	1:B:33:VAL:HG11	2.42	0.55
1:A:220:VAL:HG23	1:A:221:ARG:N	2.22	0.55
1:A:137:ARG:HD2	1:A:142:ASP:OD2	2.07	0.54
1:A:158:TYR:HD2	1:A:192:TYR:HE2	1.56	0.54
1:A:94:TYR:H	1:A:135:CYS:HB2	1.71	0.54
2:C:447:GLU:OE1	2:C:450:ARG:NH1	2.41	0.53
1:B:134:ALA:O	1:B:221:ARG:NH1	2.42	0.53
1:B:14:HIS:HE1	1:B:33:VAL:HG11	1.72	0.52
1:A:192:TYR:N	1:A:192:TYR:CD1	2.77	0.52
1:B:14:HIS:CE1	1:B:33:VAL:HG21	2.45	0.52
1:B:103:SER:OG	4:B:702:HOH:O	2.19	0.51
2:C:434:THR:OG1	4:C:602:HOH:O	2.19	0.51
1:A:319:ARG:NE	4:A:701:HOH:O	1.89	0.51
1:B:220:VAL:HG12	1:B:221:ARG:HG3	1.93	0.50
1:B:39:VAL:O	4:B:703:HOH:O	2.20	0.50
1:A:152:LYS:HA	1:A:192:TYR:CD2	2.47	0.50
1:A:280:HIS:ND1	1:A:285:SER:OG	2.44	0.49
1:A:76:ASN:OD1	1:A:146:ARG:NH2	2.41	0.49
1:A:221:ARG:HH11	1:A:226:ARG:HH12	1.60	0.49
1:A:158:TYR:CD2	1:A:192:TYR:HE2	2.26	0.48
1:A:111:ASN:ND2	4:A:705:HOH:O	2.12	0.48
1:A:94:TYR:OH	1:A:225:SER:HB2	2.14	0.48
1:A:220:VAL:HG13	1:A:221:ARG:NH1	2.29	0.48
2:C:460:LYS:NZ	4:C:607:HOH:O	2.47	0.48
1:A:221:ARG:HG2	1:A:222:GLY:N	2.29	0.47
2:D:495:ASN:ND2	2:D:499:GLN:OE1	2.47	0.47
1:A:226:ARG:CG	1:A:226:ARG:HH11	2.27	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:GLN:NE2	1:A:247:ASN:ND2	2.62	0.47
1:A:192:TYR:N	1:A:192:TYR:HD1	2.13	0.47
1:A:153:SER:OG	1:A:157:ALA:N	2.48	0.47
1:A:94:TYR:N	1:A:135:CYS:HB2	2.30	0.47
1:B:238:ASP:OD1	1:B:239:LEU:N	2.42	0.46
1:A:221:ARG:NH1	1:A:226:ARG:HH12	2.13	0.46
1:A:124:ASN:HB3	1:A:125:THR:H	1.47	0.46
1:A:152:LYS:HE3	1:A:192:TYR:CA	2.45	0.46
1:A:119:GLU:CG	1:A:253:GLY:HA2	2.44	0.46
1:A:158:TYR:HB3	1:A:193:LYS:HZ3	1.80	0.46
1:B:177:TRP:CE2	1:B:201:VAL:HG21	2.51	0.46
1:A:63:ILE:HG13	1:A:101:TYR:CE2	2.52	0.45
1:A:104:LEU:HB2	1:A:231:TRP:CZ3	2.51	0.45
1:A:127:LYS:HG2	1:A:151:VAL:HG23	1.98	0.45
1:A:152:LYS:HE3	1:A:192:TYR:HB3	1.97	0.45
1:A:243:ASN:HA	1:A:243:ASN:HD22	1.57	0.45
2:D:366:LYS:HG2	4:D:604:HOH:O	2.15	0.45
1:B:185:ASP:O	1:B:189:THR:OG1	2.19	0.45
1:A:122:GLN:N	1:A:163:LEU:HD21	2.32	0.45
1:A:152:LYS:HE3	1:A:192:TYR:HB2	1.98	0.45
1:A:244:THR:CG2	1:A:248:LEU:HB2	2.44	0.45
1:A:137:ARG:O	1:A:137:ARG:HG2	2.16	0.45
1:A:221:ARG:CZ	1:A:223:LEU:O	2.65	0.44
1:B:110:ASN:HA	1:B:263:SER:O	2.18	0.44
1:A:221:ARG:NE	1:A:223:LEU:O	2.51	0.44
1:A:137:ARG:HH22	1:A:145:ASN:ND2	2.13	0.44
1:A:191:LEU:O	1:A:192:TYR:CB	2.64	0.44
1:A:312:LEU:HB3	2:C:427:VAL:HG21	1.99	0.43
1:B:199:VAL:HG11	1:B:248:LEU:HD13	1.99	0.43
1:A:86:ARG:HA	1:A:87:PRO:HD3	1.90	0.43
1:A:152:LYS:HD3	1:A:156:ASN:HB3	2.01	0.43
1:A:188:GLN:HE21	1:A:247:ASN:ND2	2.12	0.43
1:A:94:TYR:CE2	1:A:227:VAL:HG23	2.54	0.43
1:B:156:ASN:HB3	1:B:193:LYS:HZ1	1.84	0.43
2:D:468:PHE:O	2:D:493:ALA:HA	2.19	0.43
1:A:152:LYS:HE2	1:A:156:ASN:HB3	2.01	0.43
1:B:175:TYR:CE2	1:B:254:HIS:HB3	2.54	0.42
1:A:200:THR:OG1	1:A:243:ASN:HB2	2.19	0.42
1:A:200:THR:O	1:A:200:THR:OG1	2.38	0.42
1:A:94:TYR:HE2	1:A:180:HIS:CD2	2.37	0.42
1:A:160:LEU:HD23	1:A:245:ILE:HG22	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:199:VAL:HG22	1:B:244:THR:HG23	2.01	0.42
1:B:124:ASN:HB3	1:B:125:THR:H	1.55	0.42
1:B:217:ARG:HB2	1:B:224:SER:O	2.19	0.42
2:D:451:ARG:HD2	4:D:625:HOH:O	2.19	0.42
1:B:128:GLN:HB3	1:B:129:ASN:ND2	2.35	0.42
2:C:331:GLY:O	2:C:335:GLY:HA3	2.20	0.42
1:A:127:LYS:HD2	1:A:127:LYS:N	2.35	0.42
1:B:65:GLY:HA2	1:B:72:CYS:HB3	2.02	0.42
1:A:152:LYS:HB2	1:A:191:LEU:O	2.19	0.41
1:B:226:ARG:NE	4:B:716:HOH:O	2.53	0.41
1:A:182:PRO:O	1:A:214:ILE:HA	2.20	0.41
2:C:378:LYS:NZ	2:C:430:GLU:OE1	2.41	0.41
2:D:383:ILE:HG22	2:D:384:GLU:N	2.34	0.41
1:A:175:TYR:CE2	1:A:254:HIS:HB3	2.55	0.41
2:C:447:GLU:O	2:C:451:ARG:HG3	2.21	0.41
2:D:447:GLU:OE1	2:D:450:ARG:NH1	2.53	0.41
1:A:152:LYS:CD	1:A:156:ASN:HB3	2.50	0.41
2:C:462:ASN:N	2:C:462:ASN:OD1	2.52	0.41
1:A:153:SER:HB3	1:A:157:ALA:O	2.21	0.41
1:A:220:VAL:CG2	1:A:221:ARG:N	2.84	0.41
1:A:93:CYS:HA	1:A:135:CYS:HA	2.03	0.40
1:A:193:LYS:HB2	1:A:194:ASN:H	1.29	0.40
1:A:126:VAL:HG11	1:A:158:TYR:CE2	2.57	0.40
1:A:162:ASN:HA	1:A:242:PHE:O	2.21	0.40
2:C:468:PHE:O	2:C:493:ALA:HA	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:ASN:ND2	1:B:155:GLY:O[14_1144]	2.13	0.07

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/327 (97%)	289 (91%)	18 (6%)	10 (3%)	4	5
1	B	317/327 (97%)	300 (95%)	13 (4%)	4 (1%)	12	21
2	C	170/176 (97%)	159 (94%)	10 (6%)	1 (1%)	25	43
2	D	170/176 (97%)	161 (95%)	8 (5%)	1 (1%)	25	43
All	All	974/1006 (97%)	909 (93%)	49 (5%)	16 (2%)	9	17

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	124	ASN
1	A	221	ARG
1	B	124	ASN
2	D	383	ILE
1	A	138	ALA
1	A	156	ASN
1	A	193	LYS
1	B	6	ASN
1	B	156	ASN
1	A	6	ASN
1	B	193	LYS
1	A	153	SER
1	A	192	TYR
2	C	384	GLU
1	A	220	VAL
1	A	95	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	276/283 (98%)	261 (95%)	15 (5%)	22	42
1	B	276/283 (98%)	274 (99%)	2 (1%)	84	94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	C	147/150 (98%)	147 (100%)	0	100	100
2	D	147/150 (98%)	146 (99%)	1 (1%)	84	94
All	All	846/866 (98%)	828 (98%)	18 (2%)	53	78

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	HIS
1	A	119	GLU
1	A	136	LYS
1	A	137	ARG
1	A	139	ASN
1	A	156	ASN
1	A	184	THR
1	A	190	ASN
1	A	191	LEU
1	A	192	TYR
1	A	207	GLN
1	A	220	VAL
1	A	221	ARG
1	A	239	LEU
1	A	243	ASN
1	B	168	ASN
1	B	239	LEU
2	D	384	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	190	ASN
1	A	194	ASN
1	A	243	ASN
1	A	247	ASN
1	B	14	HIS
2	D	495	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	B	601	1	14,14,15	0.44	0	17,19,21	0.42	0
3	NAG	A	602	1	14,14,15	0.52	0	17,19,21	0.59	0
3	NAG	B	602	1	14,14,15	0.38	0	17,19,21	0.54	0
3	NAG	A	601	1	14,14,15	0.40	0	17,19,21	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	601	1	-	2/6/23/26	0/1/1/1
3	NAG	A	602	1	-	0/6/23/26	0/1/1/1
3	NAG	B	602	1	-	2/6/23/26	0/1/1/1
3	NAG	A	601	1	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	602	NAG	O5-C5-C6-O6
3	B	601	NAG	O5-C5-C6-O6
3	B	602	NAG	C4-C5-C6-O6
3	B	601	NAG	C4-C5-C6-O6
3	A	601	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	601	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	319/327 (97%)	0.71	45 (14%) 2 2	28, 78, 148, 207	0
1	B	319/327 (97%)	0.04	12 (3%) 40 43	25, 50, 91, 120	0
2	C	172/176 (97%)	-0.07	1 (0%) 89 90	28, 40, 67, 129	0
2	D	172/176 (97%)	-0.11	2 (1%) 79 80	24, 37, 52, 142	0
All	All	982/1006 (97%)	0.21	60 (6%) 21 22	24, 49, 120, 207	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	219	LEU	11.5
1	A	192	TYR	8.6
1	A	123	TRP	8.1
1	A	220	VAL	7.1
1	A	191	LEU	6.1
1	A	157	ALA	5.6
1	A	221	ARG	5.4
2	D	383	ILE	5.0
1	A	239	LEU	4.8
1	B	220	VAL	4.7
1	A	218	PRO	4.6
1	A	121	PHE	4.6
1	A	223	LEU	4.6
1	A	126	VAL	4.5
1	A	158	TYR	4.5
1	B	219	LEU	4.5
1	B	155	GLY	4.3
1	B	237	GLY	4.1
1	A	197	GLY	4.1
1	A	225	SER	3.9
1	A	151	VAL	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	240	ILE	3.8
1	A	94	TYR	3.7
1	A	224	SER	3.6
1	A	119	GLU	3.6
1	A	184	THR	3.6
1	B	130	GLY	3.5
1	A	242	PHE	3.2
1	A	150	LEU	3.2
1	A	196	PRO	3.2
2	C	384	GLU	3.1
2	D	384	GLU	3.1
1	A	222	GLY	3.0
1	A	156	ASN	3.0
1	A	216	SER	2.9
1	A	139	ASN	2.9
1	A	241	VAL	2.9
1	A	128	GLN	2.9
1	A	133	GLY	2.9
1	B	239	LEU	2.9
1	A	127	LYS	2.8
1	A	120	GLU	2.8
1	B	157	ALA	2.8
1	A	160	LEU	2.7
1	B	218	PRO	2.7
1	A	155	GLY	2.7
1	A	163	LEU	2.6
1	A	188	GLN	2.6
1	B	222	GLY	2.6
1	B	151	VAL	2.5
1	A	175	TYR	2.4
1	B	216	SER	2.3
1	A	166	ILE	2.3
1	B	184	THR	2.3
1	A	52	LEU	2.3
1	A	251	PRO	2.2
1	A	250	ALA	2.2
1	A	248	LEU	2.1
1	A	95	PRO	2.1
1	A	104	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAG	B	601	14/15	0.75	0.22	91,96,98,100	0
3	NAG	A	601	14/15	0.88	0.36	102,105,111,118	0
3	NAG	A	602	14/15	0.91	0.14	44,48,54,55	0
3	NAG	B	602	14/15	0.95	0.11	34,38,43,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.