



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 11, 2021 – 10:28 AM EST

PDB ID : 6XL1
Title : crystal structure of cA4-activated Card1(D294N)
Authors : Rostol, J.; Xie, W.; Patel, D.J.; Marraffini, L.
Deposited on : 2020-06-27
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.16
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.16


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)
RNA backbone	3102	1124 (2.50-1.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	382	<div> <div>12%</div> <div>87%</div> <div>10%</div> <div>.</div> </div>
1	B	382	<div> <div>14%</div> <div>84%</div> <div>13%</div> <div>..</div> </div>
2	C	4	<div> <div>25%</div> <div>75%</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6859 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Card1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	373	Total	C	N	O	S	0	0	0
			3100	1996	508	585	11			
1	B	373	Total	C	N	O	S	0	0	0
			3100	1996	508	585	11			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	294	ASN	ASP	engineered mutation	UNP F2NWD3
A	374	GLY	-	expression tag	UNP F2NWD3
A	375	SER	-	expression tag	UNP F2NWD3
A	376	GLY	-	expression tag	UNP F2NWD3
A	377	HIS	-	expression tag	UNP F2NWD3
A	378	HIS	-	expression tag	UNP F2NWD3
A	379	HIS	-	expression tag	UNP F2NWD3
A	380	HIS	-	expression tag	UNP F2NWD3
A	381	HIS	-	expression tag	UNP F2NWD3
A	382	HIS	-	expression tag	UNP F2NWD3
B	294	ASN	ASP	engineered mutation	UNP F2NWD3
B	374	GLY	-	expression tag	UNP F2NWD3
B	375	SER	-	expression tag	UNP F2NWD3
B	376	GLY	-	expression tag	UNP F2NWD3
B	377	HIS	-	expression tag	UNP F2NWD3
B	378	HIS	-	expression tag	UNP F2NWD3
B	379	HIS	-	expression tag	UNP F2NWD3
B	380	HIS	-	expression tag	UNP F2NWD3
B	381	HIS	-	expression tag	UNP F2NWD3
B	382	HIS	-	expression tag	UNP F2NWD3


- Molecule 2 is a RNA chain called cA4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	4	Total	C	N	O	P	0	0	0
			88	40	20	24	4			

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Mn	0	0
			3	3		
3	A	1	Total	Mn	0	0
			1	1		

- Molecule 4 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C₈H₁₈N₂O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	265	Total	O	0	0
			265	265		
5	B	262	Total	O	0	0
			262	262		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	25	Total	O	0	0
			25	25		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Card1



• Molecule 1: Card1



• Molecule 2: cA4



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	111.95Å 111.95Å 172.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.58 – 1.95 39.58 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.9 (39.58-1.95) 99.9 (39.58-1.95)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.57 (at 1.95Å)	Xtriage
Refinement program	PHENIX 1.18_3855, PHENIX 1.18_3855	Depositor
R, R_{free}	0.178 , 0.202 0.178 , 0.202	Depositor DCC
R_{free} test set	4033 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	31.6	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 44.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6859	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/3165	0.54	0/4267
1	B	0.42	0/3165	0.53	0/4267
2	C	1.05	0/99	1.28	0/152
All	All	0.43	0/6429	0.56	0/8686

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3100	0	3077	33	0
1	B	3100	0	3077	33	0
2	C	88	0	44	0	0
3	A	1	0	0	0	0
3	B	3	0	0	0	0
4	B	15	0	18	2	0
5	A	265	0	0	8	3
5	B	262	0	0	2	3
5	C	25	0	0	0	0
All	All	6859	0	6216	65	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:ASN:HD22	1:A:221:ILE:HA	1.33	0.93
1:B:368:LYS:HE2	4:B:401:EPE:H52	1.71	0.73
1:A:143:GLU:OE2	5:A:1001:HOH:O	2.06	0.71
1:B:173:THR:OG1	5:B:501:HOH:O	2.11	0.68
1:A:195:ASN:ND2	1:A:221:ILE:HA	2.09	0.65
1:A:197:TYR:CD1	1:A:217:LYS:HG2	2.33	0.64
1:B:232:ILE:HG23	1:B:242:VAL:HG21	1.80	0.64
1:B:246:GLU:HG3	1:B:249:HIS:CE1	2.33	0.63
1:A:201:VAL:HG11	1:A:208:LEU:HD11	1.82	0.61
1:B:202:TYR:OH	1:B:245:ILE:O	2.15	0.59
1:A:235:LEU:HD22	1:A:245:ILE:HD12	1.84	0.58
1:A:183:ARG:NH2	5:A:1003:HOH:O	2.34	0.57
1:B:56:HIS:ND1	1:B:56:HIS:O	2.38	0.57
1:A:59:ASP:OD1	5:A:1002:HOH:O	2.18	0.56
1:B:233:LYS:O	1:B:237:ILE:HG13	2.05	0.56
1:B:102:LYS:O	1:B:106:LEU:HB2	2.04	0.56
1:B:276:LYS:NZ	5:B:502:HOH:O	2.21	0.55
1:B:210:PHE:O	1:B:213:ILE:HG22	2.07	0.55
1:A:183:ARG:O	1:A:187:LYS:HG2	2.08	0.54
1:A:227:THR:OG1	1:A:230:ASN:OD1	2.26	0.53
1:B:210:PHE:HB2	1:B:242:VAL:HG13	1.90	0.53
1:A:317:GLU:O	1:A:321:VAL:HG23	2.09	0.52
1:A:215:GLU:OE1	1:A:215:GLU:N	2.38	0.52
1:A:109:PHE:CD2	1:B:106:LEU:HD21	2.46	0.50
1:B:317:GLU:OE1	1:B:320:ARG:NH2	2.46	0.49
1:A:232:ILE:HG23	1:A:242:VAL:HG11	1.94	0.48
1:B:197:TYR:O	1:B:201:VAL:HG12	2.14	0.48
1:B:232:ILE:HA	1:B:235:LEU:HD12	1.95	0.48
1:A:192:LEU:HD12	1:A:231:MET:HG3	1.96	0.48
1:A:267:CYS:HB3	1:A:275:GLU:HG3	1.96	0.48
1:B:200:ASN:HA	1:B:203:LYS:HE2	1.96	0.47
1:A:314:ASP:OD2	5:A:1003:HOH:O	2.20	0.47
1:B:173:THR:HB	1:B:177:LEU:HD13	1.97	0.47
1:B:215:GLU:O	1:B:219:ILE:HD12	2.15	0.46
1:A:175:TYR:HA	1:A:179:VAL:HB	1.96	0.46
1:B:274:ASP:OD1	1:B:276:LYS:HG2	2.16	0.46
1:A:197:TYR:CZ	1:A:217:LYS:HE2	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:205:LYS:HE3	1:B:206:ASP:H	1.81	0.45
1:B:175:TYR:HA	1:B:179:VAL:HB	1.99	0.45
1:A:197:TYR:CE2	1:A:217:LYS:HE2	2.52	0.44
1:B:246:GLU:HG3	1:B:249:HIS:HE1	1.79	0.44
1:A:192:LEU:HG	1:A:221:ILE:HD11	2.00	0.43
1:B:211:THR:O	1:B:228:LYS:NZ	2.51	0.43
1:A:348:LYS:NZ	1:A:373:LEU:O	2.47	0.43
1:A:244:ARG:NH2	1:A:246:GLU:OE2	2.40	0.43
1:A:28:LYS:NZ	5:A:1016:HOH:O	2.46	0.43
1:A:242:VAL:HG22	5:A:1050:HOH:O	2.19	0.42
1:A:348:LYS:HA	1:A:348:LYS:HD2	1.84	0.42
1:A:218:PHE:CE1	1:A:228:LYS:HA	2.54	0.42
1:A:215:GLU:HG3	1:A:228:LYS:HD3	2.02	0.42
1:B:218:PHE:CE2	1:B:228:LYS:HG3	2.55	0.42
1:A:218:PHE:CD1	1:A:228:LYS:HA	2.55	0.42
1:A:136:LYS:HE3	5:A:1083:HOH:O	2.20	0.42
1:B:349:SER:O	1:B:369:ASP:HB2	2.19	0.42
1:B:193:GLN:HE22	1:B:251:ARG:HG2	1.85	0.42
1:A:349:SER:O	1:A:369:ASP:HB2	2.20	0.42
1:B:28:LYS:HE2	1:B:28:LYS:HB2	1.89	0.41
1:B:200:ASN:HA	1:B:203:LYS:CE	2.51	0.41
1:B:192:LEU:HA	1:B:221:ILE:HD13	2.02	0.41
1:A:292:GLU:HB3	5:A:1019:HOH:O	2.21	0.41
1:B:133:TYR:CD2	1:B:134:PRO:HA	2.56	0.41
1:B:234:ILE:HD12	1:B:234:ILE:HA	1.89	0.41
1:B:348:LYS:HD2	1:B:348:LYS:HA	1.89	0.40
1:A:233:LYS:O	1:A:237:ILE:HG13	2.21	0.40
1:B:368:LYS:HE3	4:B:401:EPE:H82	2.04	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1205:HOH:O	5:B:502:HOH:O[6_554]	1.96	0.24
5:A:1191:HOH:O	5:B:578:HOH:O[3_555]	2.04	0.16
5:A:1001:HOH:O	5:B:728:HOH:O[6_554]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	371/382 (97%)	363 (98%)	8 (2%)	0	100	100
1	B	371/382 (97%)	362 (98%)	9 (2%)	0	100	100
All	All	742/764 (97%)	725 (98%)	17 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	345/352 (98%)	345 (100%)	0	100	100
1	B	345/352 (98%)	334 (97%)	11 (3%)	39	27
All	All	690/704 (98%)	679 (98%)	11 (2%)	62	58

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	1	MET
1	B	58	SER
1	B	106	LEU
1	B	115	LYS
1	B	216	GLU
1	B	222	ASN
1	B	311	SER
1	B	314	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	317	GLU
1	B	320	ARG
1	B	354	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	212	GLN
1	B	194	ASN
1	B	200	ASN
1	B	222	ASN
1	B	236	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	C	3/4 (75%)	3 (100%)	0

All (3) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	C	2	A
2	C	3	A
2	C	4	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EPE	B	401	-	15,15,15	1.37	2 (13%)	18,20,20	2.16	5 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EPE	B	401	-	-	4/9/19/19	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	401	EPE	C10-S	3.61	1.82	1.77
4	B	401	EPE	O1S-S	2.42	1.52	1.45

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	401	EPE	O1S-S-C10	4.32	112.12	106.92
4	B	401	EPE	C6-C5-N4	4.13	119.11	110.64
4	B	401	EPE	C5-N4-C3	3.98	117.79	108.83
4	B	401	EPE	O3S-S-O1S	-3.34	103.12	111.27
4	B	401	EPE	O2S-S-C10	3.14	110.70	106.92

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	401	EPE	C9-C10-S-O2S
4	B	401	EPE	C9-C10-S-O3S
4	B	401	EPE	C10-C9-N1-C2
4	B	401	EPE	C9-C10-S-O1S

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	401	EPE	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	373/382 (97%)	0.72	44 (11%) 4 7	21, 33, 72, 83	0
1	B	373/382 (97%)	0.75	55 (14%) 2 3	22, 33, 77, 84	0
2	C	4/4 (100%)	0.26	0 100 100	22, 22, 23, 24	0
All	All	750/768 (97%)	0.73	99 (13%) 3 5	21, 33, 75, 84	0

All (99) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	208	LEU	8.7
1	B	210	PHE	8.0
1	B	213	ILE	7.7
1	A	219	ILE	7.1
1	A	197	TYR	7.0
1	A	213	ILE	6.6
1	B	219	ILE	6.5
1	A	221	ILE	6.4
1	B	204	ARG	6.3
1	A	216	GLU	5.8
1	A	214	GLU	5.6
1	A	196	SER	5.6
1	B	222	ASN	5.6
1	A	201	VAL	5.6
1	B	209	ASP	5.5
1	B	226	ALA	5.4
1	B	194	ASN	5.3
1	B	216	GLU	5.3
1	A	218	PHE	5.1
1	B	200	ASN	5.0
1	A	204	ARG	5.0
1	B	197	TYR	4.6
1	B	214	GLU	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	227	THR	4.4
1	A	222	ASN	4.4
1	B	212	GLN	4.3
1	B	196	SER	4.3
1	B	203	LYS	4.3
1	B	1	MET	4.2
1	B	207	PHE	4.2
1	B	195	ASN	4.2
1	B	232	ILE	4.2
1	B	234	ILE	4.1
1	B	202	TYR	4.0
1	A	207	PHE	4.0
1	B	206	ASP	3.9
1	A	198	PHE	3.9
1	B	242	VAL	3.8
1	B	217	LYS	3.7
1	B	250	ILE	3.7
1	A	205	LYS	3.6
1	B	240	PHE	3.6
1	B	231	MET	3.6
1	A	200	ASN	3.6
1	A	373	LEU	3.5
1	B	218	PHE	3.5
1	B	220	ALA	3.5
1	A	313	VAL	3.4
1	B	244	ARG	3.3
1	A	220	ALA	3.2
1	A	225	ALA	3.2
1	B	215	GLU	3.2
1	A	217	LYS	3.1
1	A	224	PRO	3.1
1	B	224	PRO	3.1
1	B	211	THR	3.0
1	A	271	HIS	3.0
1	B	225	ALA	3.0
1	B	229	GLU	2.9
1	A	227	THR	2.9
1	B	313	VAL	2.9
1	A	212	GLN	2.9
1	A	206	ASP	2.9
1	B	60	SER	2.8
1	B	354	GLU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	316	ASN	2.7
1	A	15	ILE	2.6
1	A	195	ASN	2.6
1	A	199	ASN	2.6
1	B	184	GLU	2.6
1	A	181	ASP	2.5
1	A	316	ASN	2.5
1	A	56	HIS	2.5
1	A	210	PHE	2.5
1	B	243	SER	2.4
1	B	190	ILE	2.4
1	B	230	ASN	2.3
1	A	203	LYS	2.3
1	B	181	ASP	2.3
1	B	223	HIS	2.3
1	B	315	GLY	2.3
1	B	221	ILE	2.3
1	B	245	ILE	2.3
1	A	145	LEU	2.2
1	A	371	THR	2.2
1	B	101	THR	2.2
1	B	314	ASP	2.2
1	A	21	ILE	2.2
1	A	103	ILE	2.2
1	A	191	ALA	2.2
1	A	232	ILE	2.2
1	A	189	MET	2.2
1	B	191	ALA	2.2
1	A	98	THR	2.1
1	B	59	ASP	2.1
1	A	339	LEU	2.1
1	A	180	ALA	2.1
1	A	315	GLY	2.0
1	B	373	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	EPE	B	401	15/15	0.89	0.32	41,54,60,63	0
3	MN	A	901	1/1	0.92	0.20	81,81,81,81	0
3	MN	B	402	1/1	0.98	0.21	66,66,66,66	0
3	MN	B	404	1/1	0.98	0.05	43,43,43,43	0
3	MN	B	403	1/1	1.00	0.04	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around MN A 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MN B 402:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MN B 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.