



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 03:31 pm BST

PDB ID : 5XWZ
Title : Crystal structure of a lactonase from *Cladophialophora bantiana*
Authors : Zheng, Y.Y.; Liu, W.T.; Liu, W.D.; Chen, C.C.; Guo, R.T.
Deposited on : 2017-06-30
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2340 (1.76-1.76)
Clashscore	141614	2466 (1.76-1.76)
Ramachandran outliers	138981	2437 (1.76-1.76)
Sidechain outliers	138945	2437 (1.76-1.76)
RSRZ outliers	127900	2298 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	271	<div> <div>4%</div> <div> <div></div> <div>85%</div> <div>10%</div> <div>• •</div> </div> </div>
1	B	271	<div> <div>6%</div> <div> <div></div> <div>86%</div> <div>10%</div> <div>• •</div> </div> </div>
1	C	271	<div> <div>4%</div> <div> <div></div> <div>87%</div> <div>9%</div> <div>• •</div> </div> </div>
1	D	271	<div> <div>8%</div> <div> <div></div> <div>81%</div> <div>15%</div> <div>•</div> </div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9193 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Unplaced genomic scaffold supercont1.36, whole genome shotgun sequence.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	260	Total	C	N	O	S	0	0	0
			2009	1269	341	388	11			
1	B	264	Total	C	N	O	S	0	0	0
			2037	1287	346	393	11			
1	C	262	Total	C	N	O	S	0	0	0
			2025	1279	344	391	11			
1	D	262	Total	C	N	O	S	0	0	0
			2025	1279	344	391	11			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	HIS	-	expression tag	UNP A0A0D2H023
A	-4	HIS	-	expression tag	UNP A0A0D2H023
A	-3	HIS	-	expression tag	UNP A0A0D2H023
A	-2	HIS	-	expression tag	UNP A0A0D2H023
A	-1	HIS	-	expression tag	UNP A0A0D2H023
A	0	HIS	-	expression tag	UNP A0A0D2H023
B	-5	HIS	-	expression tag	UNP A0A0D2H023
B	-4	HIS	-	expression tag	UNP A0A0D2H023
B	-3	HIS	-	expression tag	UNP A0A0D2H023
B	-2	HIS	-	expression tag	UNP A0A0D2H023
B	-1	HIS	-	expression tag	UNP A0A0D2H023
B	0	HIS	-	expression tag	UNP A0A0D2H023
C	-5	HIS	-	expression tag	UNP A0A0D2H023
C	-4	HIS	-	expression tag	UNP A0A0D2H023
C	-3	HIS	-	expression tag	UNP A0A0D2H023
C	-2	HIS	-	expression tag	UNP A0A0D2H023
C	-1	HIS	-	expression tag	UNP A0A0D2H023
C	0	HIS	-	expression tag	UNP A0A0D2H023
D	-5	HIS	-	expression tag	UNP A0A0D2H023
D	-4	HIS	-	expression tag	UNP A0A0D2H023

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-3	HIS	-	expression tag	UNP A0A0D2H023
D	-2	HIS	-	expression tag	UNP A0A0D2H023
D	-1	HIS	-	expression tag	UNP A0A0D2H023
D	0	HIS	-	expression tag	UNP A0A0D2H023

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Na 1 1	0	0
2	A	1	Total Na 1 1	0	0
2	D	1	Total Na 1 1	0	0
2	C	1	Total Na 1 1	0	0

- Molecule 3 is MALONATE ION (three-letter code: MLI) (formula: $C_3H_2O_4$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 7 3 4	0	0
3	D	1	Total C O 7 3 4	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	293	Total	O	0	0
			293	293		
5	B	282	Total	O	0	0
			282	282		
5	C	296	Total	O	0	0
			296	296		
5	D	190	Total	O	0	0
			190	190		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Unplaced genomic scaffold supercont1.36, whole genome shotgun sequence




- Molecule 1: Unplaced genomic scaffold supercont1.36, whole genome shotgun sequence



- Molecule 1: Unplaced genomic scaffold supercont1.36, whole genome shotgun sequence



- Molecule 1: Unplaced genomic scaffold supercont1.36, whole genome shotgun sequence





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	120.86Å 104.40Å 116.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 1.75 24.94 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.8 (25.00-1.75) 99.7 (24.94-1.75)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.98 (at 1.75Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.154 , 0.181 0.168 , 0.190	Depositor DCC
R_{free} test set	7484 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	22.2	Xtriage
Anisotropy	0.309	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 49.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.011 for l,-k,h	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9193	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MLI, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	1/2062 (0.0%)	0.79	3/2809 (0.1%)
1	B	0.62	0/2092	0.78	3/2853 (0.1%)
1	C	0.60	0/2079	0.75	1/2834 (0.0%)
1	D	0.50	0/2079	0.69	1/2834 (0.0%)
All	All	0.59	1/8312 (0.0%)	0.75	8/11330 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	132	THR	CB-CG2	-5.25	1.35	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	191	ARG	NE-CZ-NH1	7.96	124.28	120.30
1	C	151	ARG	NE-CZ-NH2	6.51	123.56	120.30
1	B	132	THR	N-CA-CB	-6.10	98.71	110.30
1	B	123	ARG	NE-CZ-NH2	-5.53	117.54	120.30
1	A	132	THR	N-CA-CB	-5.47	99.91	110.30
1	B	74	THR	N-CA-CB	-5.16	100.50	110.30
1	D	132	THR	N-CA-CB	-5.05	100.71	110.30
1	A	43	ASP	CB-CG-OD2	-5.04	113.76	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2009	0	1943	17	0
1	B	2037	0	1973	20	0
1	C	2025	0	1961	15	0
1	D	2025	0	1960	26	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	7	0	2	0	0
3	D	7	0	2	0	0
4	B	12	0	16	0	0
4	D	6	0	8	1	0
5	A	293	0	0	7	2
5	B	282	0	0	5	1
5	C	296	0	0	7	1
5	D	190	0	0	8	1
All	All	9193	0	7865	77	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:205:HIS:HD2	5:D:554:HOH:O	1.33	1.12
1:C:231:ARG:HD2	5:C:486:HOH:O	1.57	1.04
1:B:224:GLU:HG2	5:B:594:HOH:O	1.62	0.97
5:A:491:HOH:O	1:B:220:GLN:HG3	1.67	0.92
1:A:140:ASN:HB2	5:A:583:HOH:O	1.81	0.77
1:A:220:GLN:HG2	5:A:623:HOH:O	1.84	0.76
1:C:73:GLU:HG3	5:C:496:HOH:O	1.87	0.75
1:B:132:THR:HG23	5:B:653:HOH:O	1.84	0.75
1:B:70:ALA:HB1	1:B:74:THR:HG21	1.68	0.75
1:D:132:THR:HG23	5:D:573:HOH:O	1.86	0.75
1:D:70:ALA:HB1	1:D:74:THR:HG21	1.72	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:14:ASP:OD2	5:D:401:HOH:O	2.10	0.69
1:C:73:GLU:CG	5:C:496:HOH:O	2.41	0.69
1:A:205:HIS:HE1	1:A:232:GLU:OE2	1.77	0.68
1:C:205:HIS:HE1	1:C:232:GLU:OE2	1.77	0.68
1:B:71:PRO:O	1:B:74:THR:HB	1.93	0.67
1:D:254:ALA:O	1:D:258:VAL:HG13	1.97	0.64
1:B:62:PRO:CB	1:B:74:THR:HG23	2.29	0.62
1:A:142:HIS:HD2	1:A:186:ALA:HB1	1.63	0.62
1:B:62:PRO:HB3	1:B:74:THR:HG23	1.84	0.60
1:A:132:THR:HG23	5:A:647:HOH:O	2.01	0.60
1:D:132:THR:CG2	5:D:573:HOH:O	2.47	0.59
1:A:141:ILE:HG22	1:A:141:ILE:O	2.03	0.59
1:C:220:GLN:NE2	1:D:238:THR:OG1	2.36	0.57
1:C:10:ILE:HD11	1:C:93:GLN:HG2	1.84	0.57
1:D:205:HIS:CD2	5:D:554:HOH:O	2.22	0.56
1:B:137:ASN:H	1:B:137:ASN:HD22	1.53	0.56
1:D:205:HIS:HE1	1:D:232:GLU:OE1	1.88	0.56
1:D:62:PRO:HB2	1:D:74:THR:HG23	1.88	0.55
1:C:40:GLN:HG2	5:C:586:HOH:O	2.07	0.55
1:D:108:ALA:HB1	1:D:130:VAL:HG22	1.89	0.55
1:B:137:ASN:N	1:B:137:ASN:HD22	2.04	0.55
1:A:132:THR:CG2	5:A:647:HOH:O	2.53	0.54
1:A:12:THR:HA	1:A:93:GLN:HE22	1.72	0.54
1:D:100:SER:OG	1:D:124:ASN:ND2	2.41	0.54
1:D:204:LEU:HB3	1:D:234:ILE:HD11	1.90	0.53
5:A:491:HOH:O	1:B:220:GLN:CG	2.41	0.53
1:B:231:ARG:HD3	5:B:408:HOH:O	2.08	0.53
1:B:135:PRO:HG2	1:B:138:LEU:HB2	1.91	0.52
1:D:83:LEU:O	1:D:87:ILE:HG12	2.09	0.52
1:A:142:HIS:CD2	1:A:186:ALA:HB1	2.46	0.51
1:D:132:THR:HG21	1:D:224:GLU:HB3	1.93	0.51
1:C:164:GLU:HG2	5:C:644:HOH:O	2.11	0.51
1:A:132:THR:HG21	1:A:224:GLU:HB3	1.93	0.50
1:A:108:ALA:HB1	1:A:130:VAL:HG22	1.94	0.49
1:B:224:GLU:CG	5:B:594:HOH:O	2.39	0.49
1:D:62:PRO:CB	1:D:74:THR:HG23	2.43	0.48
1:B:62:PRO:HB2	1:B:74:THR:HG23	1.94	0.48
1:B:132:THR:CG2	5:B:653:HOH:O	2.50	0.47
1:D:9:THR:HA	1:D:18:TRP:O	2.16	0.46
1:C:12:THR:HA	1:C:93:GLN:HE22	1.80	0.45
1:B:12:THR:HG22	1:B:93:GLN:HG3	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:83:LEU:O	1:B:87:ILE:HG12	2.17	0.45
1:B:82:LYS:HG2	1:B:86:TYR:CE2	2.51	0.45
1:C:108:ALA:HB1	1:C:130:VAL:HG22	1.99	0.45
1:D:10:ILE:HD11	1:D:93:GLN:CG	2.46	0.45
4:D:301:GOL:H11	5:D:525:HOH:O	2.17	0.45
1:D:118:PHE:N	1:D:119:PRO:CD	2.80	0.45
1:D:136:GLU:O	1:D:139:GLN:HG2	2.17	0.44
1:C:93:GLN:NE2	5:C:406:HOH:O	2.50	0.44
1:D:46:MET:HG3	1:D:56:VAL:HG11	2.00	0.44
1:A:140:ASN:HD22	1:A:140:ASN:HA	1.46	0.43
1:D:251:GLU:HG3	5:D:515:HOH:O	2.18	0.43
1:A:175:HIS:HD2	5:A:487:HOH:O	2.01	0.43
1:C:73:GLU:CB	5:C:496:HOH:O	2.67	0.43
1:D:122:VAL:O	5:D:403:HOH:O	2.22	0.43
1:A:44:LYS:HB2	1:A:45:PRO:HD3	2.01	0.43
1:C:238:THR:OG1	1:D:220:GLN:NE2	2.45	0.42
1:D:44:LYS:HE2	1:D:44:LYS:HB3	1.72	0.42
1:A:220:GLN:HG3	1:A:220:GLN:O	2.20	0.42
1:D:72:PRO:HA	1:D:75:TYR:CZ	2.54	0.42
1:A:207:VAL:HB	1:A:208:PRO:HD2	2.03	0.41
1:B:176:GLU:HG2	1:B:179:ARG:HH12	1.85	0.41
1:A:213:VAL:O	1:A:238:THR:HA	2.20	0.41
1:C:123:ARG:HG2	1:C:124:ASN:HD22	1.85	0.41
1:B:22:GLN:HA	1:B:56:VAL:O	2.21	0.41
1:C:104:CYS:HA	1:C:128:HIS:O	2.21	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:470:HOH:O	5:B:470:HOH:O[2_755]	1.48	0.72
5:A:605:HOH:O	5:D:512:HOH:O[2_755]	2.08	0.12
5:A:599:HOH:O	5:C:526:HOH:O[4_556]	2.14	0.06

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	256/271 (94%)	247 (96%)	8 (3%)	1 (0%)	34	17
1	B	262/271 (97%)	256 (98%)	5 (2%)	1 (0%)	34	17
1	C	260/271 (96%)	250 (96%)	8 (3%)	2 (1%)	19	6
1	D	260/271 (96%)	251 (96%)	8 (3%)	1 (0%)	34	17
All	All	1038/1084 (96%)	1004 (97%)	29 (3%)	5 (0%)	29	12

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	135	PRO
1	B	189	TYR
1	C	189	TYR
1	D	189	TYR
1	A	189	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	218/228 (96%)	209 (96%)	9 (4%)	30	10
1	B	221/228 (97%)	210 (95%)	11 (5%)	24	6
1	C	220/228 (96%)	210 (96%)	10 (4%)	27	8
1	D	220/228 (96%)	211 (96%)	9 (4%)	30	10
All	All	879/912 (96%)	840 (96%)	39 (4%)	28	8

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	105	SER
1	A	132	THR
1	A	139	GLN
1	A	140	ASN
1	A	141	ILE
1	A	225	ASN
1	A	242	PHE
1	A	246	TYR
1	B	25	SER
1	B	59	PHE
1	B	74	THR
1	B	105	SER
1	B	132	THR
1	B	137	ASN
1	B	145	ASP
1	B	172	PRO
1	B	236	ILE
1	B	242	PHE
1	B	246	TYR
1	C	4	GLU
1	C	59	PHE
1	C	73	GLU
1	C	105	SER
1	C	137	ASN
1	C	151	ARG
1	C	220	GLN
1	C	225	ASN
1	C	242	PHE
1	C	246	TYR
1	D	59	PHE
1	D	74	THR
1	D	105	SER
1	D	132	THR
1	D	143	ASP
1	D	184	ARG
1	D	225	ASN
1	D	231	ARG
1	D	242	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	93	GLN
1	A	124	ASN
1	A	134	ASN
1	A	139	GLN
1	A	140	ASN
1	A	142	HIS
1	A	175	HIS
1	A	205	HIS
1	B	124	ASN
1	B	137	ASN
1	C	93	GLN
1	C	124	ASN
1	C	205	HIS
1	C	220	GLN
1	D	93	GLN
1	D	124	ASN
1	D	205	HIS
1	D	220	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 4 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MLI	D	303	-	0,6,6	0.00	-	0,7,7	0.00	-
4	GOL	B	301	-	5,5,5	0.43	0	5,5,5	0.84	0
3	MLI	A	302	-	0,6,6	0.00	-	0,7,7	0.00	-
4	GOL	B	302	-	5,5,5	0.51	0	5,5,5	0.76	0
4	GOL	D	301	-	5,5,5	0.39	0	5,5,5	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MLI	D	303	-	-	0/0/4/4	-
4	GOL	B	301	-	-	0/4/4/4	-
3	MLI	A	302	-	-	0/0/4/4	-
4	GOL	B	302	-	-	1/4/4/4	-
4	GOL	D	301	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	301	GOL	O1-C1-C2-C3
4	D	301	GOL	C1-C2-C3-O3
4	D	301	GOL	O2-C2-C3-O3
4	D	301	GOL	O1-C1-C2-O2
4	B	302	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	301	GOL	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	260/271 (95%)	-0.14	11 (4%)	36 42	15, 20, 36, 109	0
1	B	264/271 (97%)	0.01	15 (5%)	23 29	16, 23, 51, 85	0
1	C	262/271 (96%)	-0.11	12 (4%)	32 38	15, 21, 41, 87	0
1	D	262/271 (96%)	0.43	21 (8%)	12 16	19, 31, 55, 126	0
All	All	1048/1084 (96%)	0.05	59 (5%)	24 30	15, 23, 52, 126	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	141	ILE	9.1
1	A	136	GLU	6.0
1	C	137	ASN	5.6
1	B	139	GLN	5.3
1	C	139	GLN	5.1
1	B	136	GLU	5.0
1	B	137	ASN	4.9
1	C	136	GLU	4.9
1	D	139	GLN	4.7
1	B	2	ALA	4.7
1	A	143	ASP	4.7
1	D	136	GLU	4.6
1	D	137	ASN	4.5
1	D	140	ASN	4.5
1	C	140	ASN	4.2
1	C	135	PRO	4.2
1	D	265	LEU	4.0
1	A	140	ASN	4.0
1	D	138	LEU	3.9
1	B	138	LEU	3.9
1	D	32	ILE	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	138	LEU	3.8
1	A	142	HIS	3.7
1	D	144	ALA	3.6
1	D	31	LEU	3.5
1	D	143	ASP	3.4
1	C	134	ASN	3.4
1	D	141	ILE	3.4
1	D	142	HIS	3.4
1	B	140	ASN	3.3
1	A	135	PRO	3.2
1	C	142	HIS	3.1
1	B	143	ASP	3.1
1	D	4	GLU	3.0
1	D	172	PRO	2.9
1	D	135	PRO	2.9
1	A	4	GLU	2.8
1	B	151	ARG	2.7
1	A	32	ILE	2.7
1	B	135	PRO	2.7
1	B	3	PRO	2.7
1	B	134	ASN	2.7
1	D	173	GLU	2.7
1	D	145	ASP	2.6
1	A	31	LEU	2.6
1	B	36	LEU	2.5
1	C	141	ILE	2.4
1	B	147	ALA	2.3
1	B	148	THR	2.3
1	B	142	HIS	2.3
1	C	143	ASP	2.3
1	D	148	THR	2.3
1	D	97	LYS	2.3
1	C	4	GLU	2.2
1	D	30	VAL	2.2
1	D	111	VAL	2.2
1	A	144	ALA	2.2
1	C	32	ILE	2.1
1	A	139	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	GOL	B	302	6/6	0.81	0.43	40,56,58,61	0
4	GOL	D	301	6/6	0.87	0.29	40,55,60,71	0
4	GOL	B	301	6/6	0.88	0.14	27,33,34,36	0
3	MLI	D	303	7/7	0.90	0.22	37,58,63,76	0
2	NA	C	301	1/1	0.92	0.08	30,30,30,30	0
3	MLI	A	302	7/7	0.92	0.13	36,51,67,67	0
2	NA	A	301	1/1	0.93	0.07	28,28,28,28	0
2	NA	D	302	1/1	0.95	0.18	38,38,38,38	0
2	NA	B	303	1/1	0.99	0.10	25,25,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.