



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 10, 2020 – 08:40 AM BST

PDB ID : 2XY7
Title : Crystal structure of a salicylic aldehyde base in the pre-insertion site of fragment DNA polymerase I from *Bacillus stearothermophilus*
Authors : Kaul, C.; Mueller, M.; Wagner, M.; Schneider, S.; Carell, T.
Deposited on : 2010-11-15
Resolution : 3.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1754 (3.10-3.02)
Clashscore	141614	1864 (3.10-3.02)
Ramachandran outliers	138981	1794 (3.10-3.02)
Sidechain outliers	138945	1793 (3.10-3.02)
RSRZ outliers	127900	1713 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	580	<div> <div style="width: 100%; height: 10px; background-color: red;"></div> <div style="display: flex; justify-content: space-between; align-items: center;"> % <div style="width: 69%; height: 10px; background-color: green;"></div> <div style="width: 29%; height: 10px; background-color: yellow;"></div> . </div> </div>
2	B	10	<div> <div style="width: 10%; height: 10px; background-color: red;"></div> <div style="display: flex; justify-content: space-between; align-items: center;"> 10% <div style="width: 70%; height: 10px; background-color: yellow;"></div> <div style="width: 20%; height: 10px; background-color: orange;"></div> </div> </div>
3	C	11	<div> <div style="width: 9%; height: 10px; background-color: red;"></div> <div style="display: flex; justify-content: space-between; align-items: center;"> 9% <div style="width: 36%; height: 10px; background-color: green;"></div> <div style="width: 45%; height: 10px; background-color: yellow;"></div> <div style="width: 18%; height: 10px; background-color: orange;"></div> </div> </div>
4	D	2	<div> <div style="width: 100%; height: 10px; background-color: yellow;"></div> <div style="text-align: center;">100%</div> </div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4961 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA POLYMERASE I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	580	Total	C	N	O	S	0	0	0
			4497	2867	770	843	17			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	329	ALA	ASP	engineered mutation	UNP E1C9K5


- Molecule 2 is a DNA chain called 5'-D(*GP*CP*CP*TP*GP*AP*CP*TP*CP*GP)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	10	Total	C	N	O	P	0	0	0
			200	96	36	59	9			

- Molecule 3 is a DNA chain called 5'-D(*SAYP*CP*GP*AP*GP*TP*CP*AP*GP*GP*CP)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	11	Total	C	N	O	P	0	0	0
			223	109	41	63	10			

- Molecule 4 is an oligosaccharide called beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	D	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	8	Total	O	0	0
			8	8		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DNA POLYMERASE I



• Molecule 2: 5'-D(*GP*CP*CP*TP*GP*AP*CP*TP*CP*GP)-3'



• Molecule 3: 5'-D(*SAYP*CP*GP*AP*GP*TP*CP*AP*GP*GP*CP)-3'



- Molecule 4: beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose

Chain D:

100%

GLC1
FRU2

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	86.04Å 94.02Å 106.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.02 – 3.05 39.90 – 3.05	Depositor EDS
% Data completeness (in resolution range)	98.5 (43.02-3.05) 98.6 (39.90-3.05)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.97 (at 3.06Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.236 , 0.284 0.241 , 0.288	Depositor DCC
R_{free} test set	836 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	49.4	Xtriage
Anisotropy	0.116	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 55.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	4961	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SAY, GLC, SO4, FRU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/4579	0.57	0/6218
2	B	0.81	0/223	1.54	4/342 (1.2%)
3	C	1.39	1/232 (0.4%)	1.24	0/356
All	All	0.53	1/5034 (0.0%)	0.70	4/6916 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	9	DC	C3'-O3'	-5.65	1.36	1.44

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	23	DT	N3-C4-O4	5.68	123.31	119.90
2	B	23	DT	O4'-C1'-N1	5.46	111.82	108.00
2	B	23	DT	C5-C4-O4	-5.06	121.36	124.90
2	B	27	DT	N3-C4-O4	5.06	122.94	119.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4497	0	4416	149	0
2	B	200	0	114	14	0
3	C	223	0	121	10	0
4	D	23	0	21	2	0
5	A	10	0	0	0	0
6	A	8	0	0	0	0
All	All	4961	0	4672	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:3:SAY:C2'	3:C:4:DC:OP1	2.01	1.05
3:C:3:SAY:H2'1	3:C:4:DC:OP1	1.20	1.02
1:A:338:VAL:HG22	1:A:343:ARG:HG2	1.44	0.99
1:A:632:GLU:HG2	1:A:633:GLY:N	1.79	0.95
1:A:749:TYR:CD2	1:A:750:MET:HE3	2.09	0.88
1:A:376:ALA:O	1:A:380:LEU:HD12	1.74	0.87
1:A:712:ILE:HD13	1:A:716:ILE:HD11	1.58	0.85
1:A:731:GLU:O	1:A:734:GLU:HG3	1.82	0.80
1:A:300:ALA:O	1:A:343:ARG:NH1	2.16	0.78
1:A:419:TYR:CE1	1:A:421:ALA:HB3	2.19	0.76
1:A:570:ILE:O	1:A:574:ILE:HD12	1.87	0.75
1:A:750:MET:HA	1:A:750:MET:HE2	1.66	0.75
1:A:685:THR:HG22	1:A:705:ALA:HB1	1.70	0.74
1:A:327:TYR:CE1	1:A:378:VAL:HG11	2.23	0.73
1:A:570:ILE:HG12	1:A:574:ILE:HD11	1.70	0.73
1:A:632:GLU:HG2	1:A:633:GLY:H	1.52	0.72
1:A:749:TYR:CE2	1:A:750:MET:CE	2.73	0.71
1:A:749:TYR:CE2	1:A:750:MET:HE1	2.26	0.70
1:A:716:ILE:HG22	1:A:716:ILE:O	1.92	0.70
1:A:324:GLU:HG3	1:A:330:ALA:HB1	1.73	0.69
1:A:648:LEU:HB2	1:A:841:MET:HE2	1.77	0.67
1:A:648:LEU:HB2	1:A:841:MET:CE	2.25	0.67
1:A:717:SER:OG	3:C:3:SAY:HAF	1.96	0.66
1:A:376:ALA:C	1:A:380:LEU:HD12	2.16	0.66
1:A:722:ALA:HB1	1:A:727:ILE:O	1.96	0.66
1:A:750:MET:HA	1:A:750:MET:CE	2.25	0.65
1:A:627:PRO:HA	2:B:28:DC:H5'	1.79	0.64
1:A:351:ALA:HB1	1:A:357:PHE:CE2	2.33	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:561:LEU:O	1:A:571:VAL:HG11	1.98	0.64
1:A:570:ILE:HG12	1:A:574:ILE:CD1	2.28	0.64
1:A:829:HIS:HB2	2:B:29:DG:O3'	1.99	0.63
1:A:327:TYR:CD1	1:A:378:VAL:HG11	2.35	0.62
1:A:410:VAL:HG21	1:A:450:LYS:HD2	1.82	0.62
1:A:858:LEU:HD12	1:A:862:LEU:HD11	1.81	0.61
1:A:318:LEU:HD12	1:A:319:VAL:N	2.15	0.60
1:A:410:VAL:CG2	1:A:450:LYS:HD2	2.32	0.60
1:A:715:GLY:HA2	1:A:792:MET:HE1	1.85	0.59
1:A:749:TYR:CE2	1:A:750:MET:HE3	2.37	0.59
1:A:308:THR:HG22	1:A:310:GLU:H	1.67	0.59
1:A:552:THR:CG2	2:B:24:DG:OP1	2.51	0.59
1:A:687:MET:HE3	1:A:693:SER:HA	1.84	0.59
1:A:712:ILE:CD1	1:A:716:ILE:HD11	2.31	0.58
1:A:700:ASN:O	1:A:704:GLN:HG3	2.04	0.58
1:A:326:ASN:OD1	1:A:605:ILE:HD11	2.03	0.58
1:A:801:ALA:O	1:A:804:ILE:HG22	2.05	0.57
1:A:481:LEU:CD2	1:A:805:LYS:HD3	2.35	0.56
1:A:848:VAL:HB	1:A:849:PRO:HD3	1.87	0.56
2:B:26:DC:C6	2:B:27:DT:H72	2.40	0.56
1:A:354:ASP:OD1	1:A:356:GLN:N	2.38	0.55
1:A:351:ALA:HB1	1:A:357:PHE:CD2	2.41	0.55
1:A:303:LEU:C	1:A:303:LEU:HD23	2.27	0.55
1:A:544:LEU:N	1:A:544:LEU:HD23	2.22	0.54
1:A:457:LEU:HA	1:A:460:PRO:HG2	1.88	0.54
1:A:779:ARG:HH11	1:A:779:ARG:HB2	1.71	0.54
1:A:718:ASP:OD1	1:A:718:ASP:N	2.40	0.54
1:A:731:GLU:O	1:A:734:GLU:CG	2.54	0.54
1:A:750:MET:CE	1:A:792:MET:HB3	2.38	0.54
1:A:847:LEU:O	1:A:851:VAL:HG23	2.08	0.54
1:A:534:LEU:HD23	1:A:556:THR:HG21	1.89	0.54
1:A:323:VAL:O	1:A:435:ARG:NH2	2.40	0.53
1:A:858:LEU:CD1	1:A:862:LEU:HD11	2.39	0.53
1:A:596:ARG:HB3	1:A:598:ASP:OD1	2.09	0.53
1:A:327:TYR:CD1	1:A:378:VAL:CG1	2.91	0.53
1:A:750:MET:O	1:A:754:VAL:HG23	2.08	0.53
1:A:853:GLU:HG3	1:A:864:VAL:HG23	1.91	0.53
3:C:4:DC:H2'	3:C:5:DG:H5''	1.90	0.52
1:A:780:ASN:OD1	1:A:783:VAL:HG23	2.09	0.52
1:A:716:ILE:HG23	1:A:736:ILE:HD13	1.92	0.52
1:A:552:THR:HG22	2:B:24:DG:OP1	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:810:ASP:O	1:A:814:ARG:HG2	2.09	0.52
1:A:537:ILE:O	1:A:541:LYS:HB3	2.09	0.52
1:A:327:TYR:HE1	1:A:378:VAL:HG11	1.69	0.52
1:A:716:ILE:HD12	1:A:740:PHE:HZ	1.75	0.51
1:A:746:VAL:O	1:A:750:MET:HG2	2.10	0.51
1:A:818:GLU:HB2	1:A:820:LEU:HG	1.91	0.51
1:A:465:LEU:HD13	1:A:474:LEU:HD22	1.93	0.50
1:A:325:GLU:OE2	4:D:1:GLC:O3	2.22	0.50
1:A:360:TRP:CE3	1:A:361:LEU:HD23	2.46	0.50
1:A:749:TYR:CD2	1:A:750:MET:CE	2.86	0.50
1:A:786:PHE:CZ	1:A:790:MET:HE2	2.45	0.50
1:A:717:SER:HB2	1:A:720:GLY:H	1.78	0.49
1:A:612:GLN:HG2	3:C:6:DA:OP1	2.12	0.49
1:A:471:ASP:O	1:A:475:VAL:HG23	2.13	0.49
1:A:591:LEU:HD21	1:A:640:PHE:CZ	2.48	0.49
3:C:9:DC:H2"	3:C:10:DA:C8	2.48	0.49
1:A:493:VAL:HG22	1:A:825:LEU:HD13	1.95	0.48
1:A:363:ASP:OD1	1:A:365:THR:OG1	2.30	0.48
1:A:687:MET:HE3	1:A:692:VAL:O	2.14	0.48
1:A:591:LEU:HD21	1:A:640:PHE:HZ	1.77	0.48
3:C:3:SAY:OAH	3:C:3:SAY:OAR	2.30	0.48
3:C:5:DG:H8	3:C:5:DG:H5"	1.79	0.48
1:A:484:ILE:O	1:A:488:MET:HG3	2.14	0.48
1:A:786:PHE:CE1	1:A:790:MET:HE2	2.49	0.48
1:A:711:GLY:HA3	3:C:3:SAY:HAG	1.96	0.48
2:B:23:DT:H2"	2:B:24:DG:O5'	2.14	0.48
1:A:818:GLU:CA	1:A:818:GLU:OE1	2.62	0.48
1:A:419:TYR:HE1	1:A:421:ALA:HB3	1.77	0.47
1:A:632:GLU:CG	1:A:633:GLY:N	2.64	0.47
1:A:378:VAL:HG12	1:A:379:ALA:N	2.28	0.47
1:A:485:LEU:O	1:A:489:GLU:HG3	2.14	0.47
1:A:788:GLU:O	1:A:791:ALA:HB3	2.14	0.47
1:A:659:LEU:HD12	1:A:681:ILE:HG21	1.97	0.47
1:A:711:GLY:O	1:A:715:GLY:O	2.33	0.47
1:A:788:GLU:O	1:A:792:MET:HG3	2.15	0.47
1:A:628:ILE:HG22	2:B:28:DC:H5"	1.97	0.46
1:A:762:TYR:HB3	1:A:772:TYR:CD1	2.50	0.46
1:A:808:MET:CE	1:A:827:GLN:HG3	2.46	0.46
1:A:303:LEU:C	1:A:303:LEU:CD2	2.83	0.46
1:A:656:GLN:O	1:A:660:ARG:HG3	2.15	0.46
1:A:444:ALA:O	1:A:448:VAL:HG23	2.15	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:623:LEU:HD13	1:A:826:LEU:HD21	1.98	0.45
1:A:778:SER:O	1:A:784:ARG:NH1	2.49	0.45
1:A:811:LEU:HD23	1:A:824:LEU:HD11	1.97	0.45
1:A:687:MET:CE	1:A:693:SER:HA	2.46	0.45
1:A:716:ILE:HD12	1:A:740:PHE:CZ	2.51	0.45
1:A:398:ALA:HB1	1:A:407:VAL:HG21	1.98	0.45
1:A:518:ILE:HG23	1:A:570:ILE:HD11	1.98	0.45
1:A:481:LEU:HD12	1:A:481:LEU:O	2.18	0.45
1:A:565:ALA:HB3	1:A:566:PRO:HD3	1.99	0.44
1:A:648:LEU:HB2	1:A:841:MET:HE3	1.99	0.44
1:A:750:MET:CE	1:A:750:MET:CA	2.94	0.44
1:A:364:GLU:HG2	1:A:365:THR:N	2.33	0.44
1:A:722:ALA:HA	1:A:727:ILE:HG12	2.00	0.44
1:A:767:LEU:HG	1:A:802:ASP:HB3	2.00	0.44
2:B:28:DC:H2'	2:B:29:DG:C8	2.53	0.44
2:B:22:DC:H42	3:C:11:DG:H1	1.66	0.43
1:A:481:LEU:HD11	1:A:485:LEU:HD21	2.00	0.43
1:A:400:LEU:HD22	1:A:473:LEU:HD21	1.99	0.43
2:B:20:DG:C2	2:B:21:DC:C2	3.07	0.43
1:A:408:ASP:HB2	4:D:2:FRU:H11	2.01	0.43
1:A:478:GLU:OE2	1:A:769:ARG:NH2	2.40	0.43
1:A:715:GLY:HA2	1:A:792:MET:CE	2.47	0.42
1:A:628:ILE:HD12	1:A:637:ARG:NH1	2.34	0.42
1:A:327:TYR:CE1	1:A:378:VAL:CG1	2.99	0.42
1:A:750:MET:HE2	1:A:792:MET:HB3	2.01	0.42
1:A:822:ALA:CB	1:A:836:ALA:HB2	2.49	0.42
1:A:623:LEU:CD1	1:A:826:LEU:HD21	2.48	0.42
1:A:539:PHE:HD2	1:A:554:TYR:CD2	2.38	0.42
2:B:23:DT:H4'	2:B:24:DG:OP1	2.19	0.42
1:A:371:PHE:CZ	1:A:395:LEU:HD13	2.55	0.42
1:A:417:LYS:HG3	1:A:461:PHE:CE1	2.55	0.42
1:A:671:LEU:HA	1:A:671:LEU:HD12	1.91	0.42
1:A:321:GLU:HB3	1:A:333:VAL:HG23	2.02	0.41
1:A:363:ASP:CG	1:A:365:THR:OG1	2.59	0.41
1:A:721:LEU:HB3	1:A:732:ALA:HB1	2.01	0.41
1:A:410:VAL:HG21	1:A:450:LYS:HB3	2.01	0.41
1:A:321:GLU:CG	1:A:333:VAL:CG2	2.99	0.41
1:A:468:ASN:O	1:A:469:GLU:HB2	2.21	0.41
1:A:757:ALA:HB2	1:A:763:VAL:CG1	2.49	0.41
2:B:23:DT:H2'	2:B:24:DG:C8	2.55	0.41
1:A:672:MET:HB3	1:A:676:ARG:NH1	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:693:SER:O	1:A:694:GLU:C	2.57	0.41
1:A:731:GLU:HA	1:A:734:GLU:CG	2.51	0.41
1:A:828:VAL:HG12	1:A:828:VAL:O	2.20	0.41
1:A:303:LEU:O	1:A:303:LEU:CD2	2.69	0.41
1:A:692:VAL:HB	1:A:696:GLU:HB2	2.03	0.41
2:B:28:DC:H2'	2:B:29:DG:H8	1.86	0.41
1:A:759:GLN:NE2	1:A:760:LYS:HG3	2.35	0.41
1:A:327:TYR:HD1	1:A:378:VAL:CG1	2.34	0.41
2:B:28:DC:C2'	2:B:29:DG:O5'	2.70	0.40
1:A:335:ILE:HG22	1:A:336:ALA:N	2.36	0.40
1:A:563:LYS:O	1:A:566:PRO:HD2	2.20	0.40
1:A:818:GLU:N	1:A:818:GLU:OE1	2.55	0.40
1:A:858:LEU:HD12	1:A:862:LEU:CD1	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	578/580 (100%)	558 (96%)	20 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	457/495 (92%)	440 (96%)	17 (4%)	34 64

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	325	GLU
1	A	344	PHE
1	A	364	GLU
1	A	477	LEU
1	A	515	GLU
1	A	521	LEU
1	A	693	SER
1	A	703	ARG
1	A	716	ILE
1	A	717	SER
1	A	718	ASP
1	A	750	MET
1	A	779	ARG
1	A	792	MET
1	A	804	ILE
1	A	818	GLU
1	A	856	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	510	GLN
1	A	573	ASN
1	A	608	GLN
1	A	759	GLN
1	A	797	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	SAY	C	3	3	17,17,22	1.14	1 (5%)	23,24,32	3.12	6 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SAY	C	3	3	-	2/6/18/24	0/2/2/2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	3	SAY	CAD-CAC	-2.73	1.36	1.40

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	3	SAY	O4'-C1'-CAA	-12.12	94.65	109.98
3	C	3	SAY	CAC-CAD-CAG	-4.61	115.40	121.25
3	C	3	SAY	C5'-C4'-C3'	-3.93	104.92	115.12
3	C	3	SAY	O4'-C4'-C3'	-2.74	100.14	104.93
3	C	3	SAY	CAE-CAD-CAG	2.65	124.28	118.77
3	C	3	SAY	OAR-CAC-CAD	-2.25	117.11	121.20

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	3	SAY	CAC-CAD-CAG-OAH
3	C	3	SAY	CAE-CAD-CAG-OAH

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	3	SAY	5	0

5.5 Carbohydrates

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GLC	D	1	4	11,11,12	0.72	0	15,15,17	0.81	0
4	FRU	D	2	4	11,12,12	0.56	0	10,18,18	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GLC	D	1	4	-	2/2/19/22	0/1/1/1
4	FRU	D	2	4	-	0/5/24/24	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	1	GLC	C4-C5-C6-O6
4	D	1	GLC	O5-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	1	GLC	1	0
4	D	2	FRU	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	SO4	A	886	-	4,4,4	0.15	0	6,6,6	0.26	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	SO4	A	885	-	4,4,4	0.17	0	6,6,6	0.16	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	C	3:SAY	C3'	4:DC	P	2.47

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	580/580 (100%)	-0.18	7 (1%) 79 58	31, 35, 39, 43	0
2	B	10/10 (100%)	0.66	1 (10%) 7 2	42, 46, 57, 59	0
3	C	10/11 (90%)	0.17	1 (10%) 7 2	43, 46, 54, 58	0
All	All	600/601 (99%)	-0.16	9 (1%) 73 51	31, 36, 40, 59	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	304	ALA	3.7
2	B	20	DG	3.4
1	A	432	GLY	2.8
3	C	13	DC	2.7
1	A	305	ASP	2.6
1	A	439	ASP	2.5
1	A	303	LEU	2.3
1	A	441	PRO	2.2
1	A	433	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SAY	C	3	16/21	0.91	0.25	25,62,64,65	0

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GLC	D	1	11/12	0.85	0.29	59,60,60,60	11
4	FRU	D	2	12/12	0.90	0.26	57,58,58,59	12

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	SO4	A	886	5/5	0.93	0.15	68,68,68,68	0
5	SO4	A	885	5/5	0.97	0.13	42,42,42,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.