



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 3, 2020 – 07:35 pm BST

PDB ID : 5Y17
Title : CATPO mutant - E316F
Authors : Karakus Yuzugullu, Y.; Goc, G.; Balci, S.; Pearson, A.R.; Yorke, B.
Deposited on : 2017-07-19
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	678	<div> <div>91%</div> <div>8%</div> </div>
1	B	678	<div> <div>92%</div> <div>7%</div> </div>
1	C	678	<div> <div>92%</div> <div>7%</div> </div>
1	D	678	<div> <div>93%</div> <div>6%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 22190 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Catalase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	675	Total	C	N	O	S	0	0	0
			5265	3328	920	1006	11			
1	B	675	Total	C	N	O	S	0	2	0
			5278	3334	922	1011	11			
1	C	675	Total	C	N	O	S	0	0	0
			5265	3328	920	1006	11			
1	D	675	Total	C	N	O	S	0	1	0
			5271	3331	921	1008	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	316	PHE	GLU	engineered mutation	UNP M4GGR7
B	316	PHE	GLU	engineered mutation	UNP M4GGR7
C	316	PHE	GLU	engineered mutation	UNP M4GGR7
D	316	PHE	GLU	engineered mutation	UNP M4GGR7

- Molecule 2 is CIS-HEME D HYDROXYCHLORIN GAMMA-SPIROLACTONE (three-letter code: HDD) (formula: C₃₄H₃₂FeN₄O₅).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			44	34	1	4	5		
2	B	1	Total	C	Fe	N	O	0	0
			44	34	1	4	5		
2	C	1	Total	C	Fe	N	O	0	0
			44	34	1	4	5		
2	D	1	Total	C	Fe	N	O	0	0
			44	34	1	4	5		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Ca	0	0
			2	2		
3	A	4	Total	Ca	0	0
			4	4		
3	D	2	Total	Ca	0	0
			2	2		
3	C	2	Total	Ca	0	0
			2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	247	Total	O	0	0
			247	247		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	208	Total 208	O 208	0	0
4	C	218	Total 218	O 218	0	0
4	D	252	Total 252	O 252	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Catalase




- Molecule 1: Catalase



- Molecule 1: Catalase



- Molecule 1: Catalase





4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	125.73 Å 120.87 Å 183.80 Å 90.00° 101.97° 90.00°	Depositor
Resolution (Å)	100.51 – 2.30 100.31 – 2.30	Depositor EDS
% Data completeness (in resolution range)	88.6 (100.51-2.30) 88.6 (100.31-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.19 (at 2.29 Å)	Xtrriage
Refinement program	REFMAC 5.8.0222	Depositor
R, R_{free}	0.178 , 0.220 0.185 , 0.222	Depositor DCC
R_{free} test set	5235 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	28.9	Xtrriage
Anisotropy	0.633	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 35.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	22190	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 58.98 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8891e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, HDD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	1/5400 (0.0%)	0.77	3/7342 (0.0%)
1	B	0.66	2/5413 (0.0%)	0.77	2/7358 (0.0%)
1	C	0.65	2/5400 (0.0%)	0.76	2/7342 (0.0%)
1	D	0.66	0/5406	0.77	2/7350 (0.0%)
All	All	0.65	5/21619 (0.0%)	0.77	9/29392 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
1	B	0	6
1	C	0	5
1	D	0	6
All	All	0	23

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	358	GLU	CD-OE1	6.33	1.32	1.25
1	B	182	GLU	CD-OE1	-5.47	1.19	1.25
1	C	680	GLU	CD-OE1	5.46	1.31	1.25
1	A	450	GLU	CD-OE1	5.27	1.31	1.25
1	C	259	GLU	CD-OE1	5.15	1.31	1.25

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	232	ARG	NE-CZ-NH2	-6.97	116.81	120.30
1	A	221	ARG	NE-CZ-NH2	-6.17	117.22	120.30
1	D	232	ARG	NE-CZ-NH2	-6.12	117.24	120.30
1	A	630	ARG	NE-CZ-NH2	-5.96	117.32	120.30
1	D	425	ARG	NE-CZ-NH2	-5.85	117.38	120.30
1	C	232	ARG	NE-CZ-NH2	-5.82	117.39	120.30
1	B	218	ARG	NE-CZ-NH2	-5.74	117.43	120.30
1	C	221	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	A	232	ARG	NE-CZ-NH2	-5.29	117.66	120.30

There are no chirality outliers.

All (23) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	127	ARG	Sidechain
1	A	425	ARG	Sidechain
1	A	433	ARG	Sidechain
1	A	503	ARG	Sidechain
1	A	65	ARG	Sidechain
1	A	75	ARG	Sidechain
1	B	127	ARG	Sidechain
1	B	250	ARG	Sidechain
1	B	433	ARG	Sidechain
1	B	503	ARG	Sidechain
1	B	65	ARG	Sidechain
1	B	75	ARG	Sidechain
1	C	250	ARG	Sidechain
1	C	433	ARG	Sidechain
1	C	463	ARG	Sidechain
1	C	65	ARG	Sidechain
1	C	75	ARG	Sidechain
1	D	127	ARG	Sidechain
1	D	391	ARG	Sidechain
1	D	433	ARG	Sidechain
1	D	640	ARG	Sidechain
1	D	65	ARG	Sidechain
1	D	75	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5265	0	5046	33	0
1	B	5278	0	5054	26	0
1	C	5265	0	5046	28	0
1	D	5271	0	5050	22	0
2	A	44	0	31	5	0
2	B	44	0	31	2	0
2	C	44	0	31	0	0
2	D	44	0	31	3	0
3	A	4	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	247	0	0	3	0
4	B	208	0	0	1	0
4	C	218	0	0	0	0
4	D	252	0	0	1	0
All	All	22190	0	20320	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:404:GLN:HE21	1:A:406:PHE:H	1.32	0.76
1:A:126:SER:H	1:A:185:GLN:HE22	1.32	0.76
1:C:251:GLN:HE22	1:C:287:GLU:H	1.34	0.76
1:B:654:GLU:O	1:B:656:LEU:N	2.18	0.76
2:A:701:HDD:HMC1	2:A:701:HDD:HBC1	1.71	0.72
1:C:697:ASP:O	1:C:698:SER:O	2.07	0.72
1:B:45:ASP:H	1:C:426:GLN:HE22	1.37	0.71
1:C:373:GLN:HE21	1:C:373:GLN:HA	1.53	0.71
4:A:920:HOH:O	1:C:127:ARG:HD2	1.93	0.69
1:D:100:ASN:HB3	4:D:1042:HOH:O	1.94	0.68
1:B:265[B]:SER:OG	1:D:266:GLY:HA2	1.94	0.67
1:A:300:ALA:HA	1:A:307:LEU:HD12	1.77	0.67
1:A:126:SER:H	1:A:185:GLN:NE2	1.93	0.66
1:B:611:ASP:HB2	1:B:649:GLY:HA3	1.77	0.66
1:A:384:GLN:HE22	1:A:404:GLN:HE22	1.44	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:582:THR:HG21	1:A:594:GLN:HE21	1.61	0.65
1:A:277:TRP:CZ3	1:C:181:ASN:HB3	2.31	0.65
1:C:300:ALA:HA	1:C:307:LEU:HD12	1.78	0.65
1:B:569:GLN:NE2	1:B:569:GLN:HA	2.13	0.64
1:B:573:ARG:HG3	1:B:678:VAL:HG11	1.79	0.64
1:D:300:ALA:HA	1:D:307:LEU:HD12	1.80	0.63
1:A:277:TRP:CE3	1:C:181:ASN:HB3	2.33	0.63
1:B:277:TRP:CE3	1:D:181:ASN:HB3	2.36	0.61
1:B:300:ALA:HA	1:B:307:LEU:HD12	1.82	0.61
1:A:475:GLN:NE2	1:A:697:ASP:H	2.00	0.60
1:B:277:TRP:CZ3	1:D:181:ASN:HB3	2.37	0.60
1:B:489:LYS:HD3	4:B:996:HOH:O	2.01	0.60
2:B:701:HDD:HMB1	2:B:701:HDD:HBB1	1.83	0.59
1:C:251:GLN:NE2	1:C:287:GLU:H	2.01	0.59
1:D:21:SER:HB3	1:D:331:ARG:NH1	2.20	0.56
1:C:373:GLN:NE2	1:C:373:GLN:HA	2.20	0.56
1:A:127:ARG:NH2	4:A:804:HOH:O	2.39	0.56
1:C:264:LEU:HD13	1:C:602:THR:HB	1.89	0.55
1:D:264:LEU:HD13	1:D:602:THR:HB	1.87	0.55
1:B:97:ASP:OD1	1:B:99:SER:OG	2.25	0.55
1:B:264:LEU:HD13	1:B:602:THR:HB	1.88	0.54
1:A:97:ASP:OD1	1:A:99:SER:OG	2.24	0.54
1:A:57:THR:H	1:C:363:GLN:HE21	1.54	0.54
2:D:701:HDD:HBC1	2:D:701:HDD:HMC1	1.89	0.53
1:A:264:LEU:HD13	1:A:602:THR:HB	1.90	0.52
2:D:701:HDD:HBB1	2:D:701:HDD:HMB1	1.92	0.52
1:C:568:ALA:O	1:C:572:THR:HG23	2.10	0.52
1:A:384:GLN:HE22	1:A:404:GLN:NE2	2.08	0.51
1:A:475:GLN:NE2	1:A:511:ARG:HH21	2.09	0.51
2:B:701:HDD:HMC1	2:B:701:HDD:HBC1	1.93	0.51
1:B:265[B]:SER:OG	1:D:266:GLY:CA	2.59	0.50
1:C:697:ASP:O	1:C:698:SER:C	2.50	0.50
2:A:701:HDD:CMC	2:A:701:HDD:HBC1	2.39	0.49
1:A:127:ARG:NH2	1:C:182:GLU:OE2	2.45	0.49
2:A:701:HDD:HMC1	2:A:701:HDD:CBC	2.41	0.49
1:A:129:SER:HB3	1:A:185:GLN:HE21	1.77	0.49
1:B:611:ASP:OD1	1:B:652:SER:HB3	2.13	0.48
1:B:45:ASP:H	1:C:426:GLN:NE2	2.08	0.47
1:A:155:ASN:CG	2:A:701:HDD:HMB2	2.35	0.47
1:D:21:SER:N	1:D:22:PRO:HD2	2.31	0.46
1:B:407:ILE:HD12	1:C:26:TYR:HB2	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:82:HIS:HA	1:B:122:THR:O	2.16	0.46
1:C:99:SER:HA	1:C:102:THR:O	2.16	0.46
1:C:82:HIS:HA	1:C:122:THR:O	2.16	0.46
1:A:633:GLN:NE2	1:A:637:ASP:OD2	2.49	0.46
1:A:82:HIS:HA	1:A:122:THR:O	2.16	0.46
1:A:582:THR:HG21	1:A:594:GLN:NE2	2.30	0.46
1:A:71:PHE:HA	1:A:74:GLU:HG3	1.99	0.45
1:D:99:SER:HA	1:D:102:THR:O	2.15	0.45
1:D:697:ASP:O	1:D:698:SER:O	2.35	0.45
1:B:71:PHE:HA	1:B:74:GLU:HG3	1.99	0.45
1:D:469:LEU:HB3	1:D:473:GLU:HB3	1.99	0.45
1:A:469:LEU:HB3	1:A:473:GLU:HB3	1.99	0.44
1:B:99:SER:HA	1:B:102:THR:O	2.17	0.44
1:C:373:GLN:NE2	1:C:373:GLN:CA	2.81	0.44
1:B:127:ARG:NH2	1:D:182:GLU:OE2	2.47	0.44
1:A:57:THR:H	1:C:363:GLN:NE2	2.15	0.44
1:C:469:LEU:HB3	1:C:473:GLU:HB3	1.99	0.43
1:D:82:HIS:HA	1:D:122:THR:O	2.18	0.43
1:D:155:ASN:ND2	2:D:701:HDD:HMB2	2.33	0.43
1:A:149:ASN:HB2	1:D:39:VAL:HB	2.00	0.43
1:A:200:GLN:NE2	4:A:814:HOH:O	2.47	0.43
1:D:116:VAL:HG21	1:D:327:LEU:CD1	2.49	0.43
1:B:277:TRP:CZ3	1:B:332:ASN:HB3	2.54	0.43
1:B:469:LEU:HB3	1:B:473:GLU:HB3	2.01	0.42
1:C:71:PHE:HA	1:C:74:GLU:HG3	2.02	0.42
2:A:701:HDD:HBB1	2:A:701:HDD:HMB1	2.00	0.42
1:A:475:GLN:HE22	1:A:697:ASP:H	1.67	0.42
1:B:51:ALA:HB2	1:B:58:LEU:HD21	2.02	0.42
1:A:64:PHE:CE1	1:A:68:ILE:HG13	2.55	0.41
1:B:459:TRP:C	1:B:462:PRO:HD2	2.41	0.41
1:A:396:ASN:HB3	1:D:36:THR:O	2.20	0.41
1:C:116:VAL:HG21	1:C:327:LEU:CD1	2.50	0.41
1:A:459:TRP:C	1:A:462:PRO:HD2	2.41	0.41
1:B:482:ARG:O	1:B:486:SER:HB3	2.19	0.41
1:D:82:HIS:CE1	1:D:123:VAL:HG22	2.56	0.41
1:D:344:MET:SD	1:D:382:PHE:HB2	2.61	0.41
1:A:277:TRP:CZ3	1:A:332:ASN:HB3	2.55	0.41
1:C:459:TRP:C	1:C:462:PRO:HD2	2.41	0.40
1:A:243:ILE:HA	1:A:293:GLN:O	2.21	0.40
1:B:396:ASN:HB3	1:C:36:THR:O	2.21	0.40
1:C:344:MET:SD	1:C:382:PHE:HB2	2.60	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:116:VAL:HA	1:C:142:ARG:O	2.22	0.40
1:D:243:ILE:HA	1:D:293:GLN:O	2.21	0.40
1:A:585:ALA:O	1:A:595:THR:HA	2.22	0.40
1:D:459:TRP:C	1:D:462:PRO:HD2	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	671/678 (99%)	655 (98%)	16 (2%)	0	100	100
1	B	673/678 (99%)	652 (97%)	19 (3%)	2 (0%)	41	50
1	C	671/678 (99%)	655 (98%)	16 (2%)	0	100	100
1	D	672/678 (99%)	654 (97%)	18 (3%)	0	100	100
All	All	2687/2712 (99%)	2616 (97%)	69 (3%)	2 (0%)	51	64

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	652	SER
1	B	654	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	560/562 (100%)	549 (98%)	11 (2%)	55	72
1	B	562/562 (100%)	553 (98%)	9 (2%)	62	78
1	C	560/562 (100%)	550 (98%)	10 (2%)	59	75
1	D	561/562 (100%)	556 (99%)	5 (1%)	78	89
All	All	2243/2248 (100%)	2208 (98%)	35 (2%)	62	78

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	70	HIS
1	A	99	SER
1	A	139	PHE
1	A	191	ASP
1	A	561	SER
1	A	569	GLN
1	A	573	ARG
1	A	594	GLN
1	A	666	ASP
1	A	670	SER
1	A	698	SER
1	B	21	SER
1	B	99	SER
1	B	139	PHE
1	B	191	ASP
1	B	250	ARG
1	B	275	ASP
1	B	651	LYS
1	B	666	ASP
1	B	683	LYS
1	C	21	SER
1	C	139	PHE
1	C	191	ASP
1	C	373	GLN
1	C	439	PRO
1	C	622	SER
1	C	653	SER
1	C	666	ASP
1	C	670	SER
1	C	679	GLU
1	D	70	HIS
1	D	139	PHE
1	D	191	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	275	ASP
1	D	622	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	GLN
1	A	185	GLN
1	A	404	GLN
1	A	475	GLN
1	A	594	GLN
1	B	69	GLN
1	B	474	GLN
1	B	569	GLN
1	C	251	GLN
1	C	363	GLN
1	C	373	GLN
1	C	426	GLN
1	C	530	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 10 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HDD	A	701	1	38,52,52	1.91	11 (28%)	28,89,89	2.35	11 (39%)
2	HDD	B	701	1	38,52,52	1.97	9 (23%)	28,89,89	2.77	12 (42%)
2	HDD	C	701	1	38,52,52	2.17	10 (26%)	28,89,89	2.59	13 (46%)
2	HDD	D	701	1	38,52,52	1.88	9 (23%)	28,89,89	3.31	12 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HDD	A	701	1	-	0/3/89/89	0/1/9/9
2	HDD	B	701	1	-	0/3/89/89	0/1/9/9
2	HDD	C	701	1	-	0/3/89/89	0/1/9/9
2	HDD	D	701	1	-	0/3/89/89	0/1/9/9

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	701	HDD	C3C-C2C	7.26	1.50	1.40
2	C	701	HDD	C3B-C2B	6.57	1.49	1.40
2	B	701	HDD	C3C-C2C	5.62	1.48	1.40
2	D	701	HDD	O1D-CGD	5.35	1.44	1.35
2	B	701	HDD	O1D-CGD	5.09	1.44	1.35
2	A	701	HDD	O1D-CGD	4.29	1.42	1.35
2	A	701	HDD	O1D-C3D	4.14	1.53	1.46
2	D	701	HDD	C1A-CHA	4.10	1.52	1.41
2	C	701	HDD	O1D-CGD	4.09	1.42	1.35
2	D	701	HDD	C3C-C2C	3.94	1.45	1.40
2	B	701	HDD	CMD-C2D	-3.81	1.47	1.53
2	C	701	HDD	C1A-CHA	3.61	1.51	1.41
2	A	701	HDD	C3B-C2B	3.53	1.45	1.40
2	B	701	HDD	C2A-C3A	3.24	1.47	1.37
2	B	701	HDD	C1B-C2B	3.12	1.49	1.42
2	A	701	HDD	CHD-C1D	-3.07	1.31	1.36
2	A	701	HDD	C1A-CHA	2.99	1.49	1.41
2	D	701	HDD	CAD-C3D	-2.96	1.48	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	HDD	C3B-C2B	2.92	1.44	1.40
2	D	701	HDD	C3B-C2B	2.86	1.44	1.40
2	A	701	HDD	C4C-NC	-2.80	1.30	1.36
2	D	701	HDD	C4C-CHD	2.73	1.48	1.41
2	A	701	HDD	CHA-C4D	-2.71	1.31	1.36
2	B	701	HDD	C4C-NC	-2.70	1.30	1.36
2	A	701	HDD	C2A-C3A	2.70	1.45	1.37
2	A	701	HDD	C3C-C2C	2.66	1.44	1.40
2	D	701	HDD	OND-C2D	2.63	1.47	1.42
2	A	701	HDD	C4A-CHB	2.55	1.48	1.41
2	C	701	HDD	C4A-CHB	2.54	1.48	1.41
2	D	701	HDD	C1B-C2B	2.48	1.48	1.42
2	C	701	HDD	C2A-C3A	2.40	1.44	1.37
2	D	701	HDD	C2A-C3A	2.33	1.44	1.37
2	B	701	HDD	C1A-CHA	2.23	1.47	1.41
2	C	701	HDD	C4C-CHD	2.22	1.47	1.41
2	C	701	HDD	CMA-C3A	-2.21	1.47	1.51
2	C	701	HDD	C1B-C2B	2.18	1.47	1.42
2	C	701	HDD	CHA-C4D	-2.08	1.32	1.36
2	A	701	HDD	OND-C2D	2.06	1.46	1.42
2	B	701	HDD	C1D-ND	-2.01	1.34	1.37

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	701	HDD	O1D-CGD-O2D	8.11	128.04	120.80
2	D	701	HDD	C4A-C3A-C2A	-8.08	101.38	107.00
2	B	701	HDD	C4A-C3A-C2A	-6.12	102.74	107.00
2	D	701	HDD	OND-C2D-CMD	-5.96	98.61	109.59
2	B	701	HDD	CMC-C2C-C3C	5.84	135.61	124.68
2	C	701	HDD	CMC-C2C-C3C	5.83	135.58	124.68
2	A	701	HDD	O1D-CGD-CBD	-5.31	104.83	110.19
2	D	701	HDD	CMC-C2C-C3C	5.30	134.59	124.68
2	C	701	HDD	C4B-C3B-C2B	-5.27	103.22	106.90
2	C	701	HDD	C2D-C1D-CHD	-5.12	115.82	124.28
2	D	701	HDD	C4B-C3B-C2B	-5.04	103.38	106.90
2	B	701	HDD	O1D-CGD-O2D	4.79	125.07	120.80
2	C	701	HDD	CAA-CBA-CGA	-4.71	104.77	112.67
2	B	701	HDD	OND-C2D-CMD	-4.65	101.03	109.59
2	D	701	HDD	CAA-CBA-CGA	-4.65	104.88	112.67
2	A	701	HDD	CMB-C2B-C3B	4.52	133.13	124.68
2	A	701	HDD	OND-C2D-CMD	-4.36	101.57	109.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	HDD	C2D-C1D-CHD	-3.73	118.13	124.28
2	B	701	HDD	C2D-C1D-CHD	-3.70	118.17	124.28
2	B	701	HDD	CAA-CBA-CGA	-3.66	106.53	112.67
2	B	701	HDD	C1A-CHA-C4D	-3.55	123.09	130.12
2	C	701	HDD	C4C-CHD-C1D	-3.53	123.13	130.12
2	D	701	HDD	C2D-C1D-CHD	-3.47	118.55	124.28
2	A	701	HDD	C4A-C3A-C2A	-3.45	104.60	107.00
2	A	701	HDD	CMC-C2C-C3C	3.27	130.80	124.68
2	A	701	HDD	O1D-CGD-O2D	3.21	123.66	120.80
2	B	701	HDD	C3C-C4C-NC	3.12	113.25	109.21
2	D	701	HDD	O1D-CGD-CBD	-3.10	107.06	110.19
2	B	701	HDD	O1D-CGD-CBD	-3.07	107.09	110.19
2	A	701	HDD	O1D-C3D-C4D	3.00	114.35	108.25
2	B	701	HDD	CMD-C2D-C1D	2.77	117.56	112.63
2	C	701	HDD	O1D-C3D-C4D	2.75	113.84	108.25
2	C	701	HDD	CHD-C1D-ND	2.74	128.21	124.20
2	C	701	HDD	CMB-C2B-C3B	2.70	129.73	124.68
2	B	701	HDD	C3B-C4B-NB	2.69	116.03	110.94
2	D	701	HDD	CMB-C2B-C3B	2.54	129.43	124.68
2	D	701	HDD	C3B-C4B-NB	2.44	115.55	110.94
2	A	701	HDD	CAD-CBD-CGD	2.38	108.25	104.56
2	C	701	HDD	C3B-C4B-NB	2.32	115.32	110.94
2	C	701	HDD	CMC-C2C-C1C	-2.27	124.97	128.46
2	D	701	HDD	CMA-C3A-C4A	2.20	131.85	128.46
2	B	701	HDD	CMB-C2B-C3B	2.20	128.79	124.68
2	C	701	HDD	C3C-C4C-NC	2.15	111.99	109.21
2	C	701	HDD	OND-C2D-CMD	-2.09	105.75	109.59
2	D	701	HDD	C3C-C4C-NC	2.08	111.90	109.21
2	C	701	HDD	C3D-C4D-CHA	-2.05	118.25	124.34
2	A	701	HDD	C4C-CHD-C1D	-2.05	126.06	130.12
2	A	701	HDD	CHD-C1D-ND	2.02	127.17	124.20

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


3 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	HDD	5	0
2	B	701	HDD	2	0
2	D	701	HDD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	675/678 (99%)	-0.40	0 100 100	19, 32, 56, 96	0
1	B	675/678 (99%)	-0.38	1 (0%) 95 97	19, 33, 55, 92	0
1	C	675/678 (99%)	-0.39	0 100 100	19, 32, 49, 63	0
1	D	675/678 (99%)	-0.42	0 100 100	20, 32, 49, 60	0
All	All	2700/2712 (99%)	-0.40	1 (0%) 100 100	19, 33, 52, 96	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	655	VAL	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CA	D	703	1/1	0.97	0.08	49,49,49,49	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	CA	A	705	1/1	0.97	0.05	55,55,55,55	0
2	HDD	C	701	44/44	0.98	0.12	19,25,27,29	0
2	HDD	D	701	44/44	0.98	0.12	22,25,29,30	0
2	HDD	A	701	44/44	0.98	0.13	19,22,24,27	0
3	CA	A	703	1/1	0.98	0.07	41,41,41,41	0
3	CA	A	704	1/1	0.98	0.12	43,43,43,43	0
2	HDD	B	701	44/44	0.98	0.11	21,23,24,25	0
3	CA	C	703	1/1	0.99	0.09	51,51,51,51	0
3	CA	B	703	1/1	0.99	0.08	48,48,48,48	0
3	CA	D	702	1/1	0.99	0.09	38,38,38,38	0
3	CA	B	702	1/1	0.99	0.05	29,29,29,29	0
3	CA	A	702	1/1	0.99	0.06	31,31,31,31	0
3	CA	C	702	1/1	0.99	0.05	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HDD C 701:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HDD D 701:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HDD A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.