



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 14, 2020 – 06:54 pm BST

PDB ID : 2Y55  
Title : Unexpected tricovalent binding mode of boronic acids within the active site of a penicillin binding protein  
Authors : Sauvage, E.; Zervosen, A.; Herman, R.; Kerff, F.; Rocaboy, M.; Charlier, P.  
Deposited on : 2011-01-12  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	466	<div> <div>2%</div> <div> <div></div> <div>80%</div> <div>18%</div> <div>.</div> </div> </div>
1	B	466	<div> <div>%</div> <div> <div></div> <div>85%</div> <div>13%</div> <div>.</div> </div> </div>
1	C	466	<div> <div>3%</div> <div> <div></div> <div>82%</div> <div>16%</div> <div>.</div> </div> </div>
1	D	466	<div> <div>8%</div> <div> <div></div> <div>76%</div> <div>23%</div> <div>.</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FP5	A	500	-	-	X	-

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 13798 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-ALANYL-D-ALANINE CARBOXYPEPTIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	466	Total	C	N	O	S	0	0	0
			3353	2076	564	707	6			
1	B	466	Total	C	N	O	S	0	0	1
			3344	2071	564	703	6			
1	C	466	Total	C	N	O	S	0	0	1
			3344	2071	564	703	6			
1	D	466	Total	C	N	O	S	0	0	0
			3353	2076	564	707	6			

- Molecule 2 is PHENYLACETAMIDOMETHYL BORONIC ACID (three-letter code: FP5) (formula:  $C_9H_{12}BNO_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	B	C	N	O	0	0
			12	1	9	1	1		
2	B	1	Total	B	C	N	O	0	0
			12	1	9	1	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	B	C	N	O	0	0
			12	1	9	1	1		
2	D	1	Total	B	C	N	O	0	0
			12	1	9	1	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Mg	0	0
			2	2		
4	D	2	Total	Mg	0	0
			2	2		

- Molecule 5 is ACETONE (three-letter code: ACN) (formula: C<sub>3</sub>H<sub>6</sub>O).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 3 1	0	0
5	B	1	Total C O 4 3 1	0	0
5	C	1	Total C O 4 3 1	0	0
5	D	1	Total C O 4 3 1	0	0
5	D	1	Total C O 4 3 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	79	Total O 79 79	0	0
6	B	69	Total O 69 69	0	0
6	C	65	Total O 65 65	0	0
6	D	34	Total O 34 34	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: D-ALANYL-D-ALANINE CARBOXYPEPTIDASE



#### • Molecule 1: D-ALANYL-D-ALANINE CARBOXYPEPTIDASE





#### • Molecule 1: D-ALANYL-D-ALANINE CARBOXYPEPTIDASE







● Molecule 1: D-ALANYL-D-ALANINE CARBOXYPEPTIDASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	104.23Å 92.28Å 107.11Å 90.00° 94.20° 90.00°	Depositor
Resolution (Å)	38.90 – 2.60 38.84 – 2.60	Depositor EDS
% Data completeness (in resolution range)	92.3 (38.90-2.60) 92.3 (38.84-2.60)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.78 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.194 , 0.262 0.192 , 0.258	Depositor DCC
$R_{free}$ test set	2957 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	50.6	Xtriage
Anisotropy	0.178	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 39.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.026 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	13798	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FP5, MG, ACN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.67	0/3412	0.75	2/4666 (0.0%)
1	B	0.64	0/3403	0.72	1/4656 (0.0%)
1	C	0.65	0/3403	0.73	1/4656 (0.0%)
1	D	0.57	0/3410	0.71	0/4660
All	All	0.63	0/13628	0.73	4/18638 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	46	LEU	CA-CB-CG	5.79	128.62	115.30
1	B	198	VAL	CB-CA-C	-5.58	100.80	111.40
1	C	46	LEU	CA-CB-CG	5.32	127.53	115.30
1	A	211	ASP	CB-CG-OD1	5.04	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3353	0	3199	56	0
1	B	3344	0	3193	45	0
1	C	3344	0	3193	43	3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	3353	0	3197	71	3
2	A	12	0	10	7	0
2	B	12	0	10	1	0
2	C	12	0	10	2	0
2	D	12	0	10	5	0
3	A	25	0	0	1	0
3	B	20	0	0	0	0
3	C	20	0	0	1	0
3	D	20	0	0	0	0
4	A	2	0	0	0	0
4	D	2	0	0	0	0
5	A	4	0	6	1	0
5	B	4	0	6	0	0
5	C	4	0	6	1	0
5	D	8	0	12	2	0
6	A	79	0	0	1	0
6	B	69	0	0	1	0
6	C	65	0	0	0	0
6	D	34	0	0	2	0
All	All	13798	0	12852	212	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (212) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1:ARG:HG2	1:C:2:LEU:H	1.19	1.04
1:B:299:ASN:ND2	1:B:302:HIS:H	1.65	0.93
1:D:424:VAL:HB	1:D:431:LEU:HB2	1.52	0.89
1:A:1:ARG:HH22	1:A:455:ARG:HH22	1.20	0.84
1:C:1:ARG:HG2	1:C:2:LEU:N	1.92	0.84
1:A:147:TYR:HB2	1:A:300:ASN:ND2	1.95	0.80
1:C:299:ASN:HD22	1:C:302:HIS:H	1.31	0.78
1:D:414:MET:HG2	2:D:500:FP5:HE2	1.65	0.78
1:A:147:TYR:HB2	1:A:300:ASN:HD22	1.51	0.76
1:A:298:SER:HB2	2:A:500:FP5:H32C	1.69	0.75
1:D:397:ARG:HH22	1:D:449:GLN:HE21	1.36	0.73
1:D:298:SER:CB	2:D:500:FP5:H32C	2.19	0.73
1:A:298:SER:CB	2:A:500:FP5:C3	2.67	0.72
1:A:1:ARG:HH22	1:A:455:ARG:NH2	1.87	0.72

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:307:VAL:HG11	1:B:324:LEU:HD13	1.71	0.71
1:D:1:ARG:HG3	1:D:4:GLU:HB2	1.73	0.70
1:A:48:ALA:HB1	2:A:500:FP5:HE2	1.75	0.69
1:D:383:ALA:HA	1:D:394:LEU:HB3	1.73	0.68
1:C:299:ASN:ND2	1:C:302:HIS:H	1.89	0.68
1:D:275:ASP:HA	6:D:2026:HOH:O	1.93	0.67
1:B:428:GLU:HG2	1:B:429:GLY:H	1.59	0.67
1:D:358:ASP:O	1:D:362:ASP:HB2	1.95	0.67
1:B:2:LEU:HD22	1:B:3:THR:HG23	1.78	0.65
1:A:18:LEU:HD11	1:A:448:VAL:HG11	1.79	0.65
1:B:51:MET:HE2	1:B:353:ASN:HB3	1.79	0.64
1:C:84:GLU:OE2	1:C:119:ARG:HD3	1.98	0.64
1:C:120:GLY:O	1:C:262:GLY:HA3	1.98	0.64
1:B:299:ASN:HD22	1:B:302:HIS:H	1.43	0.64
1:A:1:ARG:NH2	1:A:455:ARG:HH22	1.95	0.63
1:A:139:TRP:O	1:A:142:ASP:HB2	1.98	0.63
1:B:397:ARG:HH22	1:B:449:GLN:HE21	1.46	0.63
1:A:48:ALA:O	1:A:348:GLY:HA3	1.99	0.63
1:A:298:SER:CB	2:A:500:FP5:H32C	2.28	0.63
1:D:444:ALA:O	1:D:446:LEU:N	2.33	0.62
1:B:51:MET:CE	1:B:353:ASN:HB3	2.29	0.62
1:D:2:LEU:HB2	6:D:2002:HOH:O	2.00	0.62
1:D:413:THR:O	2:D:500:FP5:HD2	1.98	0.62
1:D:176:GLU:OE2	1:D:201:ALA:HB2	2.00	0.62
1:A:319:THR:HG22	1:A:321:ASP:H	1.63	0.61
1:A:320:TRP:O	1:A:324:LEU:HD22	1.99	0.61
1:B:350:SER:HB3	1:B:353:ASN:HD21	1.68	0.59
1:D:306:LEU:O	1:D:310:ILE:HG13	2.02	0.59
1:B:288:SER:HB2	1:B:375:THR:HG21	1.85	0.59
1:D:364:LEU:HB3	1:D:423:TYR:HE1	1.68	0.59
1:C:298:SER:CB	2:C:500:FP5:C3	2.80	0.58
1:D:338:THR:HB	1:D:341:LEU:HD12	1.85	0.57
1:D:49:SER:HB3	1:D:412:GLY:HA2	1.86	0.57
1:A:49:SER:OG	1:A:52:LYS:NZ	2.34	0.57
1:C:424:VAL:HB	1:C:431:LEU:HB2	1.86	0.57
1:D:12:ILE:HD13	1:D:452:ILE:HG12	1.87	0.56
1:D:343:LEU:N	1:D:343:LEU:HD23	2.19	0.56
1:B:1:ARG:N	1:D:2:LEU:HG	2.20	0.56
1:C:107:ALA:HB3	1:C:256:ASN:HD22	1.70	0.56
1:A:50:ASN:ND2	1:A:421:SER:OG	2.37	0.56
1:D:351:ARG:NH2	1:D:415:SER:HB3	2.20	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:366:GLN:NE2	1:D:366:GLN:HA	2.21	0.56
1:C:397:ARG:HH22	1:C:449:GLN:HE21	1.52	0.56
1:D:3:THR:HA	1:D:6:ARG:HD2	1.88	0.56
1:A:51:MET:CE	1:A:353:ASN:HB3	2.36	0.55
1:D:298:SER:CB	2:D:500:FP5:C3	2.70	0.55
1:A:414:MET:HB3	5:A:1473:ACN:H21	1.89	0.55
1:A:413:THR:O	2:A:500:FP5:HD2	2.07	0.54
1:A:299:ASN:C	1:A:299:ASN:HD22	2.10	0.54
1:B:362:ASP:O	1:B:366:GLN:HG2	2.08	0.54
1:A:397:ARG:HH22	1:A:449:GLN:HE21	1.56	0.54
1:A:63:LEU:O	1:A:67:HIS:HB2	2.06	0.54
1:D:342:VAL:HB	1:D:354:LEU:HB2	1.88	0.54
1:D:356:THR:O	1:D:360:VAL:HG23	2.07	0.54
1:D:1:ARG:HG3	1:D:4:GLU:CB	2.39	0.53
1:C:147:TYR:HB2	1:C:300:ASN:ND2	2.23	0.53
1:D:190:TYR:OH	1:D:243:ALA:HB3	2.07	0.53
1:D:355:VAL:HG23	1:D:356:THR:N	2.24	0.53
1:B:361:VAL:HA	1:B:364:LEU:HD12	1.89	0.53
1:D:96:PRO:O	1:D:157:ALA:HB2	2.08	0.53
1:B:226:PRO:HG2	1:B:229:ALA:HB2	1.89	0.53
1:D:73:VAL:HG12	1:D:88:LEU:CD1	2.39	0.53
1:C:130:ASP:HB3	1:C:132:GLU:H	1.73	0.52
1:A:60:LEU:HD11	1:A:291:LEU:HD11	1.91	0.52
1:D:318:GLY:H	5:D:1474:ACN:H13	1.74	0.52
1:D:197:ALA:HB2	1:D:221:VAL:HG12	1.91	0.52
1:D:60:LEU:HD13	1:D:372:TRP:CE3	2.44	0.52
1:D:414:MET:HB3	5:D:1473:ACN:H21	1.91	0.52
1:C:143:GLU:N	1:C:144:PRO:CD	2.72	0.52
1:C:130:ASP:OD1	1:C:319:THR:HG22	2.10	0.52
1:C:192:GLU:O	1:C:218:THR:HA	2.09	0.52
1:D:73:VAL:CG2	1:D:280:ALA:HB3	2.40	0.52
1:D:252:ALA:O	1:D:256:ASN:ND2	2.44	0.51
1:D:12:ILE:CD1	1:D:452:ILE:HG12	2.39	0.51
1:D:25:VAL:HG22	1:D:435:ILE:HG23	1.93	0.51
1:D:22:VAL:HG11	1:D:43:GLU:HG2	1.92	0.51
1:C:281:ASP:C	1:C:281:ASP:OD1	2.49	0.50
1:B:32:THR:OG1	1:B:34:GLU:HB2	2.11	0.50
1:B:63:LEU:O	1:B:67:HIS:HB2	2.12	0.50
1:C:63:LEU:O	1:C:67:HIS:HB2	2.12	0.50
1:A:130:ASP:C	1:A:130:ASP:OD1	2.50	0.50
1:C:270:PRO:HB2	1:C:272:ASP:HB3	1.92	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:MET:HE2	1:A:353:ASN:HB3	1.92	0.50
1:C:202:ALA:HA	1:C:228:ASP:OD1	2.12	0.49
1:D:28:VAL:HG12	1:D:29:ASP:N	2.27	0.49
1:D:408:GLU:HG3	1:D:423:TYR:HB2	1.94	0.49
1:B:350:SER:HB3	1:B:353:ASN:ND2	2.27	0.49
1:C:298:SER:CB	2:C:500:FP5:H32C	2.42	0.49
1:D:294:PHE:CD1	1:D:302:HIS:HB2	2.47	0.49
1:A:148:SER:O	1:A:148:SER:OG	2.31	0.49
1:C:16:PRO:O	1:C:19:GLU:HB2	2.13	0.49
1:B:225:LEU:HD12	1:B:226:PRO:HD2	1.94	0.49
1:C:147:TYR:HB2	1:C:300:ASN:HD22	1.78	0.49
1:D:385:GLU:O	1:D:391:GLY:HA3	2.13	0.49
1:A:58:ALA:HB2	1:A:327:VAL:HG13	1.94	0.49
1:A:413:THR:H	2:A:500:FP5:HD2	1.77	0.49
1:B:1:ARG:H3	1:D:2:LEU:HG	1.77	0.49
1:C:156:VAL:HG21	1:C:248:LEU:HD12	1.95	0.48
1:C:408:GLU:O	1:C:422:GLY:HA3	2.12	0.48
1:D:298:SER:HB2	2:D:500:FP5:H32C	1.92	0.48
1:A:412:GLY:O	1:A:418:SER:HA	2.14	0.48
1:B:296:LYS:NZ	1:B:380:LEU:O	2.44	0.48
1:A:304:GLU:OE2	1:A:347:SER:N	2.42	0.48
1:B:172:THR:HG22	1:B:231:PRO:HB3	1.95	0.48
1:B:30:THR:HB	1:B:430:GLU:O	2.14	0.48
1:D:170:SER:HB3	1:D:233:THR:HG22	1.96	0.48
1:D:3:THR:HG22	1:D:6:ARG:NH1	2.28	0.48
1:C:413:THR:O	5:C:1471:ACN:H12	2.13	0.48
1:D:1:ARG:HE	1:D:455:ARG:HH22	1.62	0.47
1:B:147:TYR:HB2	1:B:300:ASN:ND2	2.28	0.47
1:B:124:ALA:HB1	1:B:154:LEU:HD12	1.96	0.47
1:C:160:GLU:HG2	3:C:1470:SO4:O2	2.14	0.47
1:B:294:PHE:CD1	1:B:302:HIS:HB2	2.48	0.47
1:B:307:VAL:CG1	1:B:324:LEU:HD13	2.42	0.47
1:A:150:GLN:HE22	1:A:240:GLU:H	1.61	0.47
1:A:150:GLN:NE2	1:A:240:GLU:H	2.12	0.47
1:A:397:ARG:NH1	1:A:446:LEU:HD22	2.30	0.47
1:B:156:VAL:HG21	1:B:248:LEU:HD12	1.96	0.47
1:D:129:PHE:HB2	1:D:153:ALA:HB2	1.97	0.47
1:C:54:PHE:CD1	1:C:363:LEU:HD22	2.50	0.47
1:D:135:VAL:HB	1:D:138:TRP:CD1	2.50	0.46
1:C:32:THR:OG1	1:C:34:GLU:HB2	2.15	0.46
1:B:396:ASN:ND2	1:B:399:ARG:NH2	2.63	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:3:THR:HG22	1:D:6:ARG:HH11	1.80	0.46
1:A:48:ALA:HB1	2:A:500:FP5:CE2	2.44	0.46
1:D:1:ARG:CG	1:D:4:GLU:HB2	2.44	0.46
1:D:94:GLY:O	1:D:96:PRO:HD3	2.15	0.46
1:A:385:GLU:O	1:A:391:GLY:HA3	2.15	0.46
1:B:385:GLU:O	1:B:391:GLY:HA3	2.16	0.46
1:C:184:LEU:HB2	1:C:188:GLU:HG2	1.98	0.46
1:D:397:ARG:HH22	1:D:449:GLN:NE2	2.11	0.46
1:A:96:PRO:HB2	1:A:302:HIS:CD2	2.51	0.45
1:A:193:LEU:HD12	1:A:194:ASP:N	2.31	0.45
1:C:201:ALA:O	1:C:202:ALA:C	2.53	0.45
1:A:295:MET:HB2	1:A:379:SER:HB2	1.99	0.45
1:C:129:PHE:CG	1:C:153:ALA:HB2	2.52	0.45
1:B:298:SER:CB	2:B:500:FP5:C3	2.94	0.45
1:A:89:TYR:CD1	1:A:123:TYR:HB2	2.52	0.45
1:D:93:ARG:HG2	1:D:128:TRP:CD2	2.52	0.44
1:C:79:PRO:HB2	1:C:83:GLY:HA2	1.98	0.44
1:D:25:VAL:HA	1:D:434:SER:O	2.17	0.44
1:B:50:ASN:ND2	1:B:421:SER:OG	2.51	0.44
1:D:107:ALA:HB1	1:D:256:ASN:ND2	2.32	0.44
1:A:7:GLU:O	1:A:10:ASP:HB2	2.17	0.44
1:A:156:VAL:HG21	1:A:248:LEU:HD12	1.99	0.44
1:A:97:THR:HG21	1:A:290:ILE:HG12	2.00	0.44
1:D:7:GLU:HA	1:D:10:ASP:HB2	1.99	0.44
1:D:253:LEU:HB3	1:D:258:VAL:HB	2.00	0.43
1:D:412:GLY:O	1:D:418:SER:HA	2.17	0.43
1:C:18:LEU:HD11	1:C:448:VAL:HG11	1.99	0.43
1:D:448:VAL:O	1:D:452:ILE:HG13	2.18	0.43
1:D:61:GLU:HA	1:D:61:GLU:OE1	2.18	0.43
1:A:301:GLY:O	1:A:305:MET:HG3	2.18	0.43
1:B:54:PHE:CD1	1:B:363:LEU:HD22	2.54	0.43
1:B:147:TYR:HB2	1:B:300:ASN:HD22	1.83	0.43
1:D:225:LEU:HA	1:D:226:PRO:HD3	1.89	0.43
1:D:288:SER:CB	1:D:375:THR:HG21	2.49	0.43
1:A:334:LEU:HA	1:A:334:LEU:HD12	1.90	0.43
1:A:88:LEU:HD23	1:A:88:LEU:HA	1.89	0.43
1:C:270:PRO:HG2	1:C:273:TRP:CE2	2.54	0.43
1:B:396:ASN:HD22	1:B:399:ARG:NH2	2.16	0.43
1:C:423:TYR:HA	1:C:431:LEU:O	2.19	0.43
1:B:2:LEU:HD12	1:D:32:THR:HG22	2.01	0.43
1:C:394:LEU:HD12	1:C:394:LEU:HA	1.84	0.42

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:372:TRP:O	1:D:374:GLN:N	2.52	0.42
1:D:26:VAL:HA	1:D:37:TYR:O	2.19	0.42
1:A:236:ARG:NH1	3:A:1468:SO4:O4	2.51	0.42
1:B:341:LEU:HG	1:B:359:THR:HG21	2.01	0.42
1:A:147:TYR:CD1	1:A:147:TYR:C	2.91	0.42
1:A:49:SER:HB3	1:A:412:GLY:HA2	2.02	0.42
1:C:270:PRO:CB	1:C:272:ASP:HB3	2.49	0.42
1:A:312:GLN:NE2	1:A:316:GLY:HA2	2.34	0.42
1:C:107:ALA:CB	1:C:256:ASN:HD22	2.33	0.42
1:C:412:GLY:O	1:C:418:SER:HA	2.19	0.42
1:C:323:GLY:O	1:C:327:VAL:HG23	2.20	0.42
1:A:411:THR:HB	6:A:2076:HOH:O	2.20	0.41
1:A:319:THR:HG22	1:A:321:ASP:N	2.33	0.41
1:A:82:ARG:NH1	1:A:82:ARG:HB3	2.36	0.41
1:D:208:LEU:HD22	1:D:225:LEU:HD13	2.03	0.41
1:B:428:GLU:HG2	1:B:429:GLY:N	2.30	0.41
1:C:57:ALA:O	1:C:58:ALA:C	2.58	0.41
1:D:294:PHE:HD1	1:D:302:HIS:HB2	1.84	0.41
1:A:419:ALA:HA	1:A:435:ILE:O	2.21	0.41
1:D:300:ASN:ND2	1:D:349:LEU:HG	2.36	0.41
1:D:63:LEU:O	1:D:67:HIS:HB2	2.21	0.41
1:B:306:LEU:HD23	1:B:306:LEU:HA	1.88	0.41
1:B:437:ASN:ND2	1:B:449:GLN:OE1	2.53	0.41
1:C:345:ASP:C	1:C:345:ASP:OD1	2.59	0.41
1:A:136:ASP:OD1	1:A:137:ASP:N	2.54	0.41
1:C:332:SER:C	1:C:334:LEU:H	2.24	0.41
1:B:299:ASN:HD22	1:B:299:ASN:C	2.24	0.41
1:B:410:LYS:HD2	6:B:2059:HOH:O	2.21	0.41
1:B:428:GLU:CG	1:B:429:GLY:N	2.84	0.41
1:A:331:LEU:O	1:A:336:VAL:HB	2.20	0.40
1:A:22:VAL:HG11	1:A:43:GLU:HG2	2.03	0.40
1:B:291:LEU:HD22	1:B:291:LEU:HA	1.78	0.40
1:B:307:VAL:HG11	1:B:324:LEU:CD1	2.46	0.40
1:B:51:MET:HE2	1:B:353:ASN:CB	2.49	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:312:GLN:O	1:D:81:ARG:NH1[2_545]	1.77	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:316:GLY:N	1:D:81:ARG:NH1[2_545]	2.11	0.09
1:C:312:GLN:OE1	1:D:81:ARG:NH2[2_545]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	464/466 (100%)	437 (94%)	24 (5%)	3 (1%)	25	47
1	B	464/466 (100%)	439 (95%)	23 (5%)	2 (0%)	34	57
1	C	464/466 (100%)	431 (93%)	29 (6%)	4 (1%)	17	35
1	D	461/466 (99%)	407 (88%)	50 (11%)	4 (1%)	17	35
All	All	1853/1864 (99%)	1714 (92%)	126 (7%)	13 (1%)	22	43

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	2	LEU
1	C	465	PRO
1	D	427	PRO
1	C	130	ASP
1	C	272	ASP
1	D	373	ALA
1	A	86	GLN
1	A	428	GLU
1	A	440	HIS
1	B	86	GLN
1	C	315	ALA
1	D	96	PRO
1	D	315	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/339 (100%)	320 (94%)	19 (6%)	21	42
1	B	338/339 (100%)	316 (94%)	22 (6%)	17	34
1	C	338/339 (100%)	315 (93%)	23 (7%)	16	32
1	D	339/339 (100%)	318 (94%)	21 (6%)	18	37
All	All	1354/1356 (100%)	1269 (94%)	85 (6%)	18	36

All (85) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	SER
1	A	30	THR
1	A	46	LEU
1	A	82	ARG
1	A	98	LEU
1	A	116	ARG
1	A	154	LEU
1	A	255	SER
1	A	259	THR
1	A	291	LEU
1	A	299	ASN
1	A	324	LEU
1	A	349	LEU
1	A	369	SER
1	A	375	THR
1	A	428	GLU
1	A	455	ARG
1	A	463	GLN
1	A	466	GLU
1	B	1	ARG
1	B	2	LEU
1	B	3	THR
1	B	4	GLU
1	B	18	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	34	GLU
1	B	88	LEU
1	B	98	LEU
1	B	113	SER
1	B	154	LEU
1	B	198	VAL
1	B	255	SER
1	B	274	GLN
1	B	275	ASP
1	B	291	LEU
1	B	299	ASN
1	B	320	TRP
1	B	324	LEU
1	B	332	SER
1	B	349	LEU
1	B	369	SER
1	B	428	GLU
1	C	1	ARG
1	C	3	THR
1	C	19	GLU
1	C	46	LEU
1	C	77	SER
1	C	85	VAL
1	C	119	ARG
1	C	132	GLU
1	C	136	ASP
1	C	154	LEU
1	C	172	THR
1	C	183	ASP
1	C	250	GLU
1	C	255	SER
1	C	291	LEU
1	C	299	ASN
1	C	320	TRP
1	C	324	LEU
1	C	349	LEU
1	C	377	SER
1	C	394	LEU
1	C	428	GLU
1	C	431	LEU
1	D	2	LEU
1	D	61	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	71	THR
1	D	77	SER
1	D	81	ARG
1	D	88	LEU
1	D	96	PRO
1	D	117	THR
1	D	154	LEU
1	D	184	LEU
1	D	214	VAL
1	D	277	GLU
1	D	291	LEU
1	D	299	ASN
1	D	309	SER
1	D	320	TRP
1	D	324	LEU
1	D	343	LEU
1	D	393	THR
1	D	413	THR
1	D	414	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	GLN
1	A	50	ASN
1	A	150	GLN
1	A	299	ASN
1	A	312	GLN
1	A	437	ASN
1	A	440	HIS
1	A	449	GLN
1	A	463	GLN
1	B	44	GLN
1	B	50	ASN
1	B	150	GLN
1	B	299	ASN
1	B	366	GLN
1	B	374	GLN
1	B	396	ASN
1	B	437	ASN
1	B	449	GLN
1	B	463	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	50	ASN
1	C	256	ASN
1	C	299	ASN
1	C	437	ASN
1	C	449	GLN
1	D	50	ASN
1	D	150	GLN
1	D	256	ASN
1	D	299	ASN
1	D	366	GLN
1	D	449	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 4 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	SO4	A	1468	-	4,4,4	0.14	0	6,6,6	0.10	0
3	SO4	B	1470	-	4,4,4	0.15	0	6,6,6	0.16	0
3	SO4	B	1467	-	4,4,4	0.31	0	6,6,6	0.20	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	D	1468	-	4,4,4	0.18	0	6,6,6	0.16	0
5	ACN	D	1474	-	3,3,3	0.68	0	3,3,3	0.63	0
3	SO4	C	1468	-	4,4,4	0.15	0	6,6,6	0.23	0
3	SO4	A	1467	-	4,4,4	0.27	0	6,6,6	0.58	0
3	SO4	C	1470	-	4,4,4	0.13	0	6,6,6	0.24	0
2	FP5	A	500	1	11,12,14	0.61	0	13,14,17	1.64	3 (23%)
2	FP5	D	500	1	11,12,14	0.35	0	13,14,17	1.42	2 (15%)
3	SO4	B	1469	-	4,4,4	0.29	0	6,6,6	0.56	0
3	SO4	D	1469	-	4,4,4	0.27	0	6,6,6	0.41	0
3	SO4	C	1469	-	4,4,4	0.39	0	6,6,6	0.29	0
3	SO4	C	1467	-	4,4,4	0.22	0	6,6,6	0.36	0
2	FP5	C	500	1	11,12,14	0.71	0	13,14,17	1.17	1 (7%)
3	SO4	A	1470	-	4,4,4	0.25	0	6,6,6	0.40	0
5	ACN	D	1473	-	3,3,3	0.44	0	3,3,3	1.05	0
3	SO4	A	1474	-	4,4,4	0.22	0	6,6,6	0.25	0
3	SO4	D	1467	-	4,4,4	0.11	0	6,6,6	0.51	0
3	SO4	B	1468	-	4,4,4	0.17	0	6,6,6	0.21	0
3	SO4	D	1470	-	4,4,4	0.18	0	6,6,6	0.15	0
2	FP5	B	500	1	11,12,14	0.75	0	13,14,17	1.58	2 (15%)
5	ACN	A	1473	-	3,3,3	0.56	0	3,3,3	0.95	0
5	ACN	B	1471	-	3,3,3	0.46	0	3,3,3	0.61	0
5	ACN	C	1471	-	3,3,3	0.63	0	3,3,3	0.84	0
3	SO4	A	1469	-	4,4,4	0.29	0	6,6,6	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FP5	B	500	1	-	0/6/7/9	0/1/1/1
2	FP5	A	500	1	-	0/6/7/9	0/1/1/1
2	FP5	D	500	1	-	0/6/7/9	0/1/1/1
2	FP5	C	500	1	-	0/6/7/9	0/1/1/1

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	FP5	CG-C7-C5	-4.39	99.57	112.57
2	B	500	FP5	CG-C7-C5	-4.35	99.69	112.57

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	D	500	FP5	C3-N4-C5	3.15	128.55	123.11
2	D	500	FP5	CG-C7-C5	-3.14	103.26	112.57
2	C	500	FP5	CG-C7-C5	-2.58	104.93	112.57
2	B	500	FP5	C3-N4-C5	2.21	126.93	123.11
2	A	500	FP5	C7-C5-N4	-2.07	113.39	116.19
2	A	500	FP5	C3-N4-C5	2.07	126.68	123.11

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

10 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1468	SO4	1	0
5	D	1474	ACN	1	0
3	C	1470	SO4	1	0
2	A	500	FP5	7	0
2	D	500	FP5	5	0
2	C	500	FP5	2	0
5	D	1473	ACN	1	0
2	B	500	FP5	1	0
5	A	1473	ACN	1	0
5	C	1471	ACN	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	D	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	D	82:ARG	C	83:GLY	N	3.22
1	D	83:GLY	C	84:GLU	N	3.21



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	466/466 (100%)	-0.17	8 (1%) 70 66	35, 53, 87, 151	0
1	B	466/466 (100%)	-0.25	5 (1%) 80 78	35, 53, 89, 179	0
1	C	466/466 (100%)	-0.27	12 (2%) 56 50	34, 53, 79, 117	0
1	D	466/466 (100%)	0.39	37 (7%) 12 9	35, 86, 148, 417	0
All	All	1864/1864 (100%)	-0.08	62 (3%) 46 39	34, 56, 120, 417	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	83	GLY	6.7
1	D	77	SER	6.6
1	D	117	THR	5.8
1	D	262	GLY	5.1
1	D	84	GLU	5.1
1	B	2	LEU	5.1
1	D	260	VAL	5.1
1	D	118	VAL	4.9
1	D	80	GLY	4.6
1	C	117	THR	4.5
1	D	74	ALA	4.4
1	D	31	ALA	4.1
1	D	75	ALA	4.1
1	D	79	PRO	4.1
1	D	115	VAL	3.7
1	A	279	LEU	3.6
1	D	461	GLY	3.6
1	C	81	ARG	3.5
1	C	82	ARG	3.5
1	A	108	ALA	3.4
1	D	88	LEU	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	6	ARG	3.2
1	D	259	THR	3.2
1	D	274	GLN	3.1
1	C	2	LEU	3.1
1	D	119	ARG	3.1
1	C	119	ARG	3.0
1	D	116	ARG	3.0
1	D	2	LEU	2.9
1	B	427	PRO	2.9
1	C	84	GLU	2.9
1	D	82	ARG	2.9
1	D	277	GLU	2.8
1	D	45	LEU	2.8
1	A	82	ARG	2.8
1	A	31	ALA	2.8
1	A	81	ARG	2.8
1	D	427	PRO	2.8
1	D	85	VAL	2.8
1	D	253	LEU	2.8
1	C	428	GLU	2.8
1	A	116	ARG	2.7
1	D	1	ARG	2.6
1	C	116	ARG	2.6
1	D	81	ARG	2.5
1	B	31	ALA	2.5
1	D	275	ASP	2.5
1	A	117	THR	2.4
1	D	120	GLY	2.4
1	D	86	GLN	2.4
1	D	256	ASN	2.3
1	D	121	ASP	2.3
1	B	428	GLU	2.3
1	D	73	VAL	2.3
1	C	261	LYS	2.3
1	C	427	PRO	2.3
1	A	274	GLN	2.2
1	B	275	ASP	2.2
1	C	83	GLY	2.2
1	C	6	ARG	2.2
1	D	257	GLY	2.1
1	D	386	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SO4	D	1470	5/5	0.79	0.21	134,134,134,135	0
3	SO4	D	1467	5/5	0.80	0.17	108,108,109,110	0
3	SO4	B	1470	5/5	0.81	0.23	134,135,135,135	0
3	SO4	A	1474	5/5	0.85	0.20	112,112,113,114	0
3	SO4	A	1470	5/5	0.85	0.17	107,107,107,108	0
5	ACN	D	1473	4/4	0.85	0.32	70,71,71,71	0
3	SO4	C	1470	5/5	0.87	0.19	107,107,108,108	0
3	SO4	D	1468	5/5	0.88	0.17	92,92,93,94	0
5	ACN	D	1474	4/4	0.90	0.17	42,43,43,43	0
5	ACN	A	1473	4/4	0.91	0.26	50,50,51,51	0
4	MG	A	1472	1/1	0.92	0.10	60,60,60,60	0
3	SO4	A	1468	5/5	0.92	0.11	112,112,113,113	0
5	ACN	B	1471	4/4	0.94	0.30	53,53,54,54	0
3	SO4	A	1469	5/5	0.94	0.20	81,81,83,83	0
5	ACN	C	1471	4/4	0.95	0.15	51,52,52,53	0
2	FP5	D	500	12/14	0.95	0.16	44,66,67,67	0
3	SO4	C	1468	5/5	0.96	0.11	66,66,67,68	0
3	SO4	D	1469	5/5	0.97	0.09	62,63,64,64	0
4	MG	A	1471	1/1	0.97	0.08	49,49,49,49	0
3	SO4	B	1468	5/5	0.97	0.11	76,77,78,78	0
3	SO4	C	1469	5/5	0.97	0.15	72,72,73,73	0
3	SO4	B	1467	5/5	0.97	0.11	68,68,69,70	0
2	FP5	A	500	12/14	0.97	0.16	29,53,58,58	0
3	SO4	A	1467	5/5	0.97	0.14	53,54,56,56	0
3	SO4	B	1469	5/5	0.97	0.15	58,59,60,62	0
2	FP5	C	500	12/14	0.98	0.14	21,34,39,40	0
2	FP5	B	500	12/14	0.98	0.15	25,36,39,41	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SO4	C	1467	5/5	0.99	0.09	55,56,57,57	0
4	MG	D	1471	1/1	0.99	0.04	56,56,56,56	0
4	MG	D	1472	1/1	0.99	0.03	32,32,32,32	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.