



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2021 – 08:27 AM EDT

PDB ID : 1YE1  
Title : T-To-T(High) quaternary transitions in human hemoglobin: betaY35A oxy  
(2MM IHP, 20% PEG) (1 test set)  
Authors : Kavanaugh, J.S.; Rogers, P.H.; Arnone, A.  
Deposited on : 2004-12-27  
Resolution : 4.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 4.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1055 (5.20-3.80)
Clashscore	141614	1123 (5.20-3.80)
Ramachandran outliers	138981	1069 (5.20-3.80)
Sidechain outliers	138945	1050 (5.20-3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	141	72% 23% . .
1	C	141	62% 35% .
2	B	146	65% 29% 5% .
2	D	146	64% 32% 5%

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4738 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemoglobin alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	141	Total	C	N	O	S	0	0	0
			1069	685	187	194	3			
1	C	141	Total	C	N	O	S	0	0	0
			1069	685	187	194	3			

- Molecule 2 is a protein called Hemoglobin beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	146	Total	C	N	O	S	0	0	0
			1117	718	195	200	4			
2	D	146	Total	C	N	O	S	0	0	0
			1117	718	195	200	4			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	VAL	engineered mutation	UNP P68871
B	35	ALA	TYR	engineered mutation	UNP P68871
D	1	MET	VAL	engineered mutation	UNP P68871
D	35	ALA	TYR	engineered mutation	UNP P68871

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	60	Total	O	0	0
			60	60		
4	B	51	Total	O	0	0
			51	51		
4	C	47	Total	O	0	0
			47	47		
4	D	36	Total	O	0	0
			36	36		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemoglobin alpha chain




- Molecule 1: Hemoglobin alpha chain




- Molecule 2: Hemoglobin beta chain



- Molecule 2: Hemoglobin beta chain





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	96.40 Å 98.90 Å 66.90 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 4.50 55.41 – 4.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-4.50) 87.2 (55.41-4.50)	Depositor EDS
$R_{merge}$	0.30	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	112.17 (at 4.46 Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.295 , 0.343 0.281 , 0.298	Depositor DCC
$R_{free}$ test set	354 reflections (9.30%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	42.3	Xtriage
Anisotropy	0.165	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 88.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.27$ , $\langle L^2 \rangle = 0.11$	Xtriage
Estimated twinning fraction	0.237 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.74	EDS
Total number of atoms	4738	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.50% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.84	0/1097	1.37	3/1491 (0.2%)
1	C	0.78	0/1097	1.42	12/1491 (0.8%)
2	B	0.83	1/1146 (0.1%)	1.43	10/1555 (0.6%)
2	D	0.80	0/1146	1.47	5/1555 (0.3%)
All	All	0.82	1/4486 (0.0%)	1.43	30/6092 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	80	ASN	C-N	5.82	1.47	1.34

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	30	ARG	NE-CZ-NH1	12.33	126.46	120.30
2	B	40	ARG	NE-CZ-NH1	11.63	126.12	120.30
1	C	31	ARG	NE-CZ-NH1	9.07	124.84	120.30
2	D	30	ARG	CD-NE-CZ	8.73	135.83	123.60
2	D	73	ASP	CB-CG-OD1	8.54	125.98	118.30
2	D	2	HIS	N-CA-CB	8.43	125.77	110.60
1	C	31	ARG	NE-CZ-NH2	-8.11	116.25	120.30
1	C	6	ASP	CB-CG-OD1	7.99	125.49	118.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	105	LEU	CA-CB-CG	7.57	132.72	115.30
2	B	30	ARG	NE-CZ-NH2	7.42	124.01	120.30
2	B	80	ASN	O-C-N	-7.08	111.38	122.70
2	B	30	ARG	CD-NE-CZ	6.70	132.97	123.60
1	C	6	ASP	CB-CG-OD2	-6.34	112.60	118.30
2	B	68	LEU	CA-CB-CG	6.29	129.76	115.30
1	A	64	ASP	CB-CG-OD1	6.10	123.79	118.30
1	C	42	TYR	CB-CG-CD2	-6.02	117.39	121.00
2	B	80	ASN	C-N-CA	5.88	136.40	121.70
2	B	40	ARG	CD-NE-CZ	5.73	131.62	123.60
1	C	75	ASP	CB-CG-OD2	-5.52	113.33	118.30
2	D	21	ASP	CB-CG-OD1	5.38	123.14	118.30
1	C	130	ALA	N-CA-CB	5.32	117.54	110.10
1	C	64	ASP	CB-CG-OD2	-5.23	113.59	118.30
1	C	64	ASP	CB-CG-OD1	5.19	122.97	118.30
1	A	141	ARG	NE-CZ-NH2	-5.18	117.71	120.30
2	B	130	TYR	CB-CG-CD2	5.17	124.10	121.00
1	C	129	LEU	CB-CA-C	5.16	120.00	110.20
1	A	137	THR	N-CA-CB	-5.12	100.56	110.30
2	B	20	VAL	CB-CA-C	5.07	121.04	111.40
2	B	26	GLU	CG-CD-OE1	5.03	128.35	118.30
1	C	63	ALA	CB-CA-C	5.02	117.63	110.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	104	ARG	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1069	0	1073	48	1
1	C	1069	0	1073	44	0
2	B	1117	0	1114	49	1
2	D	1117	0	1114	41	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	43	0	30	0	0
3	B	43	0	30	7	0
3	C	43	0	30	0	0
3	D	43	0	30	0	0
4	A	60	0	0	21	2
4	B	51	0	0	13	2
4	C	47	0	0	17	0
4	D	36	0	0	10	0
All	All	4738	0	4494	158	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:73:ASP:HB3	4:B:269:HOH:O	1.41	1.17
1:A:88:ALA:HB2	4:A:222:HOH:O	1.50	1.12
2:D:146:HIS:O	4:D:211:HOH:O	1.71	1.06
2:B:26:GLU:OE1	2:B:117:HIS:NE2	1.94	1.01
2:B:41:PHE:HB3	3:B:147:HEM:CMD	1.92	1.00
1:A:40:LYS:NZ	2:D:146:HIS:OXT	1.93	0.99
1:A:35:SER:HB3	2:B:131:GLN:HG3	1.41	0.98
1:C:92:ARG:NH1	4:C:308:HOH:O	1.96	0.97
2:B:58:PRO:O	4:B:265:HOH:O	1.82	0.96
2:B:58:PRO:CA	4:B:265:HOH:O	2.14	0.94
1:A:120:ALA:HB2	4:A:311:HOH:O	1.66	0.94
1:A:77:PRO:HD3	4:A:319:HOH:O	1.66	0.93
1:C:88:ALA:HB2	4:C:253:HOH:O	1.72	0.90
1:A:139:LYS:HE3	4:A:341:HOH:O	1.75	0.86
2:B:41:PHE:HB3	3:B:147:HEM:HMD2	1.57	0.84
1:A:85:ASP:OD2	4:A:231:HOH:O	1.95	0.83
1:A:120:ALA:CB	4:A:311:HOH:O	2.25	0.82
1:C:30:GLU:OE1	4:C:305:HOH:O	2.01	0.79
1:C:82:ALA:HB3	4:C:322:HOH:O	1.82	0.79
2:D:45:PHE:HA	2:D:59:LYS:HD2	1.64	0.78
1:A:141:ARG:NH2	1:C:130:ALA:CB	2.51	0.74
1:A:107:VAL:HG13	2:B:115:ALA:HB2	1.70	0.74
1:A:9:ASN:ND2	4:A:429:HOH:O	1.85	0.73
1:A:116:GLU:OE2	4:A:352:HOH:O	2.06	0.73
2:B:41:PHE:HB3	3:B:147:HEM:HMD3	1.71	0.73

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:124:PRO:HB2	2:B:125:PRO:HD3	1.72	0.71
1:C:120:ALA:CB	4:C:321:HOH:O	2.36	0.71
2:D:96:LEU:O	4:D:288:HOH:O	2.08	0.71
2:D:38:THR:HG22	2:D:102:ASN:ND2	2.06	0.70
2:D:87:THR:HG22	4:D:274:HOH:O	1.92	0.69
1:C:120:ALA:HB2	4:C:321:HOH:O	1.91	0.69
2:D:36:PRO:HG3	4:D:415:HOH:O	1.93	0.69
1:A:127:LYS:HD3	4:A:226:HOH:O	1.93	0.68
2:B:30:ARG:HD2	2:B:113:VAL:HG22	1.75	0.68
1:A:92:ARG:NH1	4:A:225:HOH:O	2.03	0.68
1:A:71:ALA:O	4:A:326:HOH:O	2.12	0.67
1:A:9:ASN:HA	4:A:429:HOH:O	1.95	0.67
1:A:39:THR:HG22	1:A:97:ASN:HD22	1.60	0.66
2:D:51:PRO:CB	4:D:406:HOH:O	2.42	0.66
1:C:120:ALA:N	4:C:321:HOH:O	2.29	0.65
1:C:35:SER:HB3	2:D:131:GLN:HG3	1.78	0.65
2:B:58:PRO:C	4:B:265:HOH:O	2.19	0.65
2:B:58:PRO:CB	4:B:265:HOH:O	2.39	0.65
1:A:120:ALA:N	4:A:311:HOH:O	2.28	0.63
1:A:141:ARG:HH22	1:C:130:ALA:HB2	1.61	0.63
1:A:141:ARG:HH22	1:C:130:ALA:CB	2.11	0.63
2:D:51:PRO:HB2	4:D:406:HOH:O	1.98	0.63
2:B:87:THR:HB	4:B:359:HOH:O	1.99	0.62
1:C:3:SER:HB3	4:C:351:HOH:O	1.98	0.62
2:B:2:HIS:O	2:B:132:LYS:NZ	2.32	0.60
3:B:147:HEM:HMC2	3:B:147:HEM:HBC2	1.84	0.60
1:C:38:THR:HG23	4:C:268:HOH:O	2.01	0.60
1:A:117:PHE:HB3	2:B:116:HIS:CD2	2.36	0.60
1:A:113:LEU:HB3	1:A:116:GLU:HG2	1.83	0.60
2:D:123:THR:OG1	2:D:125:PRO:HD2	2.02	0.59
1:A:107:VAL:HG13	2:B:115:ALA:CB	2.32	0.59
2:B:75:LEU:HA	2:B:78:LEU:HD13	1.83	0.59
2:D:48:LEU:HB3	2:D:54:VAL:HG22	1.85	0.59
2:D:87:THR:CG2	4:D:274:HOH:O	2.47	0.59
1:A:117:PHE:HB3	2:B:116:HIS:NE2	2.18	0.59
2:B:23:VAL:HG12	2:B:68:LEU:HD11	1.84	0.59
1:A:99:LYS:HE2	4:A:315:HOH:O	2.03	0.59
2:B:146:HIS:CE1	4:B:278:HOH:O	2.56	0.58
2:B:20:VAL:N	4:B:385:HOH:O	2.36	0.58
2:D:4:THR:HB	2:D:7:GLU:HG3	1.86	0.58
1:C:23:GLU:OE2	4:C:410:HOH:O	2.17	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:139:LYS:HB2	4:C:253:HOH:O	2.04	0.57
2:B:31:LEU:HD22	2:B:106:LEU:HD13	1.86	0.56
2:B:58:PRO:HA	4:B:265:HOH:O	1.87	0.56
2:B:41:PHE:CD1	3:B:147:HEM:HAC	2.41	0.56
1:C:76:MET:N	1:C:77:PRO:CD	2.70	0.55
1:A:130:ALA:CB	1:C:141:ARG:NH2	2.70	0.55
2:B:8:LYS:O	2:B:12:THR:HB	2.06	0.55
2:B:74:GLY:HA2	2:B:84:THR:HG21	1.88	0.55
1:A:99:LYS:CE	4:A:315:HOH:O	2.54	0.54
1:C:134:THR:CB	4:C:431:HOH:O	2.52	0.54
2:D:20:VAL:HG13	2:D:68:LEU:HB3	1.87	0.54
1:C:127:LYS:HD2	4:C:333:HOH:O	2.07	0.54
1:C:70:VAL:O	1:C:73:VAL:HB	2.07	0.53
1:A:42:TYR:OH	2:D:99:ASP:OD1	2.27	0.53
1:A:74:ASP:HB2	4:A:230:HOH:O	2.07	0.53
2:B:4:THR:OG1	2:B:6:GLU:HG2	2.08	0.53
1:C:112:HIS:O	1:C:113:LEU:HD23	2.09	0.53
2:B:124:PRO:CB	2:B:125:PRO:HD3	2.38	0.52
2:D:91:LEU:HD12	2:D:95:LYS:HB2	1.90	0.52
2:D:38:THR:HG22	2:D:102:ASN:HD21	1.74	0.51
1:A:4:PRO:HA	4:A:217:HOH:O	2.10	0.51
2:B:24:GLY:HA2	2:B:68:LEU:HG	1.92	0.51
1:A:37:PRO:O	1:A:40:LYS:HB2	2.11	0.50
2:D:18:VAL:O	4:D:272:HOH:O	2.19	0.50
2:B:124:PRO:N	2:B:125:PRO:CD	2.74	0.50
2:B:99:ASP:OD1	1:C:42:TYR:OH	2.22	0.49
1:A:76:MET:N	1:A:77:PRO:CD	2.76	0.49
1:A:133:SER:O	1:A:137:THR:HB	2.13	0.49
1:A:16:LYS:NZ	1:A:16:LYS:HB3	2.28	0.49
1:A:81:SER:O	1:A:84:SER:HB3	2.13	0.49
1:A:130:ALA:HB2	1:C:141:ARG:NH2	2.29	0.48
2:D:51:PRO:HB3	4:D:406:HOH:O	2.10	0.48
2:B:47:ASP:HB3	4:B:249:HOH:O	2.13	0.48
1:C:3:SER:CB	4:C:351:HOH:O	2.58	0.48
2:B:30:ARG:HD2	2:B:113:VAL:CG2	2.43	0.47
2:D:36:PRO:HB3	4:D:415:HOH:O	2.13	0.47
2:D:118:PHE:HB3	2:D:121:GLU:HB3	1.95	0.47
1:A:99:LYS:HB2	4:A:315:HOH:O	2.13	0.47
4:A:421:HOH:O	2:D:37:TRP:HB3	2.13	0.47
1:C:43:PHE:N	1:C:44:PRO:CD	2.78	0.47
1:A:103:HIS:HE1	2:B:108:ASN:O	1.98	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:127:GLN:O	2:D:131:GLN:HG2	2.15	0.47
1:C:138:SER:HA	4:C:363:HOH:O	2.15	0.46
2:D:124:PRO:N	2:D:125:PRO:CD	2.78	0.46
2:B:83:GLY:HA2	4:B:298:HOH:O	2.15	0.45
2:B:102:ASN:ND2	4:B:423:HOH:O	2.49	0.45
1:C:31:ARG:HB3	2:D:127:GLN:OE1	2.17	0.45
1:A:31:ARG:HB3	2:B:127:GLN:OE1	2.16	0.45
2:D:7:GLU:O	2:D:11:VAL:HG23	2.16	0.45
1:C:120:ALA:HB2	2:D:51:PRO:HG2	1.98	0.45
1:C:108:THR:O	1:C:112:HIS:HD2	1.99	0.44
1:C:114:PRO:HA	2:D:116:HIS:HE1	1.83	0.44
1:C:140:TYR:HB2	4:C:433:HOH:O	2.17	0.44
1:A:114:PRO:HA	2:B:116:HIS:NE2	2.32	0.44
1:C:3:SER:O	1:C:7:LYS:HG3	2.18	0.44
2:D:85:PHE:HD2	2:D:88:LEU:HD23	1.81	0.44
2:B:57:ASN:HA	2:B:58:PRO:HD2	1.86	0.44
2:B:140:ALA:O	2:B:143:HIS:HD2	2.00	0.44
2:D:68:LEU:O	2:D:72:SER:HB2	2.17	0.44
1:C:39:THR:HG22	1:C:97:ASN:HD22	1.82	0.44
1:C:128:PHE:O	1:C:132:VAL:HG23	2.18	0.44
1:A:34:LEU:HD12	2:B:124:PRO:C	2.38	0.43
1:A:92:ARG:HE	1:A:92:ARG:HB2	1.72	0.43
1:C:134:THR:OG1	4:C:431:HOH:O	1.93	0.43
2:B:41:PHE:CB	3:B:147:HEM:HMD2	2.40	0.43
1:C:113:LEU:N	1:C:114:PRO:CD	2.80	0.43
3:B:147:HEM:HBC2	3:B:147:HEM:CMC	2.47	0.43
2:D:96:LEU:HB2	2:D:98:VAL:HG23	2.01	0.43
1:A:43:PHE:N	1:A:44:PRO:CD	2.81	0.43
2:D:78:LEU:HD12	2:D:81:LEU:HD21	2.01	0.43
1:A:120:ALA:HB3	4:A:312:HOH:O	2.19	0.42
1:A:16:LYS:HE3	1:A:116:GLU:OE1	2.19	0.42
2:D:113:VAL:O	2:D:116:HIS:HB3	2.19	0.42
2:D:24:GLY:HA2	2:D:68:LEU:HG	2.01	0.42
1:A:141:ARG:NE	4:A:398:HOH:O	2.51	0.41
1:C:86:LEU:HD12	1:C:90:LYS:HB3	2.02	0.41
1:C:94:ASP:HA	1:C:95:PRO:HD3	1.86	0.41
2:D:7:GLU:OE1	2:D:132:LYS:HE3	2.20	0.41
1:C:75:ASP:OD1	1:C:78:ASN:HB2	2.19	0.41
2:D:4:THR:HG22	2:D:6:GLU:H	1.84	0.41
2:D:21:ASP:HA	2:D:65:LYS:HG3	2.02	0.41
2:B:5:PRO:HD2	2:B:6:GLU:OE1	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:124:PRO:N	2:B:125:PRO:HD2	2.36	0.41
1:A:34:LEU:HD12	2:B:124:PRO:CB	2.51	0.41
1:A:34:LEU:HD12	2:B:124:PRO:HB2	2.02	0.41
1:C:114:PRO:HA	2:D:116:HIS:CE1	2.56	0.41
2:B:146:HIS:OXT	1:C:40:LYS:NZ	2.39	0.41
1:C:42:TYR:CE1	1:C:93:VAL:HA	2.56	0.41
1:C:29:LEU:HA	1:C:29:LEU:HD23	1.87	0.40
2:B:55:MET:HA	4:B:313:HOH:O	2.20	0.40
2:D:124:PRO:HB2	2:D:125:PRO:HD3	2.03	0.40
1:C:119:PRO:HG2	2:D:55:MET:HG3	2.03	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:217:HOH:O	4:B:391:HOH:O[4_455]	1.90	0.30
4:A:230:HOH:O	4:B:262:HOH:O[4_455]	2.04	0.16
1:A:74:ASP:OD2	2:B:87:THR:OG1[4_455]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/141 (99%)	134 (96%)	5 (4%)	0	100	100
1	C	139/141 (99%)	133 (96%)	6 (4%)	0	100	100
2	B	144/146 (99%)	141 (98%)	3 (2%)	0	100	100
2	D	144/146 (99%)	138 (96%)	5 (4%)	1 (1%)	22	62
All	All	566/574 (99%)	546 (96%)	19 (3%)	1 (0%)	47	81

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	80	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	113/113 (100%)	105 (93%)	8 (7%)	14	41
1	C	113/113 (100%)	108 (96%)	5 (4%)	28	54
2	B	117/117 (100%)	104 (89%)	13 (11%)	6	25
2	D	117/117 (100%)	104 (89%)	13 (11%)	6	25
All	All	460/460 (100%)	421 (92%)	39 (8%)	10	36

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	GLU
1	A	81	SER
1	A	92	ARG
1	A	99	LYS
1	A	105	LEU
1	A	116	GLU
1	A	137	THR
1	A	141	ARG
2	B	3	LEU
2	B	9	SER
2	B	12	THR
2	B	26	GLU
2	B	65	LYS
2	B	68	LEU
2	B	72	SER
2	B	75	LEU
2	B	78	LEU
2	B	79	ASP
2	B	104	ARG
2	B	120	LYS
2	B	143	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	60	LYS
1	C	61	LYS
1	C	83	LEU
1	C	84	SER
1	C	101	LEU
2	D	6	GLU
2	D	9	SER
2	D	12	THR
2	D	47	ASP
2	D	48	LEU
2	D	52	ASP
2	D	68	LEU
2	D	72	SER
2	D	77	HIS
2	D	82	LYS
2	D	95	LYS
2	D	120	LYS
2	D	121	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	97	ASN
2	B	139	ASN
2	B	143	HIS
1	C	97	ASN
2	D	63	HIS
2	D	102	ASN
2	D	116	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	HEM	D	147	2	27,50,50	2.02	4 (14%)	17,82,82	2.61	8 (47%)
3	HEM	B	147	2	27,50,50	1.96	7 (25%)	17,82,82	2.05	7 (41%)
3	HEM	C	142	1	27,50,50	2.11	5 (18%)	17,82,82	1.60	4 (23%)
3	HEM	A	142	1	27,50,50	1.91	7 (25%)	17,82,82	1.95	6 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	D	147	2	-	3/6/54/54	-
3	HEM	B	147	2	-	0/6/54/54	-
3	HEM	C	142	1	-	0/6/54/54	-
3	HEM	A	142	1	-	0/6/54/54	-

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	142	HEM	C3B-C2B	-5.19	1.33	1.40
3	D	147	HEM	C3C-C2C	-5.07	1.33	1.40
3	B	147	HEM	C3C-C2C	-4.97	1.33	1.40
3	D	147	HEM	C3B-C2B	-4.90	1.33	1.40
3	C	142	HEM	C3C-C2C	-4.63	1.33	1.40
3	A	142	HEM	C3C-C2C	-4.50	1.34	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	142	HEM	C3B-C2B	-4.23	1.34	1.40
3	D	147	HEM	C3C-CAC	4.17	1.56	1.47
3	C	142	HEM	C3B-CAB	4.15	1.56	1.47
3	B	147	HEM	C3B-CAB	3.98	1.56	1.47
3	A	142	HEM	C3B-CAB	3.64	1.55	1.47
3	B	147	HEM	C3B-C2B	-3.57	1.35	1.40
3	C	142	HEM	C3C-CAC	3.34	1.54	1.47
3	D	147	HEM	C3B-CAB	3.21	1.54	1.47
3	A	142	HEM	C3C-CAC	3.10	1.54	1.47
3	B	147	HEM	C3C-CAC	3.05	1.54	1.47
3	C	142	HEM	CMD-C2D	2.59	1.57	1.51
3	B	147	HEM	C1D-ND	2.47	1.41	1.36
3	B	147	HEM	CAD-C3D	2.25	1.56	1.52
3	B	147	HEM	CMD-C2D	2.25	1.56	1.51
3	A	142	HEM	CAD-C3D	2.12	1.55	1.52
3	A	142	HEM	CMA-C3A	2.09	1.56	1.51
3	A	142	HEM	C1D-ND	2.02	1.40	1.36

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	147	HEM	CMA-C3A-C4A	-4.75	121.16	128.46
3	D	147	HEM	CAA-CBA-CGA	4.55	120.30	112.67
3	D	147	HEM	CBA-CAA-C2A	4.07	119.99	112.49
3	B	147	HEM	CMD-C2D-C1D	-3.93	122.43	128.46
3	A	142	HEM	CAD-CBD-CGD	3.83	119.10	112.67
3	D	147	HEM	CMD-C2D-C1D	-3.80	122.63	128.46
3	B	147	HEM	CMA-C3A-C4A	-3.48	123.11	128.46
3	D	147	HEM	CMC-C2C-C3C	3.30	130.85	124.68
3	A	142	HEM	CMD-C2D-C1D	-3.18	123.58	128.46
3	D	147	HEM	CMA-C3A-C2A	3.16	130.90	124.94
3	C	142	HEM	CMB-C2B-C3B	3.16	130.59	124.68
3	C	142	HEM	CMA-C3A-C4A	-3.07	123.75	128.46
3	B	147	HEM	CMC-C2C-C3C	3.04	130.37	124.68
3	B	147	HEM	CAD-CBD-CGD	2.98	117.67	112.67
3	D	147	HEM	CMD-C2D-C3D	2.89	130.39	124.94
3	B	147	HEM	CMD-C2D-C3D	2.81	130.24	124.94
3	A	142	HEM	CMA-C3A-C4A	-2.74	124.25	128.46
3	A	142	HEM	CMB-C2B-C3B	2.59	129.53	124.68
3	B	147	HEM	CMA-C3A-C2A	2.37	129.41	124.94
3	C	142	HEM	CMA-C3A-C2A	2.35	129.36	124.94
3	B	147	HEM	CAA-CBA-CGA	2.31	116.54	112.67

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	142	HEM	CMC-C2C-C3C	2.31	128.99	124.68
3	A	142	HEM	CMD-C2D-C3D	2.30	129.28	124.94
3	C	142	HEM	CMD-C2D-C1D	-2.29	124.95	128.46
3	D	147	HEM	CMB-C2B-C3B	2.23	128.85	124.68

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	D	147	HEM	C1A-C2A-CAA-CBA
3	D	147	HEM	C3A-C2A-CAA-CBA
3	D	147	HEM	C2A-CAA-CBA-CGA


There are no ring outliers.


1 monomer is involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	147	HEM	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands




Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





**Electron density around HEM A 142:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM B 147:**


$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM C 142:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.