



Full wwPDB X-ray Structure Validation Report ⓘ

May 27, 2020 – 01:10 am BST

PDB ID : 4YHP
Title : Crystal structure of 309M3-B Fab in complex with H3K9me3 peptide
Authors : Hattori, T.; Dementieva, I.S.; Montano, S.P.; Koide, S.
Deposited on : 2015-02-27
Resolution : 2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5743 (2.54-2.50)
Clashscore	141614	6463 (2.54-2.50)
Ramachandran outliers	138981	6335 (2.54-2.50)
Sidechain outliers	138945	6337 (2.54-2.50)
RSRZ outliers	127900	5630 (2.54-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	P	16	<div><div></div><div>56%13%31%</div></div>
1	Q	16	<div><div></div><div>56%13%31%</div></div>
2	A	229	<div><div></div><div>85%10%. .</div></div>
2	C	229	<div><div></div><div>86%8%. .</div></div>
2	E	229	<div><div></div><div>85%11%. .</div></div>
2	H	229	<div><div></div><div>86%8%5%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	B	215	 84% 13% ..
3	D	215	 89% 10% .
3	F	215	 87% 11% ..
3	L	215	 89% 10% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13773 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called H3K9me3 peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	P	11	Total	C	N	O	0	0	0
			89	53	20	16			
1	Q	11	Total	C	N	O	0	0	0
			89	53	20	16			

- Molecule 2 is a protein called Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	219	Total	C	N	O	S	0	0	0
			1666	1058	284	318	6			
2	C	219	Total	C	N	O	S	0	0	0
			1666	1058	284	318	6			
2	E	219	Total	C	N	O	S	0	0	0
			1661	1054	283	318	6			
2	H	218	Total	C	N	O	S	0	0	0
			1660	1055	283	316	6			

- Molecule 3 is a protein called Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	B	212	Total	C	N	O	S	0	0	0
			1614	1005	275	330	4			
3	D	213	Total	C	N	O	S	0	0	0
			1620	1008	276	332	4			
3	L	213	Total	C	N	O	S	0	0	0
			1620	1008	276	332	4			
3	F	211	Total	C	N	O	S	0	0	0
			1602	996	274	328	4			

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	P	9	Total 9	O 9	0	0
4	A	49	Total 49	O 49	0	0
4	B	52	Total 52	O 52	0	0
4	Q	5	Total 5	O 5	0	0
4	C	67	Total 67	O 67	0	0
4	D	59	Total 59	O 59	0	0
4	E	63	Total 63	O 63	0	0
4	H	58	Total 58	O 58	0	0
4	L	59	Total 59	O 59	0	0
4	F	65	Total 65	O 65	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: H3K9me3 peptide

Chain P: 




- Molecule 1: H3K9me3 peptide

Chain Q: 




- Molecule 2: Fab Heavy Chain

Chain A: 




- Molecule 2: Fab Heavy Chain

Chain C: 





- Molecule 2: Fab Heavy Chain

Chain E: 





- Molecule 2: Fab Heavy Chain

Chain H:  86% 8% 5%




- Molecule 3: Fab Light Chain

Chain B:  84% 13% ..




- Molecule 3: Fab Light Chain

Chain D:  89% 10% .




- Molecule 3: Fab Light Chain

Chain L:  89% 10% .



- Molecule 3: Fab Light Chain

Chain F:  87% 11% ..



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	162.77Å 159.88Å 128.76Å 90.00° 90.01° 90.00°	Depositor
Resolution (Å)	31.38 – 2.53 32.74 – 2.51	Depositor EDS
% Data completeness (in resolution range)	99.7 (31.38-2.53) 99.2 (32.74-2.51)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.81 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.7.3_928	Depositor
R, R_{free}	0.211 , 0.250 0.199 , 0.236	Depositor DCC
R_{free} test set	5605 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	40.4	Xtriage
Anisotropy	0.140	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 15.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.013 for k,h,-l 0.012 for -k,-h,-l 0.478 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13773	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: M3L

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	P	0.26	0/76	0.59	0/100
1	Q	0.25	0/76	0.52	0/100
2	A	0.27	0/1709	0.45	0/2327
2	C	0.28	0/1709	0.46	0/2327
2	E	0.27	0/1704	0.45	0/2321
2	H	0.28	0/1703	0.45	0/2319
3	B	0.27	0/1648	0.45	0/2250
3	D	0.27	0/1654	0.44	0/2258
3	F	0.27	0/1635	0.47	0/2232
3	L	0.27	0/1654	0.45	0/2258
All	All	0.27	0/13568	0.45	0/18492

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	P	89	0	104	0	0
1	Q	89	0	104	2	0
2	A	1666	0	1631	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	1666	0	1631	12	0
2	E	1661	0	1621	13	0
2	H	1660	0	1626	9	0
3	B	1614	0	1546	21	0
3	D	1620	0	1554	15	0
3	F	1602	0	1537	17	0
3	L	1620	0	1554	14	0
4	A	49	0	0	0	0
4	B	52	0	0	0	0
4	C	67	0	0	1	0
4	D	59	0	0	1	0
4	E	63	0	0	2	0
4	F	65	0	0	0	0
4	H	58	0	0	0	0
4	L	59	0	0	2	0
4	P	9	0	0	0	0
4	Q	5	0	0	0	0
All	All	13773	0	12908	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:188:GLU:HA	3:D:212:ARG:HH22	1.48	0.79
3:B:187:TYR:O	3:B:212:ARG:NH2	2.16	0.78
3:F:38:ARG:NH1	3:F:80:GLY:O	2.18	0.76
3:B:190:HIS:O	3:B:212:ARG:NH2	2.20	0.75
3:B:38:ARG:NH1	3:B:80:GLY:O	2.20	0.74
3:D:144:GLU:OE2	3:D:144:GLU:CG	2.38	0.72
3:B:144:GLU:CG	3:B:144:GLU:OE2	2.38	0.71
3:D:144:GLU:OE1	3:D:144:GLU:CG	2.38	0.71
3:F:144:GLU:OE2	3:F:144:GLU:CG	2.38	0.71
3:L:144:GLU:CG	3:L:144:GLU:OE2	2.38	0.71
3:B:144:GLU:OE1	3:B:144:GLU:CG	2.39	0.71
3:F:144:GLU:CG	3:F:144:GLU:OE1	2.39	0.70
3:L:144:GLU:CG	3:L:144:GLU:OE1	2.39	0.70
2:A:52:ASN:HD21	2:A:54:ASP:HB2	1.57	0.68
2:E:134:PRO:HG3	2:E:146:LEU:HB3	1.76	0.65
3:B:184:LYS:NZ	3:B:188:GLU:OE2	2.30	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:209:SER:O	4:D:301:HOH:O	2.15	0.64
2:H:83:MET:HB3	2:H:86:LEU:HD21	1.82	0.62
2:C:83:MET:HB3	2:C:86:LEU:HD21	1.82	0.62
2:E:58:ARG:NH2	4:E:301:HOH:O	2.33	0.61
3:B:144:GLU:OE1	3:B:144:GLU:OE2	2.19	0.60
2:C:196:SER:O	2:C:198:GLY:N	2.35	0.60
3:L:144:GLU:OE2	3:L:144:GLU:OE1	2.20	0.60
3:F:144:GLU:OE2	3:F:144:GLU:OE1	2.19	0.60
3:D:144:GLU:OE2	3:D:144:GLU:OE1	2.19	0.59
2:C:104:LEU:HD23	3:D:49:ASP:HB3	1.85	0.59
3:D:53:ARG:NH1	3:D:61:PHE:O	2.36	0.58
2:A:22:CYS:HB3	2:A:79:LEU:HB3	1.86	0.57
3:B:183:SER:OG	3:B:186:ASP:OD1	2.22	0.57
2:E:125:LYS:NZ	4:E:302:HOH:O	2.36	0.57
3:F:183:SER:OG	3:F:186:ASP:OD1	2.22	0.57
3:L:127:LYS:NZ	4:L:301:HOH:O	2.35	0.57
3:L:138:ASN:OD1	3:L:139:ASN:ND2	2.37	0.56
3:F:125:GLN:O	3:F:128:SER:OG	2.22	0.56
3:L:150:LYS:NZ	3:L:196:GLU:OE2	2.31	0.56
2:A:51:ILE:HD11	2:A:55:GLY:HA2	1.88	0.55
2:C:30:ARG:NH2	4:C:303:HOH:O	2.40	0.55
3:D:150:LYS:NZ	3:D:196:GLU:OE2	2.31	0.54
3:F:92:ASP:OD1	3:F:92:ASP:N	2.41	0.53
2:E:22:CYS:HB3	2:E:79:LEU:HB3	1.91	0.53
2:E:52:ASN:ND2	2:E:54:ASP:OD1	2.39	0.52
1:Q:9:M3L:HE3	3:D:90:TRP:CE2	2.45	0.51
3:B:92:ASP:OD1	3:B:92:ASP:N	2.44	0.51
2:H:1:GLU:OE2	2:H:2:VAL:N	2.43	0.51
3:F:146:LYS:HB3	3:F:198:THR:HB	1.93	0.50
2:H:22:CYS:HB3	2:H:79:LEU:HB3	1.92	0.50
3:B:53:ARG:NH2	3:B:59:GLU:HG2	2.27	0.50
2:C:135:SER:OG	2:C:137:LYS:NZ	2.35	0.49
2:C:199:THR:OG1	2:C:200:GLN:N	2.44	0.49
2:E:64:VAL:HB	2:E:68:PHE:CG	2.47	0.49
2:H:205:ASN:ND2	2:H:216:ASP:OD1	2.38	0.49
2:E:167:LEU:HD21	2:E:190:VAL:HG21	1.95	0.48
2:A:167:LEU:HD21	2:A:190:VAL:HG21	1.96	0.48
3:D:84:ASP:OD1	3:D:104:LYS:HE3	2.14	0.48
3:F:186:ASP:OD1	3:F:186:ASP:N	2.46	0.48
2:H:131:PRO:HD3	2:H:217:LYS:HZ1	1.79	0.47
2:H:131:PRO:HD3	2:H:217:LYS:NZ	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:125:GLN:NE2	4:L:304:HOH:O	2.45	0.47
3:B:186:ASP:OD1	3:B:186:ASP:N	2.46	0.47
3:B:164:VAL:HG22	3:B:176:LEU:HD12	1.97	0.46
3:D:125:GLN:O	3:D:128:SER:OG	2.31	0.46
2:A:129:VAL:HG12	2:A:217:LYS:HD2	1.96	0.46
3:B:22:CYS:HB3	3:B:70:ALA:HB3	1.98	0.46
2:C:22:CYS:HB3	2:C:79:LEU:HB3	1.97	0.46
3:D:190:HIS:NE2	3:L:59:GLU:OE2	2.48	0.46
3:F:121:PRO:HD3	3:F:133:VAL:HG22	1.97	0.46
2:A:64:VAL:HB	2:A:68:PHE:CG	2.51	0.46
3:L:22:CYS:HB2	3:L:34:TRP:CH2	2.52	0.45
3:B:53:ARG:HD3	3:B:61:PHE:O	2.16	0.45
2:E:29:PHE:CD2	2:E:77:SER:HA	2.52	0.45
2:A:13:GLN:OE1	2:A:16:ARG:NH1	2.50	0.45
3:F:187:TYR:CZ	3:F:212:ARG:HG3	2.52	0.44
3:F:53:ARG:HD3	3:F:61:PHE:O	2.17	0.44
3:B:150:LYS:HE2	3:B:155:LEU:HD12	1.98	0.44
2:A:12:VAL:HG11	2:A:86:LEU:HD13	1.99	0.44
3:F:150:LYS:HD3	3:F:155:LEU:HD23	2.00	0.44
3:L:190:HIS:O	3:L:212:ARG:HD3	2.18	0.43
3:L:34:TRP:CD2	3:L:72:LEU:HB2	2.54	0.43
2:C:131:PRO:HD3	2:C:217:LYS:HE2	2.01	0.43
2:C:30:ARG:O	2:C:53:PRO:HB3	2.19	0.43
3:D:22:CYS:HB2	3:D:34:TRP:CH2	2.53	0.43
3:B:153:ASN:ND2	3:B:153:ASN:O	2.43	0.43
3:B:34:TRP:CZ3	3:B:87:CYS:HB3	2.54	0.43
3:F:212:ARG:HH11	3:F:212:ARG:HB3	1.84	0.43
3:L:38:ARG:HB2	3:L:41:GLN:HG3	1.99	0.43
2:C:196:SER:HA	2:C:199:THR:HG23	2.00	0.42
3:B:22:CYS:HB2	3:B:34:TRP:CH2	2.54	0.42
2:A:29:PHE:CD2	2:A:77:SER:HA	2.54	0.42
3:F:7:PRO:HA	3:F:8:PRO:HD3	1.89	0.42
1:Q:9:M3L:HD3	1:Q:9:M3L:HM12	1.83	0.42
3:B:4:LEU:HB2	3:B:100:GLY:HA2	2.01	0.42
2:C:200:GLN:OE1	2:C:201:THR:N	2.52	0.42
2:E:51:ILE:HD11	2:E:55:GLY:HA2	2.01	0.41
2:E:12:VAL:HG21	2:E:86:LEU:HD12	2.00	0.41
2:A:52:ASN:ND2	2:A:54:ASP:H	2.18	0.41
2:E:133:ALA:HA	2:E:134:PRO:HD3	1.90	0.41
3:F:155:LEU:HD23	3:F:155:LEU:HA	1.68	0.41
2:A:40:ALA:HB3	2:A:43:LYS:HB2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:83:MET:HB3	2:A:86:LEU:HD21	2.02	0.41
2:E:99:GLU:OE2	3:F:97:TYR:OH	2.30	0.41
2:H:154:PHE:HA	2:H:155:PRO:HA	1.87	0.41
2:A:197:LEU:HA	2:A:197:LEU:HD23	1.76	0.41
3:L:94:ILE:HG13	3:L:94:ILE:H	1.78	0.41
3:B:141:TYR:CG	3:B:142:PRO:HA	2.56	0.41
2:E:81:LEU:HA	2:E:81:LEU:HD12	1.92	0.41
2:H:196:SER:HA	2:H:199:THR:HG23	2.03	0.41
3:B:129:GLY:HA2	3:B:184:LYS:HB2	2.03	0.41
2:C:52:ASN:HB3	2:C:57:THR:HB	2.03	0.40
2:H:30:ARG:O	2:H:53:PRO:HB3	2.21	0.40
3:L:146:LYS:HB3	3:L:198:THR:HB	2.03	0.40
3:D:146:LYS:HB3	3:D:198:THR:HB	2.03	0.40
3:D:202:LEU:HD13	3:D:206:VAL:HG23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	P	8/16 (50%)	7 (88%)	1 (12%)	0	100	100
1	Q	8/16 (50%)	7 (88%)	1 (12%)	0	100	100
2	A	215/229 (94%)	211 (98%)	3 (1%)	1 (0%)	29	47
2	C	215/229 (94%)	210 (98%)	3 (1%)	2 (1%)	17	30
2	E	215/229 (94%)	210 (98%)	4 (2%)	1 (0%)	29	47
2	H	214/229 (93%)	208 (97%)	6 (3%)	0	100	100
3	B	210/215 (98%)	201 (96%)	8 (4%)	1 (0%)	29	47
3	D	211/215 (98%)	201 (95%)	10 (5%)	0	100	100
3	F	209/215 (97%)	196 (94%)	11 (5%)	2 (1%)	15	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	L	211/215 (98%)	202 (96%)	9 (4%)	0	100	100
All	All	1716/1808 (95%)	1653 (96%)	56 (3%)	7 (0%)	34	53

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	196	SER
3	B	212	ARG
2	C	197	LEU
3	F	154	ALA
3	F	212	ARG
2	E	135	SER
2	A	221	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	P	8/10 (80%)	6 (75%)	2 (25%)	0	1
1	Q	8/10 (80%)	7 (88%)	1 (12%)	4	8
2	A	184/193 (95%)	182 (99%)	2 (1%)	73	88
2	C	184/193 (95%)	177 (96%)	7 (4%)	33	56
2	E	183/193 (95%)	180 (98%)	3 (2%)	62	82
2	H	183/193 (95%)	178 (97%)	5 (3%)	44	69
3	B	182/186 (98%)	175 (96%)	7 (4%)	33	56
3	D	183/186 (98%)	182 (100%)	1 (0%)	88	95
3	F	181/186 (97%)	177 (98%)	4 (2%)	52	75
3	L	183/186 (98%)	180 (98%)	3 (2%)	62	82
All	All	1479/1536 (96%)	1444 (98%)	35 (2%)	49	73

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	P	3	THR
1	P	6	THR
2	A	11	VAL
2	A	52	ASN
3	B	2	TYR
3	B	124	SER
3	B	148	GLN
3	B	153	ASN
3	B	155	LEU
3	B	186	ASP
3	B	192	VAL
1	Q	6	THR
2	C	52	ASN
2	C	137	LYS
2	C	143	THR
2	C	185	SER
2	C	195	SER
2	C	199	THR
2	C	222	LYS
3	D	143	ARG
2	E	11	VAL
2	E	104	LEU
2	E	201	THR
2	H	52	ASN
2	H	151	LYS
2	H	169	SER
2	H	195	SER
2	H	199	THR
3	L	21	THR
3	L	76	ARG
3	L	115	SER
3	F	78	GLU
3	F	148	GLN
3	F	186	ASP
3	F	208	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	H	172	HIS
2	H	207	ASN
3	L	138	ASN
3	L	139	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	L	161	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	M3L	P	9	1	10,11,12	1.69	3 (30%)	9,14,16	0.68	0
1	M3L	Q	9	1	10,11,12	1.78	3 (30%)	9,14,16	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	M3L	P	9	1	-	1/9/10/12	-
1	M3L	Q	9	1	-	4/9/10/12	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	Q	9	M3L	CB-CA	3.46	1.58	1.53
1	P	9	M3L	CB-CA	3.03	1.57	1.53
1	Q	9	M3L	CM3-NZ	-3.00	1.41	1.50
1	P	9	M3L	CM3-NZ	-2.83	1.41	1.50
1	P	9	M3L	CM1-NZ	-2.13	1.43	1.50
1	Q	9	M3L	CM1-NZ	-2.00	1.44	1.50

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	Q	9	M3L	C-CA-CB-CG
1	Q	9	M3L	CG-CD-CE-NZ
1	P	9	M3L	CE-CD-CG-CB
1	Q	9	M3L	CA-CB-CG-CD
1	Q	9	M3L	N-CA-CB-CG

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	Q	9	M3L	2	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	P	10/16 (62%)	-0.10	0 100 100	27, 39, 56, 72	0
1	Q	10/16 (62%)	-0.43	0 100 100	28, 39, 52, 80	0
2	A	219/229 (95%)	-0.31	1 (0%) 91 92	22, 37, 60, 109	0
2	C	219/229 (95%)	-0.35	0 100 100	24, 34, 69, 91	0
2	E	219/229 (95%)	-0.33	1 (0%) 91 92	23, 36, 61, 92	0
2	H	218/229 (95%)	-0.32	1 (0%) 91 92	23, 34, 68, 92	0
3	B	212/215 (98%)	-0.27	1 (0%) 91 92	22, 36, 75, 87	0
3	D	213/215 (99%)	-0.31	0 100 100	25, 41, 58, 73	0
3	F	211/215 (98%)	-0.30	0 100 100	21, 36, 76, 88	0
3	L	213/215 (99%)	-0.28	0 100 100	23, 41, 60, 79	0
All	All	1744/1808 (96%)	-0.31	4 (0%) 95 96	21, 37, 68, 109	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	135	SER	2.6
2	E	141	GLY	2.4
3	B	192	VAL	2.4
2	H	136	SER	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	M3L	Q	9	12/13	0.96	0.17	20,37,43,47	0
1	M3L	P	9	12/13	0.97	0.14	21,34,46,46	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.