



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 9, 2021 – 01:11 pm GMT

PDB ID : 6YN1
Title : Crystal structure of histone chaperone APLF acidic domain bound to the histone H2A-H2B-H3-H4 octamer
Authors : Corbeski, I.; Guo, X.; Van Ingen, H.; Sixma, T.K.
Deposited on : 2020-04-10
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4 (270009), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	107	<div> <div>3%</div> <div>91%</div> <div>6%</div> <div>.</div> </div>
1	F	107	<div> <div>7%</div> <div>84%</div> <div>12%</div> <div>.</div> </div>
1	K	107	<div> <div>5%</div> <div>90%</div> <div>7%</div> <div>.</div> </div>
1	P	107	<div> <div>6%</div> <div>85%</div> <div>12%</div> <div>.</div> </div>
1	U	107	<div> <div>5%</div> <div>79%</div> <div>16%</div> <div>..</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	Z	107	
1	e	107	
1	j	107	
2	B	100	
2	G	100	
2	L	100	
2	Q	100	
2	V	100	
2	a	100	
2	f	100	
2	k	100	
3	C	99	
3	H	99	
3	M	99	
3	R	99	
3	W	99	
3	b	99	
3	g	99	
3	l	99	
4	D	84	
4	I	84	
4	N	84	
4	S	84	
4	X	84	
4	c	84	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	h	84	
4	m	84	
5	E	43	
5	J	43	
5	O	43	
5	T	43	
5	Y	43	
5	d	43	
5	i	43	
5	n	43	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 24986 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone H2A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	103	Total	C	N	O	0	0	0
			795	501	155	139			
1	F	103	Total	C	N	O	0	0	0
			795	501	155	139			
1	K	103	Total	C	N	O	0	0	0
			795	501	155	139			
1	P	104	Total	C	N	O	0	0	0
			804	507	157	140			
1	U	103	Total	C	N	O	0	0	0
			795	501	155	139			
1	Z	103	Total	C	N	O	0	0	0
			795	501	155	139			
1	e	102	Total	C	N	O	0	0	0
			786	495	153	138			
1	j	103	Total	C	N	O	0	0	0
			795	501	155	139			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	MET	-	initiating methionine	UNP Q6AZJ8
F	12	MET	-	initiating methionine	UNP Q6AZJ8
K	12	MET	-	initiating methionine	UNP Q6AZJ8
P	12	MET	-	initiating methionine	UNP Q6AZJ8
U	12	MET	-	initiating methionine	UNP Q6AZJ8
Z	12	MET	-	initiating methionine	UNP Q6AZJ8
e	12	MET	-	initiating methionine	UNP Q6AZJ8
j	12	MET	-	initiating methionine	UNP Q6AZJ8

- Molecule 2 is a protein called Histone H2B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	90	Total	C	N	O	S	0	1	0
			708	449	123	134	2			
2	G	88	Total	C	N	O	S	0	1	0
			697	442	122	131	2			
2	L	88	Total	C	N	O	S	0	0	0
			685	433	121	129	2			
2	Q	88	Total	C	N	O	S	0	0	0
			685	433	121	129	2			
2	V	89	Total	C	N	O	S	0	0	0
			694	438	122	132	2			
2	a	89	Total	C	N	O	S	0	1	0
			703	446	122	133	2			
2	f	88	Total	C	N	O	S	0	0	0
			685	433	121	129	2			
2	k	88	Total	C	N	O	S	0	0	0
			685	433	121	129	2			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	26	MET	-	initiating methionine	UNP A0A1L8FQA5
G	26	MET	-	initiating methionine	UNP A0A1L8FQA5
L	26	MET	-	initiating methionine	UNP A0A1L8FQA5
Q	26	MET	-	initiating methionine	UNP A0A1L8FQA5
V	26	MET	-	initiating methionine	UNP A0A1L8FQA5
a	26	MET	-	initiating methionine	UNP A0A1L8FQA5
f	26	MET	-	initiating methionine	UNP A0A1L8FQA5
k	26	MET	-	initiating methionine	UNP A0A1L8FQA5

- Molecule 3 is a protein called Histone H3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	94	Total	C	N	O	S	0	0	0
			774	489	147	135	3			
3	H	94	Total	C	N	O	S	0	0	0
			774	489	147	135	3			
3	M	95	Total	C	N	O	S	0	0	0
			784	495	150	136	3			
3	R	94	Total	C	N	O	S	0	0	0
			774	489	147	135	3			
3	W	94	Total	C	N	O	S	0	0	0
			774	489	147	135	3			
3	b	96	Total	C	N	O	S	0	0	0
			790	498	152	137	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	g	94	Total	C	N	O	S	0	0	0
			774	489	147	135	3			
3	l	94	Total	C	N	O	S	0	0	0
			774	489	147	135	3			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	37	MET	-	initiating methionine	UNP A0A310TTQ1
H	37	MET	-	initiating methionine	UNP A0A310TTQ1
M	37	MET	-	initiating methionine	UNP A0A310TTQ1
R	37	MET	-	initiating methionine	UNP A0A310TTQ1
W	37	MET	-	initiating methionine	UNP A0A310TTQ1
b	37	MET	-	initiating methionine	UNP A0A310TTQ1
g	37	MET	-	initiating methionine	UNP A0A310TTQ1
l	37	MET	-	initiating methionine	UNP A0A310TTQ1

- Molecule 4 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	76	Total	C	N	O	S	0	0	0
			606	385	117	103	1			
4	I	76	Total	C	N	O	S	0	0	0
			606	385	117	103	1			
4	N	75	Total	C	N	O	S	0	0	0
			602	383	116	102	1			
4	S	77	Total	C	N	O	S	0	0	0
			614	389	119	105	1			
4	X	77	Total	C	N	O	S	0	0	0
			618	391	119	107	1			
4	c	76	Total	C	N	O	S	0	0	0
			610	387	118	104	1			
4	h	75	Total	C	N	O	S	0	0	0
			602	383	116	102	1			
4	m	75	Total	C	N	O	S	0	0	0
			598	379	116	102	1			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	19	MET	-	initiating methionine	UNP P62799
I	19	MET	-	initiating methionine	UNP P62799

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	19	MET	-	initiating methionine	UNP P62799
S	19	MET	-	initiating methionine	UNP P62799
X	19	MET	-	initiating methionine	UNP P62799
c	19	MET	-	initiating methionine	UNP P62799
h	19	MET	-	initiating methionine	UNP P62799
m	19	MET	-	initiating methionine	UNP P62799


- Molecule 5 is a protein called Aprataxin and PNK-like factor.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	E	22	Total	C	N	O	0	0	0
			188	114	25	49			
5	J	29	Total	C	N	O	0	0	0
			248	150	32	66			
5	O	21	Total	C	N	O	0	0	0
			179	109	24	46			
5	T	22	Total	C	N	O	0	0	0
			188	114	25	49			
5	Y	22	Total	C	N	O	0	0	0
			188	114	25	49			
5	d	20	Total	C	N	O	0	0	0
			170	104	23	43			
5	i	21	Total	C	N	O	0	0	0
			179	109	24	46			
5	n	20	Total	C	N	O	0	0	0
			170	104	24	42			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	448	GLY	-	expression tag	UNP Q8IW19
J	448	GLY	-	expression tag	UNP Q8IW19
O	448	GLY	-	expression tag	UNP Q8IW19
T	448	GLY	-	expression tag	UNP Q8IW19
Y	448	GLY	-	expression tag	UNP Q8IW19
d	448	GLY	-	expression tag	UNP Q8IW19
i	448	GLY	-	expression tag	UNP Q8IW19
n	448	GLY	-	expression tag	UNP Q8IW19

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	H	1	Total	C	O	0	0
			6	3	3		
6	K	1	Total	C	O	0	0
			6	3	3		
6	N	1	Total	C	O	0	0
			6	3	3		
6	P	1	Total	C	O	0	0
			6	3	3		
6	S	1	Total	C	O	0	0
			6	3	3		
6	U	1	Total	C	O	0	0
			6	3	3		
6	b	1	Total	C	O	0	0
			6	3	3		
6	c	1	Total	C	O	0	0
			6	3	3		
6	e	1	Total	C	O	0	0
			6	3	3		
6	h	1	Total	C	O	0	0
			6	3	3		
6	j	1	Total	C	O	0	0
			6	3	3		
6	j	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	J	1	Total Cl 1 1	0	0

- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	16	Total O 16 16	0	0
8	B	10	Total O 10 10	0	0
8	C	14	Total O 14 14	0	0
8	D	13	Total O 13 13	0	0
8	E	1	Total O 1 1	0	0
8	F	17	Total O 17 17	0	0
8	G	7	Total O 7 7	0	0
8	H	19	Total O 19 19	0	0
8	I	13	Total O 13 13	0	0
8	J	4	Total O 4 4	0	0
8	K	10	Total O 10 10	0	0
8	L	10	Total O 10 10	0	0
8	M	23	Total O 23 23	0	0
8	N	6	Total O 6 6	0	0
8	O	1	Total O 1 1	0	0
8	P	10	Total O 10 10	0	0
8	Q	5	Total O 5 5	0	0
8	R	19	Total O 19 19	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	S	7	Total 7	O 7	0	0
8	U	16	Total 16	O 16	0	0
8	V	6	Total 6	O 6	0	0
8	W	19	Total 19	O 19	0	0
8	X	13	Total 13	O 13	0	0
8	Y	2	Total 2	O 2	0	0
8	Z	9	Total 9	O 9	0	0
8	a	6	Total 6	O 6	0	0
8	b	25	Total 25	O 25	0	0
8	c	7	Total 7	O 7	0	0
8	d	2	Total 2	O 2	0	0
8	e	8	Total 8	O 8	0	0
8	f	3	Total 3	O 3	0	0
8	g	25	Total 25	O 25	0	0
8	h	9	Total 9	O 9	0	0
8	i	1	Total 1	O 1	0	0
8	j	15	Total 15	O 15	0	0
8	k	8	Total 8	O 8	0	0
8	l	18	Total 18	O 18	0	0
8	m	18	Total 18	O 18	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone H2A




- Molecule 1: Histone H2A





- Molecule 1: Histone H2A





- Molecule 1: Histone H2A




- Molecule 1: Histone H2A




- Molecule 1: Histone H2A




• Molecule 1: Histone H2A




• Molecule 1: Histone H2A





• Molecule 2: Histone H2B




• Molecule 2: Histone H2B





• Molecule 2: Histone H2B





• Molecule 2: Histone H2B





• Molecule 2: Histone H2B





• Molecule 2: Histone H2B





• Molecule 2: Histone H2B




• Molecule 2: Histone H2B




• Molecule 3: Histone H3





• Molecule 3: Histone H3





• Molecule 3: Histone H3



• Molecule 3: Histone H3





• Molecule 3: Histone H3





• Molecule 3: Histone H3





• Molecule 3: Histone H3




• Molecule 3: Histone H3





• Molecule 4: Histone H4




• Molecule 4: Histone H4




• Molecule 4: Histone H4





- Molecule 4: Histone H4





- Molecule 4: Histone H4





- Molecule 4: Histone H4




- Molecule 4: Histone H4




- Molecule 4: Histone H4





- Molecule 5: Aprataxin and PNK-like factor




- Molecule 5: Aprataxin and PNK-like factor




- Molecule 5: Aprataxin and PNK-like factor





- Molecule 5: Aprataxin and PNK-like factor





- Molecule 5: Aprataxin and PNK-like factor



- Molecule 5: Aprataxin and PNK-like factor



- Molecule 5: Aprataxin and PNK-like factor



- Molecule 5: Aprataxin and PNK-like factor



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	105.22Å 189.69Å 204.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.99 – 2.35 19.99 – 2.20	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.99-2.35) 99.9 (19.99-2.20)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.21 (at 2.19Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.177 , 0.233 0.177 , 0.233	Depositor DCC
R_{free} test set	10078 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	45.6	Xtriage
Anisotropy	0.283	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	24986	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/805	0.59	0/1088
1	F	0.38	0/805	0.56	0/1088
1	K	0.41	0/805	0.55	0/1088
1	P	0.41	0/814	0.58	0/1099
1	U	0.40	0/805	0.53	0/1088
1	Z	0.40	0/805	0.57	0/1088
1	e	0.39	0/796	0.53	0/1077
1	j	0.39	0/805	0.54	0/1088
2	B	0.54	0/723	0.55	0/976
2	G	0.53	0/709	0.53	0/957
2	L	0.56	0/696	0.53	0/939
2	Q	0.54	0/696	0.50	0/939
2	V	0.46	0/705	0.51	0/951
2	a	0.56	0/718	0.53	0/969
2	f	0.53	0/696	0.52	0/939
2	k	0.52	0/696	0.58	0/939
3	C	0.44	0/784	0.55	0/1052
3	H	0.45	0/784	0.61	0/1052
3	M	0.44	0/795	0.55	0/1067
3	R	0.42	0/784	0.58	0/1052
3	W	0.42	0/784	0.55	0/1052
3	b	0.46	0/800	0.56	0/1073
3	g	0.43	0/784	0.54	0/1052
3	l	0.43	0/784	0.55	0/1052
4	D	0.44	0/613	0.53	0/821
4	I	0.44	0/613	0.56	0/821
4	N	0.41	0/609	0.54	0/816
4	S	0.44	0/621	0.58	0/832
4	X	0.42	0/625	0.59	0/838
4	c	0.45	0/617	0.59	0/827
4	h	0.45	0/609	0.57	0/816
4	m	0.43	0/605	0.55	0/810

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
5	E	0.35	0/192	0.50	0/260
5	J	0.63	0/255	0.59	0/349
5	O	0.35	0/183	0.51	0/248
5	T	0.50	0/192	0.52	0/260
5	Y	0.42	0/192	0.51	0/260
5	d	0.54	0/174	0.62	0/236
5	i	0.58	0/183	0.58	0/248
5	n	0.62	0/174	0.75	0/237
All	All	0.46	0/24835	0.56	0/33444

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	795	0	846	4	0
1	F	795	0	846	10	0
1	K	795	0	846	3	0
1	P	804	0	859	10	0
1	U	795	0	846	14	1
1	Z	795	0	846	6	0
1	e	786	0	833	0	0
1	j	795	0	846	0	0
2	B	708	0	723	12	0
2	G	697	0	711	13	0
2	L	685	0	703	3	0
2	Q	685	0	703	5	0
2	V	694	0	709	10	0
2	a	703	0	718	0	0
2	f	685	0	703	0	0
2	k	685	0	703	0	0
3	C	774	0	813	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	774	0	813	7	0
3	M	784	0	820	6	0
3	R	774	0	813	10	0
3	W	774	0	813	6	0
3	b	790	0	831	0	0
3	g	774	0	813	0	0
3	l	774	0	813	0	1
4	D	606	0	650	11	0
4	I	606	0	650	7	0
4	N	602	0	647	5	0
4	S	614	0	656	12	0
4	X	618	0	657	12	0
4	c	610	0	653	0	0
4	h	602	0	647	0	0
4	m	598	0	639	0	0
5	E	188	0	139	0	0
5	J	248	0	183	3	0
5	O	179	0	133	0	0
5	T	188	0	139	3	0
5	Y	188	0	139	2	0
5	d	170	0	127	0	0
5	i	179	0	133	0	0
5	n	170	0	128	0	0
6	A	6	0	8	0	0
6	D	6	0	8	0	0
6	H	6	0	8	0	0
6	K	6	0	8	1	0
6	N	6	0	8	2	0
6	P	6	0	8	0	0
6	S	6	0	8	1	0
6	U	6	0	8	2	0
6	b	6	0	8	0	0
6	c	6	0	8	0	0
6	e	6	0	8	0	0
6	h	6	0	8	0	0
6	j	12	0	16	0	0
7	J	1	0	0	0	0
8	A	16	0	0	0	0
8	B	10	0	0	0	0
8	C	14	0	0	0	0
8	D	13	0	0	0	0
8	E	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	F	17	0	0	0	0
8	G	7	0	0	0	0
8	H	19	0	0	0	0
8	I	13	0	0	0	0
8	J	4	0	0	0	0
8	K	10	0	0	0	0
8	L	10	0	0	0	0
8	M	23	0	0	0	0
8	N	6	0	0	0	0
8	O	1	0	0	0	0
8	P	10	0	0	0	0
8	Q	5	0	0	0	0
8	R	19	0	0	0	0
8	S	7	0	0	0	0
8	U	16	0	0	0	0
8	V	6	0	0	0	0
8	W	19	0	0	0	0
8	X	13	0	0	0	0
8	Y	2	0	0	0	0
8	Z	9	0	0	0	0
8	a	6	0	0	0	0
8	b	25	0	0	0	0
8	c	7	0	0	0	0
8	d	2	0	0	0	0
8	e	8	0	0	0	0
8	f	3	0	0	0	0
8	g	25	0	0	0	0
8	h	9	0	0	0	0
8	i	1	0	0	0	0
8	j	15	0	0	0	0
8	k	8	0	0	0	0
8	l	18	0	0	0	0
8	m	18	0	0	0	0
All	All	24986	0	25402	135	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:84:MET:CE	4:D:101:GLY:HA3	1.88	1.02
4:X:26:ILE:CD1	4:X:59:LYS:HB2	2.06	0.85
1:F:118:LYS:N	1:F:118:LYS:HD3	1.97	0.79
4:D:84:MET:HE1	4:D:101:GLY:HA3	1.63	0.79
2:B:98:VAL:HG13	2:B:102:LEU:HD22	1.66	0.78
4:N:32:PRO:HB2	6:N:201:GOL:H31	1.67	0.77
4:X:26:ILE:HD13	4:X:59:LYS:HB2	1.65	0.75
4:S:25:ASN:HD22	4:S:27:GLN:HG3	1.53	0.73
4:S:26:ILE:HD12	4:S:59:LYS:HB2	1.69	0.72
4:D:84:MET:HE2	4:D:101:GLY:HA3	1.73	0.70
2:G:76:GLU:OE1	2:G:79:ARG:NH1	2.25	0.70
3:C:57:SER:OG	3:C:59:GLU:HG2	1.95	0.66
3:C:40:ARG:HH12	1:Z:92:GLU:HG3	1.60	0.66
3:C:82:LEU:HD21	4:D:70:VAL:HG22	1.79	0.63
3:R:82:LEU:HD21	4:S:70:VAL:HG22	1.82	0.62
2:B:83[B]:TYR:CD1	4:D:88:TYR:HE2	2.18	0.61
1:K:67:GLY:HA3	2:L:49:HIS:CD2	2.35	0.61
2:G:83[B]:TYR:CE1	4:I:88:TYR:HE2	2.19	0.60
1:P:71:ARG:HG2	1:P:71:ARG:HH11	1.66	0.60
2:G:79:ARG:HG2	2:G:83[A]:TYR:CZ	2.37	0.59
2:V:35:GLU:O	2:V:63:ASN:ND2	2.35	0.59
4:X:26:ILE:HG22	4:X:55:ARG:HB3	1.84	0.59
5:Y:486:GLU:HG2	5:Y:487:PRO:HD2	1.84	0.59
3:M:52:ARG:NH1	1:P:111:ILE:HD12	2.18	0.58
4:N:30:THR:HB	4:N:32:PRO:HD2	1.86	0.57
3:R:76:GLN:HA	3:R:79:LYS:O	2.04	0.57
3:R:79:LYS:HD3	3:R:82:LEU:HD13	1.86	0.56
1:U:112:GLN:HE21	6:U:201:GOL:H2	1.70	0.56
4:S:26:ILE:HD11	4:S:59:LYS:HG3	1.86	0.56
5:J:471:ASP:O	5:J:474:GLU:HB2	2.05	0.56
2:B:83[B]:TYR:CE1	4:D:88:TYR:HE2	2.24	0.55
4:I:65:VAL:HA	4:I:93:GLN:HE22	1.72	0.55
4:S:64:ASN:ND2	6:S:201:GOL:O2	2.30	0.54
3:H:110:CYS:SG	3:H:126:LEU:HD23	2.48	0.54
3:M:79:LYS:NZ	4:N:74:GLU:OE1	2.41	0.54
3:M:60:LEU:HD22	3:M:93:GLN:HG2	1.89	0.54
2:V:57:LYS:HD2	2:V:57:LYS:O	2.07	0.54
5:J:475:ASP:OD1	5:J:475:ASP:N	2.42	0.53
2:L:79:ARG:HG2	2:L:83:TYR:CZ	2.44	0.52
2:B:76:GLU:OE1	2:B:79:ARG:NH1	2.42	0.52
5:J:474:GLU:O	5:J:474:GLU:HG2	2.10	0.52
1:U:16:THR:HG23	1:U:19:SER:H	1.75	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:R:70:LEU:HD11	4:S:26:ILE:HD13	1.91	0.52
1:A:26:PRO:HD3	2:B:40:TYR:CG	2.46	0.51
1:P:71:ARG:HG2	1:P:71:ARG:NH1	2.25	0.51
1:U:29:ARG:HG2	1:U:29:ARG:HH11	1.75	0.51
3:R:64:LYS:HD3	5:T:462:TYR:CZ	2.46	0.51
4:X:26:ILE:HD11	4:X:59:LYS:HG3	1.93	0.50
1:A:89:ASN:HD21	1:A:108:LEU:HD11	1.76	0.50
1:U:17:ARG:HG2	2:V:121:TYR:HE1	1.77	0.50
1:A:57:TYR:OH	3:M:40:ARG:HD2	2.11	0.50
3:C:106:ASP:OD2	3:C:131:ARG:NH1	2.38	0.50
2:B:109:HIS:NE2	3:M:40:ARG:HA	2.27	0.49
3:W:78:PHE:CZ	4:X:67:ARG:HB2	2.48	0.49
3:M:65:LEU:HB3	3:M:66:PRO:HD3	1.95	0.49
1:U:67:GLY:HA3	2:V:49:HIS:CD2	2.47	0.49
2:B:36:SER:HA	2:B:63:ASN:HD21	1.76	0.49
1:U:29:ARG:HD2	1:U:32:ARG:HE	1.78	0.49
2:B:79:ARG:HG2	2:B:83[A]:TYR:CZ	2.47	0.48
2:G:83[B]:TYR:CZ	4:I:88:TYR:HE2	2.31	0.48
2:G:115:THR:O	2:G:119:THR:HG23	2.13	0.48
4:X:26:ILE:CG2	4:X:55:ARG:HB3	2.42	0.48
3:H:129:ARG:HD2	3:H:129:ARG:O	2.12	0.48
1:U:40:ALA:HA	1:Z:38:ASN:OD1	2.13	0.48
3:W:59:GLU:OE2	3:W:59:GLU:N	2.41	0.48
1:F:42:ARG:HB2	2:G:88:THR:HG23	1.96	0.47
4:X:65:VAL:HA	4:X:93:GLN:HE22	1.78	0.47
1:P:108:LEU:HD12	1:P:109:PRO:HD2	1.97	0.47
4:X:44:LYS:HD2	1:Z:115:LEU:HB3	1.97	0.47
1:F:30:VAL:HG13	2:G:70:PHE:HE2	1.80	0.47
4:I:30:THR:HB	4:I:32:PRO:HD2	1.97	0.47
2:V:111:VAL:O	2:V:115:THR:HG23	2.15	0.46
3:R:70:LEU:CD1	4:S:26:ILE:HD13	2.45	0.46
4:S:31:LYS:HG2	4:S:51:TYR:CG	2.51	0.46
1:U:63:LEU:HD13	2:V:45:LEU:HB2	1.98	0.46
1:P:31:HIS:CE1	1:P:35:ARG:HE	2.33	0.46
4:S:30:THR:HB	4:S:32:PRO:HD2	1.97	0.46
3:C:57:SER:HG	3:C:59:GLU:HG2	1.81	0.45
1:U:31:HIS:CG	1:U:48:PRO:HG3	2.52	0.45
3:W:79:LYS:HE2	4:X:74:GLU:OE2	2.16	0.45
1:Z:79:ILE:HG12	1:Z:82:HIS:CE1	2.52	0.45
1:A:102:ILE:HG23	2:B:61:ILE:HD12	1.99	0.45
1:U:102:ILE:HG23	2:V:61:ILE:HD12	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:48:VAL:HG23	2:B:49:HIS:CD2	2.52	0.44
3:W:57:SER:HB2	3:W:59:GLU:OE2	2.17	0.44
3:H:129:ARG:HD2	3:H:129:ARG:C	2.38	0.44
6:K:201:GOL:H12	3:R:105:GLU:HG2	1.99	0.44
2:G:57:LYS:O	2:G:61:ILE:HG12	2.17	0.44
4:D:94:GLY:O	1:F:99:ARG:NE	2.50	0.44
1:F:31:HIS:CG	1:F:48:PRO:HG3	2.53	0.44
5:Y:470:ASP:OD1	5:Y:472:GLU:HG2	2.18	0.44
4:I:31:LYS:HG3	4:I:51:TYR:CZ	2.52	0.44
4:S:66:ILE:O	4:S:70:VAL:HG23	2.17	0.44
1:U:112:GLN:NE2	6:U:201:GOL:H2	2.31	0.44
3:C:113:HIS:CG	3:H:126:LEU:HD22	2.53	0.43
1:K:37:GLY:HA3	1:K:39:TYR:CE2	2.53	0.43
1:P:93:LEU:HD23	1:P:93:LEU:HA	1.87	0.43
3:R:64:LYS:HB3	5:T:462:TYR:CD1	2.54	0.43
2:L:57:LYS:HD3	2:L:57:LYS:HA	1.91	0.43
1:K:16:THR:OG1	1:K:17:ARG:N	2.52	0.43
2:Q:76:GLU:HA	2:Q:79:ARG:NH1	2.33	0.43
1:U:54:VAL:HG22	2:V:110:ALA:HB1	2.00	0.43
1:F:79:ILE:HG22	2:G:55:SER:HB3	2.01	0.43
2:G:102:LEU:HB2	2:G:107:ALA:HB2	2.01	0.43
3:R:90:MET:HE2	5:T:462:TYR:HE2	1.83	0.43
2:G:43:LYS:O	2:G:47:GLN:HG3	2.19	0.43
2:G:83[B]:TYR:CD1	4:I:88:TYR:HE2	2.36	0.43
1:P:67:GLY:HA3	2:Q:49:HIS:CD2	2.53	0.43
2:V:57:LYS:O	2:V:61:ILE:HG12	2.18	0.43
4:D:66:ILE:O	4:D:70:VAL:HG23	2.19	0.43
2:B:92:ARG:HG2	4:D:75:HIS:CE1	2.54	0.43
2:B:83[B]:TYR:CD1	4:D:88:TYR:CE2	3.04	0.42
1:F:63:LEU:HD13	2:G:45:LEU:HB2	2.00	0.42
4:X:92:ARG:O	4:X:92:ARG:HG3	2.20	0.42
1:U:16:THR:O	1:U:20:ARG:HG3	2.20	0.42
4:X:26:ILE:CD1	4:X:59:LYS:CB	2.89	0.42
4:S:65:VAL:HA	4:S:93:GLN:HE22	1.85	0.42
1:U:26:PRO:HG3	2:V:40:TYR:CE2	2.55	0.42
1:Z:31:HIS:CG	1:Z:48:PRO:HG3	2.54	0.42
1:F:61:GLU:OE1	3:W:42:ARG:NH1	2.53	0.42
1:F:93:LEU:HD23	1:F:93:LEU:HA	1.90	0.41
3:C:126:LEU:HD22	3:H:113:HIS:CG	2.56	0.41
4:X:51:TYR:O	4:X:55:ARG:HG3	2.21	0.41
1:Z:38:ASN:HD22	1:Z:38:ASN:HA	1.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:90:LEU:HB3	4:D:95:ARG:O	2.21	0.41
4:N:98:TYR:CE2	1:P:100:VAL:HG11	2.56	0.41
1:F:91:GLU:O	1:F:95:LYS:HG3	2.20	0.41
3:H:40:ARG:NH1	1:P:61:GLU:OE1	2.47	0.41
2:Q:42:TYR:CZ	2:Q:46:LYS:HE3	2.56	0.41
1:P:63:LEU:HD13	2:Q:45:LEU:HB2	2.03	0.40
4:N:32:PRO:CB	6:N:201:GOL:H31	2.44	0.40
3:R:78:PHE:CZ	4:S:67:ARG:HB2	2.56	0.40
2:Q:115:THR:O	2:Q:119:THR:HG23	2.21	0.40
3:W:65:LEU:HB3	3:W:66:PRO:HD3	2.03	0.40
3:H:78:PHE:CZ	4:I:67:ARG:HB2	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:U:61:GLU:OE1	3:1:42:ARG:NH1[2_555]	1.80	0.40

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	101/107 (94%)	100 (99%)	1 (1%)	0	100	100
1	F	101/107 (94%)	99 (98%)	2 (2%)	0	100	100
1	K	101/107 (94%)	99 (98%)	2 (2%)	0	100	100
1	P	102/107 (95%)	100 (98%)	2 (2%)	0	100	100
1	U	101/107 (94%)	99 (98%)	2 (2%)	0	100	100
1	Z	101/107 (94%)	97 (96%)	4 (4%)	0	100	100
1	e	100/107 (94%)	96 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	j	101/107 (94%)	99 (98%)	2 (2%)	0	100	100
2	B	89/100 (89%)	88 (99%)	1 (1%)	0	100	100
2	G	87/100 (87%)	86 (99%)	0	1 (1%)	14	13
2	L	86/100 (86%)	84 (98%)	1 (1%)	1 (1%)	13	11
2	Q	86/100 (86%)	85 (99%)	0	1 (1%)	13	11
2	V	87/100 (87%)	85 (98%)	1 (1%)	1 (1%)	14	13
2	a	88/100 (88%)	87 (99%)	0	1 (1%)	14	13
2	f	86/100 (86%)	84 (98%)	1 (1%)	1 (1%)	13	11
2	k	86/100 (86%)	85 (99%)	0	1 (1%)	13	11
3	C	92/99 (93%)	92 (100%)	0	0	100	100
3	H	92/99 (93%)	89 (97%)	3 (3%)	0	100	100
3	M	93/99 (94%)	93 (100%)	0	0	100	100
3	R	92/99 (93%)	91 (99%)	1 (1%)	0	100	100
3	W	92/99 (93%)	91 (99%)	1 (1%)	0	100	100
3	b	94/99 (95%)	93 (99%)	1 (1%)	0	100	100
3	g	92/99 (93%)	92 (100%)	0	0	100	100
3	l	92/99 (93%)	92 (100%)	0	0	100	100
4	D	74/84 (88%)	73 (99%)	1 (1%)	0	100	100
4	I	74/84 (88%)	72 (97%)	2 (3%)	0	100	100
4	N	73/84 (87%)	70 (96%)	3 (4%)	0	100	100
4	S	75/84 (89%)	72 (96%)	3 (4%)	0	100	100
4	X	75/84 (89%)	74 (99%)	1 (1%)	0	100	100
4	c	74/84 (88%)	73 (99%)	1 (1%)	0	100	100
4	h	73/84 (87%)	72 (99%)	1 (1%)	0	100	100
4	m	73/84 (87%)	72 (99%)	1 (1%)	0	100	100
5	E	18/43 (42%)	18 (100%)	0	0	100	100
5	J	27/43 (63%)	24 (89%)	3 (11%)	0	100	100
5	O	17/43 (40%)	16 (94%)	1 (6%)	0	100	100
5	T	18/43 (42%)	18 (100%)	0	0	100	100
5	Y	18/43 (42%)	18 (100%)	0	0	100	100
5	d	16/43 (37%)	15 (94%)	1 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	i	17/43 (40%)	17 (100%)	0	0	100	100
5	n	16/43 (37%)	15 (94%)	1 (6%)	0	100	100
All	All	2980/3464 (86%)	2925 (98%)	48 (2%)	7 (0%)	47	56

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	104	GLY
2	G	104	GLY
2	f	104	GLY
2	a	104	GLY
2	V	104	GLY
2	k	104	GLY
2	Q	104	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	82/85 (96%)	81 (99%)	1 (1%)	71	82
1	F	82/85 (96%)	81 (99%)	1 (1%)	71	82
1	K	82/85 (96%)	80 (98%)	2 (2%)	49	59
1	P	83/85 (98%)	81 (98%)	2 (2%)	49	59
1	U	82/85 (96%)	79 (96%)	3 (4%)	34	42
1	Z	82/85 (96%)	78 (95%)	4 (5%)	25	29
1	e	81/85 (95%)	80 (99%)	1 (1%)	71	82
1	j	82/85 (96%)	82 (100%)	0	100	100
2	B	77/86 (90%)	77 (100%)	0	100	100
2	G	76/86 (88%)	75 (99%)	1 (1%)	69	80
2	L	75/86 (87%)	73 (97%)	2 (3%)	44	55
2	Q	75/86 (87%)	75 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	V	76/86 (88%)	74 (97%)	2 (3%)	46	56
2	a	77/86 (90%)	75 (97%)	2 (3%)	46	56
2	f	75/86 (87%)	73 (97%)	2 (3%)	44	55
2	k	75/86 (87%)	74 (99%)	1 (1%)	69	80
3	C	82/86 (95%)	81 (99%)	1 (1%)	71	82
3	H	82/86 (95%)	80 (98%)	2 (2%)	49	59
3	M	83/86 (96%)	82 (99%)	1 (1%)	71	82
3	R	82/86 (95%)	81 (99%)	1 (1%)	71	82
3	W	82/86 (95%)	82 (100%)	0	100	100
3	b	83/86 (96%)	80 (96%)	3 (4%)	35	43
3	g	82/86 (95%)	81 (99%)	1 (1%)	71	82
3	l	82/86 (95%)	82 (100%)	0	100	100
4	D	62/69 (90%)	62 (100%)	0	100	100
4	I	62/69 (90%)	61 (98%)	1 (2%)	62	75
4	N	62/69 (90%)	61 (98%)	1 (2%)	62	75
4	S	63/69 (91%)	60 (95%)	3 (5%)	25	30
4	X	64/69 (93%)	60 (94%)	4 (6%)	18	19
4	c	63/69 (91%)	61 (97%)	2 (3%)	39	47
4	h	62/69 (90%)	62 (100%)	0	100	100
4	m	61/69 (88%)	61 (100%)	0	100	100
5	E	22/40 (55%)	22 (100%)	0	100	100
5	J	29/40 (72%)	25 (86%)	4 (14%)	3	3
5	O	21/40 (52%)	19 (90%)	2 (10%)	8	7
5	T	22/40 (55%)	21 (96%)	1 (4%)	27	33
5	Y	22/40 (55%)	22 (100%)	0	100	100
5	d	20/40 (50%)	19 (95%)	1 (5%)	24	28
5	i	21/40 (52%)	18 (86%)	3 (14%)	3	3
5	n	20/40 (50%)	20 (100%)	0	100	100
All	All	2596/2928 (89%)	2541 (98%)	55 (2%)	53	65

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	ARG
3	C	79	LYS
1	F	32	ARG
2	G	36	SER
3	H	42	ARG
3	H	129	ARG
4	I	92	ARG
5	J	467	SER
5	J	475	ASP
5	J	480	ASP
5	J	484	ASP
1	K	73	ASN
1	K	74	LYS
2	L	60	SER
2	L	86	ARG
3	M	52	ARG
4	N	92	ARG
5	O	467	SER
5	O	484	ASP
1	P	95	LYS
1	P	118	LYS
3	R	79	LYS
4	S	26	ILE
4	S	59	LYS
4	S	92	ARG
5	T	484	ASP
1	U	15	LYS
1	U	29	ARG
1	U	71	ARG
2	V	87	SER
2	V	112	SER
4	X	24	ASP
4	X	26	ILE
4	X	79	LYS
4	X	92	ARG
1	Z	32	ARG
1	Z	38	ASN
1	Z	74	LYS
1	Z	95	LYS
2	a	35	GLU
2	a	86	ARG
3	b	129	ARG
3	b	133	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	b	134	ARG
4	c	25	ASN
4	c	26	ILE
5	d	484	ASP
1	e	17	ARG
2	f	57	LYS
2	f	112	SER
3	g	42	ARG
5	i	472	GLU
5	i	484	ASP
5	i	486	GLU
2	k	86	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	89	ASN
1	K	73	ASN
1	P	31	HIS
4	S	25	ASN
5	T	465	ASN
1	U	89	ASN
1	U	112	GLN
4	X	27	GLN
4	X	93	GLN
2	a	109	HIS
4	c	27	GLN
1	j	24	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 15 ligands modelled in this entry, 1 is monoatomic - leaving 14 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	103/107 (96%)	-0.08	3 (2%) 51 62	39, 53, 80, 112	0
1	F	103/107 (96%)	0.09	8 (7%) 13 19	44, 64, 94, 105	0
1	K	103/107 (96%)	-0.02	5 (4%) 29 42	43, 57, 86, 110	0
1	P	104/107 (97%)	0.06	6 (5%) 23 33	44, 58, 88, 125	0
1	U	103/107 (96%)	0.05	5 (4%) 29 42	44, 59, 93, 94	0
1	Z	103/107 (96%)	0.07	7 (6%) 17 25	45, 59, 86, 96	0
1	e	102/107 (95%)	0.27	12 (11%) 4 7	48, 63, 97, 105	0
1	j	103/107 (96%)	0.07	4 (3%) 39 52	46, 60, 88, 114	0
2	B	90/100 (90%)	-0.27	3 (3%) 46 59	41, 55, 75, 113	0
2	G	88/100 (88%)	-0.06	2 (2%) 60 70	47, 61, 85, 99	0
2	L	88/100 (88%)	-0.37	1 (1%) 80 87	45, 58, 84, 113	0
2	Q	88/100 (88%)	-0.18	2 (2%) 60 70	45, 58, 80, 95	0
2	V	89/100 (89%)	-0.17	1 (1%) 80 87	47, 62, 82, 98	0
2	a	89/100 (89%)	-0.23	1 (1%) 80 87	47, 58, 76, 96	0
2	f	88/100 (88%)	-0.08	3 (3%) 45 57	50, 65, 92, 103	0
2	k	88/100 (88%)	-0.05	3 (3%) 45 57	48, 61, 86, 104	0
3	C	94/99 (94%)	0.02	4 (4%) 35 47	39, 52, 78, 118	0
3	H	94/99 (94%)	0.01	4 (4%) 35 47	38, 49, 78, 128	0
3	M	95/99 (95%)	0.01	4 (4%) 36 48	41, 55, 85, 129	0
3	R	94/99 (94%)	-0.01	3 (3%) 47 59	40, 52, 83, 118	0
3	W	94/99 (94%)	-0.09	5 (5%) 26 38	40, 55, 82, 104	0
3	b	96/99 (96%)	0.05	6 (6%) 20 29	42, 53, 84, 146	0
3	g	94/99 (94%)	-0.02	3 (3%) 47 59	41, 53, 76, 126	0
3	l	94/99 (94%)	0.14	5 (5%) 26 38	43, 54, 78, 119	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
4	D	76/84 (90%)	0.12	6 (7%) 12 19	42, 54, 83, 95	0
4	I	76/84 (90%)	-0.04	3 (3%) 39 52	38, 50, 76, 102	0
4	N	75/84 (89%)	0.11	5 (6%) 17 26	43, 54, 83, 101	0
4	S	77/84 (91%)	0.10	4 (5%) 27 39	41, 51, 86, 123	0
4	X	77/84 (91%)	0.13	4 (5%) 27 39	44, 54, 92, 149	0
4	c	76/84 (90%)	-0.10	2 (2%) 56 65	41, 52, 78, 114	0
4	h	75/84 (89%)	0.08	4 (5%) 26 38	39, 53, 85, 108	0
4	m	75/84 (89%)	0.10	5 (6%) 17 26	42, 55, 79, 104	0
5	E	22/43 (51%)	0.92	5 (22%) 0 1	57, 81, 113, 133	0
5	J	29/43 (67%)	0.77	7 (24%) 0 1	56, 79, 127, 146	0
5	O	21/43 (48%)	0.77	4 (19%) 1 2	64, 80, 116, 121	0
5	T	22/43 (51%)	0.79	5 (22%) 0 1	53, 78, 109, 122	0
5	Y	22/43 (51%)	1.19	6 (27%) 0 0	54, 79, 119, 131	0
5	d	20/43 (46%)	0.81	5 (25%) 0 1	58, 79, 108, 113	0
5	i	21/43 (48%)	0.95	3 (14%) 2 4	50, 76, 105, 121	0
5	n	20/43 (46%)	1.16	6 (30%) 0 0	61, 84, 126, 138	0
All	All	3071/3464 (88%)	0.05	174 (5%) 23 34	38, 57, 92, 149	0

All (174) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	M	41	TYR	6.7
3	R	41	TYR	6.5
3	H	41	TYR	6.5
5	J	472	GLU	6.3
3	l	41	TYR	5.7
3	C	41	TYR	5.7
5	n	458	GLN	5.3
1	A	118	LYS	5.1
5	Y	473	GLU	5.1
5	n	459	PRO	5.0
1	j	15	LYS	4.9
1	e	49	VAL	4.8
1	P	118	LYS	4.8
3	g	41	TYR	4.7
3	b	41	TYR	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	E	474	GLU	4.5
1	e	99	ARG	4.5
1	K	118	LYS	4.4
5	Y	474	GLU	4.4
5	i	473	GLU	4.2
3	M	39	HIS	4.2
5	E	473	GLU	4.1
3	W	41	TYR	3.8
5	T	481	GLU	3.8
5	Y	483	SER	3.7
5	d	483	SER	3.7
1	e	16	THR	3.7
1	Z	52	ALA	3.6
5	Y	472	GLU	3.6
5	T	472	GLU	3.6
4	D	69	ALA	3.5
5	n	483	SER	3.5
4	X	43	VAL	3.5
5	n	487	PRO	3.5
3	W	110	CYS	3.4
1	P	99	ARG	3.4
3	b	134	ARG	3.4
3	b	135	ALA	3.4
1	e	42	ARG	3.4
5	T	473	GLU	3.4
1	K	16	THR	3.4
1	j	99	ARG	3.4
4	S	43	VAL	3.3
5	O	472	GLU	3.3
5	Y	459	PRO	3.3
5	O	473	GLU	3.3
5	i	459	PRO	3.2
5	J	473	GLU	3.2
1	F	49	VAL	3.2
2	k	85	LYS	3.2
5	E	486	GLU	3.1
1	K	52	ALA	3.1
3	H	104	PHE	3.1
4	N	69	ALA	3.1
3	l	92	LEU	3.1
1	F	99	ARG	3.1
4	m	43	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	i	483	SER	3.0
5	n	464	LEU	3.0
5	E	472	GLU	3.0
1	e	74	LYS	3.0
1	K	51	LEU	3.0
1	F	52	ALA	3.0
2	V	35	GLU	3.0
4	X	24	ASP	3.0
3	l	119	ILE	2.9
4	I	43	VAL	2.9
2	f	83	TYR	2.9
1	Z	15	LYS	2.9
3	l	107	THR	2.9
1	P	51	LEU	2.9
4	m	27	GLN	2.9
1	U	83	LEU	2.9
4	c	38	ALA	2.9
1	e	48	PRO	2.9
3	R	107	THR	2.8
5	d	472	GLU	2.8
3	H	92	LEU	2.8
4	S	25	ASN	2.8
1	Z	25	PHE	2.8
1	Z	27	VAL	2.8
4	D	27	GLN	2.8
5	d	486	GLU	2.7
2	B	35	GLU	2.7
4	I	27	GLN	2.7
3	g	104	PHE	2.7
5	O	483	SER	2.7
5	T	459	PRO	2.7
1	F	74	LYS	2.7
4	m	101	GLY	2.7
3	b	92	LEU	2.6
4	S	101	GLY	2.6
3	M	104	PHE	2.6
5	E	483	SER	2.6
5	Y	487	PRO	2.6
5	J	474	GLU	2.6
5	J	475	ASP	2.6
1	A	99	ARG	2.6
5	J	459	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	N	43	VAL	2.5
5	T	483	SER	2.5
2	a	35	GLU	2.5
1	P	15	LYS	2.5
4	m	38	ALA	2.5
1	Z	99	ARG	2.5
3	W	132	GLY	2.5
1	e	52	ALA	2.5
1	U	99	ARG	2.5
4	h	26	ILE	2.5
1	P	52	ALA	2.4
4	m	69	ALA	2.4
1	F	41	GLU	2.4
2	G	86	ARG	2.4
1	e	47	ALA	2.4
3	M	110	CYS	2.4
3	C	104	PHE	2.4
1	F	63	LEU	2.3
3	g	107	THR	2.3
1	Z	74	LYS	2.3
4	X	25	ASN	2.3
5	d	464	LEU	2.3
3	b	107	THR	2.3
2	G	85	LYS	2.3
4	D	101	GLY	2.3
4	N	77	LYS	2.3
4	D	77	LYS	2.3
1	A	54	VAL	2.3
2	f	82	HIS	2.3
4	h	86	VAL	2.3
1	j	41	GLU	2.3
4	D	38	ALA	2.3
2	B	51	ASP	2.3
2	L	123	SER	2.2
1	j	52	ALA	2.2
1	e	63	LEU	2.2
4	D	43	VAL	2.2
1	e	51	LEU	2.2
4	N	37	LEU	2.2
5	J	476	TYR	2.2
2	Q	86	ARG	2.2
3	W	104	PHE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	132	GLY	2.2
4	I	69	ALA	2.2
4	h	38	ALA	2.2
1	K	78	ILE	2.2
1	P	74	LYS	2.2
1	U	32	ARG	2.2
1	U	36	LYS	2.2
3	b	132	GLY	2.2
1	F	42	ARG	2.2
3	l	110	CYS	2.2
1	F	51	LEU	2.2
4	h	37	LEU	2.2
5	O	459	PRO	2.2
4	S	27	GLN	2.2
5	n	486	GLU	2.1
5	d	459	PRO	2.1
2	f	122	THR	2.1
3	C	78	PHE	2.1
1	e	62	ILE	2.1
1	U	52	ALA	2.1
5	J	465	ASN	2.1
4	N	38	ALA	2.1
4	X	38	ALA	2.1
3	R	78	PHE	2.1
1	Z	48	PRO	2.1
1	e	71	ARG	2.1
2	Q	120	LYS	2.1
3	W	92	LEU	2.0
3	H	107	THR	2.0
2	k	122	THR	2.0
2	B	85	LYS	2.0
4	c	79	LYS	2.0
2	k	62	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	GOL	D	201	6/6	0.74	0.21	75,84,86,87	0
6	GOL	h	201	6/6	0.77	0.16	88,90,92,94	0
6	GOL	U	201	6/6	0.80	0.18	68,72,76,78	0
6	GOL	N	201	6/6	0.80	0.23	61,85,91,98	0
6	GOL	e	201	6/6	0.82	0.24	67,72,77,81	0
6	GOL	H	201	6/6	0.86	0.18	93,93,96,100	0
6	GOL	b	201	6/6	0.86	0.24	84,84,87,88	0
6	GOL	j	202	6/6	0.87	0.15	79,82,89,90	0
6	GOL	j	201	6/6	0.90	0.16	55,65,72,73	0
6	GOL	K	201	6/6	0.91	0.14	61,69,73,74	0
6	GOL	S	201	6/6	0.91	0.23	92,93,94,96	0
6	GOL	P	201	6/6	0.92	0.13	59,71,73,83	0
7	CL	J	501	1/1	0.92	0.16	77,77,77,77	0
6	GOL	c	201	6/6	0.94	0.19	71,73,74,76	0
6	GOL	A	201	6/6	0.95	0.11	52,66,67,67	0

6.5 Other polymers [i](#)

There are no such residues in this entry.