



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 19, 2022 – 07:12 AM JST

PDB ID : 5YO1  
Title : Structure of ePepN E298A mutant in complex with Puromycin  
Authors : Ganji, R.J.; Reddi, R.; Marapaka, A.K.; Addlagatta, A.  
Deposited on : 2017-10-26  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	?? (??), CSD ??CSD?? (????)
Xtriage (Phenix)	:	1.13
EDS	:	2.29
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.29


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	891	<div> <div style="width: 100%; height: 10px; position: relative;"> <div style="position: absolute; top: -10px; left: 0;">%</div> <div style="position: absolute; top: 0; left: 0; width: 100%; height: 100%; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="position: absolute; bottom: -10px; left: 0; width: 100%; text-align: center;"> <span style="display: inline-block; width: 82%;"></span> <span style="display: inline-block; width: 14%;"></span> <span style="display: inline-block; width: 4%;"></span> </div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	A	916	-	-	-	X

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8065 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aminopeptidase N.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	866	Total	C	N	O	S	0	0	0
			6936	4393	1201	1314	28			


There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	initiating methionine	UNP P04825
A	-19	GLY	-	expression tag	UNP P04825
A	-18	SER	-	expression tag	UNP P04825
A	-17	SER	-	expression tag	UNP P04825
A	-16	HIS	-	expression tag	UNP P04825
A	-15	HIS	-	expression tag	UNP P04825
A	-14	HIS	-	expression tag	UNP P04825
A	-13	HIS	-	expression tag	UNP P04825
A	-12	HIS	-	expression tag	UNP P04825
A	-11	HIS	-	expression tag	UNP P04825
A	-10	SER	-	expression tag	UNP P04825
A	-9	SER	-	expression tag	UNP P04825
A	-8	GLY	-	expression tag	UNP P04825
A	-7	GLU	-	expression tag	UNP P04825
A	-6	ASN	-	expression tag	UNP P04825
A	-5	LEU	-	expression tag	UNP P04825
A	-4	TYR	-	expression tag	UNP P04825
A	-3	PHE	-	expression tag	UNP P04825
A	-2	GLN	-	expression tag	UNP P04825
A	-1	GLY	-	expression tag	UNP P04825
A	0	HIS	-	expression tag	UNP P04825
A	298	ALA	GLU	engineered mutation	UNP P04825

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is PUROMYCIN (three-letter code: PUY) (formula:  $C_{22}H_{29}N_7O_5$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			34	22	7	5		
3	A	1	Total	C	N	O	0	0
			34	22	7	5		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Na	0	0
			1	1		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	987	Total 987	O 987	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Aminopeptidase N



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	120.33Å 120.33Å 170.01Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.90 – 2.50 19.90 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.4 (19.90-2.50) 99.7 (19.90-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.96 (at 2.50Å)	Xtriage
Refinement program	REFMAC 5.8.0155	Depositor
R, $R_{free}$	0.126 , 0.184 0.137 , 0.190	Depositor DCC
$R_{free}$ test set	2503 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.1	Xtriage
Anisotropy	0.019	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.43 , 57.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.014 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	8065	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.18% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NA, PUY, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.84	1/7091 (0.0%)	0.92	18/9630 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	24	ASP	CB-CG	5.04	1.62	1.51

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	686	ARG	NE-CZ-NH2	-7.56	116.52	120.30
1	A	438	ARG	NE-CZ-NH1	7.35	123.97	120.30
1	A	293	ARG	NE-CZ-NH1	6.88	123.74	120.30
1	A	564	ARG	NE-CZ-NH2	-6.81	116.89	120.30
1	A	825	ARG	NE-CZ-NH1	6.52	123.56	120.30
1	A	678	ARG	NE-CZ-NH1	6.43	123.52	120.30
1	A	686	ARG	NE-CZ-NH1	6.18	123.39	120.30
1	A	134	ARG	NE-CZ-NH1	-5.79	117.41	120.30
1	A	728	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	A	832	ARG	NE-CZ-NH2	-5.65	117.47	120.30
1	A	140	ARG	NE-CZ-NH1	5.65	123.12	120.30
1	A	44	ARG	NE-CZ-NH2	-5.52	117.54	120.30
1	A	349	ARG	NE-CZ-NH2	-5.48	117.56	120.30
1	A	204	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	A	681	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	A	222	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	A	728	ARG	NE-CZ-NH2	-5.07	117.76	120.30
1	A	825	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6936	0	6776	112	1
2	A	1	0	0	0	0
3	A	68	0	58	4	0
4	A	1	0	0	0	0
5	A	72	0	96	7	0
6	A	987	0	0	96	5
All	All	8065	0	6930	116	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:ASP:HB3	6:A:1306:HOH:O	1.54	1.07
1:A:783:ARG:HB3	6:A:1841:HOH:O	1.62	0.98
1:A:388:ILE:O	6:A:1001:HOH:O	1.84	0.95
1:A:103:ASN:O	6:A:1003:HOH:O	1.91	0.89
1:A:753:GLN:HG2	6:A:1033:HOH:O	1.78	0.84
1:A:96:ASN:ND2	6:A:1009:HOH:O	2.09	0.83
1:A:323:THR:O	6:A:1004:HOH:O	1.96	0.82
1:A:40:SER:OG	6:A:1005:HOH:O	1.97	0.82
1:A:248:ASP:OD2	6:A:1006:HOH:O	2.00	0.78
1:A:749:TRP:CD2	6:A:1033:HOH:O	2.38	0.75
1:A:129:THR:OG1	6:A:1007:HOH:O	2.05	0.74
1:A:783:ARG:NH2	6:A:1018:HOH:O	2.20	0.74
1:A:306:ASN:ND2	6:A:1013:HOH:O	2.12	0.73
3:A:903:PUY:N1	6:A:1019:HOH:O	2.21	0.73
1:A:346:ARG:NH1	1:A:615:GLU:OE1	2.21	0.73
1:A:727:CYS:SG	6:A:1510:HOH:O	2.47	0.72
1:A:106:LEU:HD23	6:A:1003:HOH:O	1.91	0.71
1:A:103:ASN:ND2	6:A:1021:HOH:O	2.24	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:815:LEU:O	6:A:1010:HOH:O	2.10	0.69
1:A:444:GLY:O	6:A:1011:HOH:O	2.11	0.68
1:A:94:ILE:HD11	6:A:1971:HOH:O	1.93	0.68
1:A:439:TRP:NE1	6:A:1026:HOH:O	2.27	0.68
1:A:734:GLU:OE1	6:A:1012:HOH:O	2.12	0.67
1:A:96:ASN:O	6:A:1014:HOH:O	2.13	0.65
1:A:845:ARG:NH2	6:A:1030:HOH:O	2.28	0.65
1:A:535:GLU:OE2	6:A:1015:HOH:O	2.14	0.65
1:A:274:LYS:HE3	1:A:275:TYR:CZ	2.32	0.64
1:A:325:PHE:CZ	6:A:1867:HOH:O	2.50	0.64
1:A:571:LEU:HD11	6:A:1326:HOH:O	1.96	0.64
1:A:776:MET:O	1:A:782:ILE:HD11	1.96	0.64
1:A:279:ARG:HD2	6:A:1804:HOH:O	1.97	0.64
1:A:392:HIS:N	6:A:1001:HOH:O	2.32	0.63
1:A:120:CYS:SG	6:A:1265:HOH:O	2.56	0.63
1:A:66:ILE:HD11	6:A:1909:HOH:O	1.99	0.62
1:A:249:ILE:HG23	6:A:1508:HOH:O	2.00	0.61
1:A:570:SER:OG	6:A:1017:HOH:O	2.16	0.61
5:A:906:GOL:O3	6:A:1002:HOH:O	1.84	0.61
1:A:92:LEU:HD11	6:A:1971:HOH:O	2.01	0.60
1:A:439:TRP:CD1	6:A:1026:HOH:O	2.53	0.59
1:A:381:TYR:O	6:A:1016:HOH:O	2.16	0.59
1:A:616:ILE:HG13	6:A:1020:HOH:O	2.02	0.58
1:A:131:TYR:HE1	6:A:1005:HOH:O	1.85	0.58
1:A:765:VAL:HG11	6:A:1666:HOH:O	2.04	0.58
1:A:83:ILE:HD13	6:A:1909:HOH:O	2.02	0.58
1:A:325:PHE:CE2	6:A:1867:HOH:O	2.56	0.58
5:A:915:GOL:O2	6:A:1008:HOH:O	2.07	0.58
1:A:20:ILE:HG21	6:A:1005:HOH:O	2.03	0.57
1:A:855:GLU:OE1	1:A:855:GLU:N	2.38	0.57
1:A:195:ASP:HB3	1:A:220:LEU:HD13	1.87	0.55
1:A:260:MET:HE3	6:A:1371:HOH:O	2.07	0.55
3:A:903:PUY:HB1	6:A:1559:HOH:O	2.06	0.55
1:A:612:LEU:HD12	6:A:1020:HOH:O	2.06	0.55
1:A:54:LEU:CD1	6:A:1971:HOH:O	2.55	0.55
1:A:237:ASP:HA	6:A:1071:HOH:O	2.07	0.54
1:A:71:TRP:O	5:A:907:GOL:H2	2.07	0.54
1:A:72:THR:HG23	6:A:1317:HOH:O	2.05	0.54
1:A:825:ARG:NH1	6:A:1056:HOH:O	2.40	0.54
1:A:5:PRO:N	6:A:1057:HOH:O	2.40	0.54
1:A:64:VAL:HG11	6:A:1872:HOH:O	2.08	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:392:HIS:HB2	6:A:1867:HOH:O	2.07	0.54
1:A:834:LYS:NZ	6:A:1040:HOH:O	2.36	0.54
1:A:339:VAL:HG21	1:A:611:ALA:HB1	1.89	0.53
1:A:825:ARG:NH2	6:A:1059:HOH:O	2.41	0.53
1:A:276:VAL:HA	6:A:1109:HOH:O	2.08	0.53
1:A:271:PHE:C	6:A:1090:HOH:O	2.46	0.53
1:A:94:ILE:HD12	6:A:1955:HOH:O	2.08	0.53
1:A:577:LYS:HD3	1:A:628:LEU:HB3	1.91	0.52
1:A:252:ILE:HG23	6:A:1074:HOH:O	2.09	0.51
1:A:36:VAL:HG23	6:A:1025:HOH:O	2.09	0.51
1:A:23:ILE:HB	6:A:1005:HOH:O	2.10	0.51
1:A:24:ASP:CB	6:A:1306:HOH:O	2.30	0.51
1:A:291:ILE:HG23	6:A:1109:HOH:O	2.10	0.51
1:A:321:GLY:HA2	6:A:1016:HOH:O	2.09	0.50
1:A:391:ILE:HB	6:A:1001:HOH:O	2.11	0.50
1:A:381:TYR:HA	6:A:1016:HOH:O	2.12	0.49
1:A:783:ARG:HD2	6:A:1059:HOH:O	2.10	0.49
1:A:749:TRP:CG	6:A:1033:HOH:O	2.64	0.49
1:A:688:LEU:HD22	6:A:1875:HOH:O	2.12	0.49
1:A:615:GLU:HB2	6:A:1020:HOH:O	2.12	0.48
1:A:686:ARG:HD3	5:A:908:GOL:O3	2.13	0.48
1:A:240:ARG:HB3	6:A:1071:HOH:O	2.13	0.48
1:A:772:ARG:HG2	6:A:1577:HOH:O	2.13	0.48
1:A:786:ILE:HA	6:A:1666:HOH:O	2.12	0.48
1:A:130:TYR:N	6:A:1007:HOH:O	2.45	0.48
1:A:270:ILE:HG22	6:A:1090:HOH:O	2.13	0.48
1:A:400:PHE:CE1	6:A:1867:HOH:O	2.67	0.48
1:A:652:LEU:HD11	6:A:1140:HOH:O	2.15	0.47
1:A:360:MET:HB3	6:A:1308:HOH:O	2.14	0.46
1:A:253:VAL:N	6:A:1074:HOH:O	2.47	0.46
1:A:295:ILE:HD11	6:A:1109:HOH:O	2.16	0.46
1:A:678:ARG:NH2	6:A:1036:HOH:O	2.48	0.46
1:A:816:ASN:C	6:A:1010:HOH:O	2.53	0.46
1:A:279:ARG:NH1	6:A:1082:HOH:O	2.49	0.45
1:A:76:GLU:OE1	1:A:130:TYR:OH	2.30	0.45
1:A:869:LEU:HD23	6:A:1285:HOH:O	2.17	0.45
1:A:314:PHE:CE2	5:A:910:GOL:H32	2.51	0.45
1:A:448:VAL:HG13	6:A:1376:HOH:O	2.16	0.45
1:A:134:ARG:N	6:A:1087:HOH:O	2.50	0.45
1:A:482:HIS:N	6:A:1026:HOH:O	2.46	0.44
1:A:783:ARG:HG2	3:A:902:PUY:HD2	1.99	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:819:ASN:N	6:A:1010:HOH:O	2.51	0.44
1:A:787:GLY:O	3:A:902:PUY:HMZ3	2.17	0.43
1:A:98:ILE:HG23	6:A:1009:HOH:O	2.18	0.43
1:A:499:LEU:HD12	1:A:508:SER:HA	2.00	0.43
1:A:732:MET:HE1	6:A:1033:HOH:O	2.18	0.43
1:A:342:ILE:HG23	1:A:565:TRP:CE2	2.54	0.42
1:A:562:PHE:CD2	1:A:562:PHE:C	2.93	0.42
1:A:535:GLU:CD	1:A:560:ASN:ND2	2.73	0.41
1:A:151:LYS:NZ	6:A:1101:HOH:O	2.53	0.41
1:A:74:TRP:HE1	5:A:907:GOL:H2	1.85	0.41
1:A:443:SER:C	6:A:1011:HOH:O	2.58	0.40
1:A:35:VAL:HG13	6:A:1014:HOH:O	2.22	0.40
1:A:828:GLU:N	1:A:829:PRO:CD	2.84	0.40
1:A:241:PHE:N	6:A:1071:HOH:O	2.50	0.40
1:A:300:PHE:HD2	6:A:1004:HOH:O	2.03	0.40
1:A:739:TRP:NE1	5:A:913:GOL:O2	2.37	0.40

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1054:HOH:O	6:A:1560:HOH:O[5_555]	1.69	0.51
1:A:204:ARG:NH1	1:A:585:GLN:OE1[6_655]	1.91	0.29
6:A:1258:HOH:O	6:A:1415:HOH:O[3_654]	1.96	0.24
6:A:1784:HOH:O	6:A:1836:HOH:O[6_665]	1.99	0.21
6:A:1287:HOH:O	6:A:1688:HOH:O[5_555]	2.13	0.07
6:A:1739:HOH:O	6:A:1830:HOH:O[2_545]	2.19	0.01

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	864/891 (97%)	853 (99%)	11 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	740/762 (97%)	722 (98%)	18 (2%)	49	74

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	LYS
1	A	24	ASP
1	A	52	LEU
1	A	61	LEU
1	A	172	HIS
1	A	207	ARG
1	A	249	ILE
1	A	280	THR
1	A	286	LYS
1	A	327	ASP
1	A	356	ASP
1	A	441	SER
1	A	477	GLU
1	A	517	GLN
1	A	674	ASP
1	A	699	LEU
1	A	850	GLN
1	A	860	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	500	GLN
1	A	705	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 2 are monoatomic - leaving 14 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.



There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.



## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	866/891 (97%)	-0.60	11 (1%) 77 79	18, 29, 49, 98	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	504	HIS	6.3
1	A	5	PRO	4.2
1	A	78	GLU	3.7
1	A	606	GLU	3.7
1	A	168	GLU	3.4
1	A	855	GLU	3.4
1	A	6	GLN	3.1
1	A	169	ASN	3.0
1	A	856	ASN	2.7
1	A	503	GLY	2.5
1	A	505	PRO	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	GOL	A	916	6/6	0.75	0.50	69,79,83,84	0
5	GOL	A	915	6/6	0.83	0.20	56,66,67,71	0
5	GOL	A	912	6/6	0.83	0.24	40,59,72,72	0
3	PUY	A	903	34/34	0.87	0.20	48,61,81,83	34
4	NA	A	904	1/1	0.88	0.33	69,69,69,69	0
5	GOL	A	914	6/6	0.88	0.15	53,68,69,70	0
5	GOL	A	909	6/6	0.88	0.23	51,62,74,79	0
5	GOL	A	911	6/6	0.88	0.40	34,35,37,38	6
5	GOL	A	906	6/6	0.89	0.22	51,72,80,82	0
5	GOL	A	908	6/6	0.93	0.19	38,42,47,48	0
5	GOL	A	913	6/6	0.94	0.15	60,64,67,68	0
5	GOL	A	907	6/6	0.94	0.14	37,43,46,55	0
3	PUY	A	902	34/34	0.95	0.12	35,46,59,70	1
5	GOL	A	905	6/6	0.97	0.11	31,37,43,47	0
5	GOL	A	910	6/6	0.97	0.15	38,53,54,66	0
2	ZN	A	901	1/1	1.00	0.02	28,28,28,28	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around PUY A 903:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around PUY A 902:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.