



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 15, 2020 – 10:35 pm BST

PDB ID : 2YZM  
Title : Structure of D-Alanine:D-Alanine Ligase with substrate from *Thermus thermophilus* HB8  
Authors : Kitamura, Y.; Yokoyama, S.; Kuramitsu, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)  
Deposited on : 2007-05-06  
Resolution : 2.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5912 (2.24-2.20)
Clashscore	141614	6646 (2.24-2.20)
Ramachandran outliers	138981	6543 (2.24-2.20)
Sidechain outliers	138945	6544 (2.24-2.20)
RSRZ outliers	127900	5797 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	<div> <div>%</div> <div> <div></div> <div>81%</div> <div>18%</div> <div>.</div> </div> </div>
1	B	319	<div> <div>3%</div> <div> <div></div> <div>69%</div> <div>26%</div> <div>..</div> </div> </div>
1	C	319	<div> <div>3%</div> <div> <div></div> <div>76%</div> <div>19%</div> <div>..</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	DAL	C	403	-	-	-	X

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7476 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-alanine–D-alanine ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	319	Total	C	N	O	S	0	0	0
			2453	1593	406	449	5			
1	B	312	Total	C	N	O	S	0	0	0
			2384	1547	398	434	5			
1	C	308	Total	C	N	O	S	0	0	0
			2355	1527	394	429	5			

- Molecule 2 is D-ALANINE (three-letter code: DAL) (formula: C<sub>3</sub>H<sub>7</sub>NO<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			6	3	1	2		
2	B	1	Total	C	N	O	0	0
			6	3	1	2		
2	C	1	Total	C	N	O	0	0
			6	3	1	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	105	Total 105	O 105	0	0
3	B	87	Total 87	O 87	0	0
3	C	74	Total 74	O 74	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: D-alanine–D-alanine ligase



- Molecule 1: D-alanine–D-alanine ligase



- Molecule 1: D-alanine–D-alanine ligase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	166.71Å 55.85Å 141.39Å 90.00° 109.34° 90.00°	Depositor
Resolution (Å)	44.16 – 2.21 44.17 – 2.21	Depositor EDS
% Data completeness (in resolution range)	97.8 (44.16-2.21) 97.9 (44.17-2.21)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	9.06 (at 2.20Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.224 , 0.266 0.224 , 0.265	Depositor DCC
$R_{free}$ test set	6264 reflections (10.13%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.9	Xtriage
Anisotropy	0.275	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 47.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	7476	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.37	0/2518	0.62	0/3434
1	B	0.34	0/2445	0.61	0/3333
1	C	0.35	0/2414	0.61	0/3290
All	All	0.35	0/7377	0.61	0/10057

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2453	0	2470	42	0
1	B	2384	0	2412	75	0
1	C	2355	0	2386	65	0
2	A	6	0	6	1	0
2	B	6	0	6	2	0
2	C	6	0	6	0	0
3	A	105	0	0	3	0
3	B	87	0	0	1	0
3	C	74	0	0	1	0
All	All	7476	0	7286	182	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:THR:HG22	1:A:292:THR:H	1.19	1.02
1:C:290:THR:HG22	1:C:292:THR:H	1.28	0.97
1:C:26:ARG:HH21	1:C:26:ARG:HB3	1.34	0.91
1:C:153:LYS:HB3	1:C:163:ILE:HG13	1.58	0.85
1:B:238:ILE:HD12	1:B:298:LEU:HD12	1.63	0.80
1:C:26:ARG:HB3	1:C:26:ARG:NH2	1.97	0.80
1:C:85:PHE:HA	1:C:90:THR:HG21	1.64	0.79
1:B:13:GLU:OE2	2:B:402:DAL:HB2	1.84	0.77
1:C:26:ARG:HH21	1:C:26:ARG:CB	1.97	0.76
1:A:14:HIS:HE1	1:A:58:ALA:H	1.33	0.74
1:C:85:PHE:HD1	1:C:90:THR:HG21	1.52	0.74
1:C:85:PHE:HA	1:C:90:THR:CG2	2.17	0.74
1:B:2:ARG:HG2	1:B:2:ARG:HH21	1.54	0.73
1:C:74:TYR:O	1:C:100:LYS:HE3	1.89	0.72
1:C:294:MET:HG3	1:C:298:LEU:HD22	1.70	0.72
1:B:157:THR:HG22	1:B:159:SER:H	1.56	0.70
1:C:290:THR:HG23	1:C:291:PRO:HD2	1.74	0.70
1:B:138:LYS:HD2	1:B:184:GLU:HB3	1.75	0.69
1:A:14:HIS:CE1	1:A:58:ALA:H	2.12	0.68
1:B:26:ARG:NH2	1:B:26:ARG:HB3	2.08	0.68
1:B:92:GLN:NE2	1:B:92:GLN:H	1.93	0.66
1:B:204:GLY:O	1:B:264:ARG:O	2.13	0.66
1:A:290:THR:HG23	1:A:291:PRO:HD2	1.78	0.65
1:A:242:LEU:HB3	1:A:246:THR:HG23	1.77	0.65
1:A:242:LEU:HB3	1:A:246:THR:CG2	2.27	0.65
1:A:76:VAL:HG21	1:A:314:VAL:HG13	1.78	0.64
1:A:204:GLY:O	1:A:264:ARG:O	2.15	0.64
1:A:290:THR:HG21	1:A:292:THR:HG22	1.80	0.64
1:B:236:LEU:HD22	1:B:297:ARG:HH21	1.62	0.64
1:A:195:VAL:HG12	1:A:274:ALA:HB2	1.80	0.63
1:A:290:THR:HG22	1:A:292:THR:N	2.03	0.62
1:A:13:GLU:OE2	2:A:401:DAL:HB2	1.99	0.62
1:A:45:LEU:HD22	1:A:69:LEU:HD21	1.80	0.62
1:B:69:LEU:HD22	1:B:70:SER:N	2.15	0.62
1:B:205:ASN:HA	1:B:264:ARG:O	1.99	0.62
1:A:306:TYR:HB3	1:A:307:PRO:HD3	1.79	0.62
1:A:290:THR:CG2	1:A:292:THR:HG22	2.30	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:306:TYR:HB3	1:B:307:PRO:HD3	1.82	0.61
1:B:71:TRP:HB3	1:B:100:LYS:HD2	1.83	0.59
1:C:88:ASP:OD2	1:C:90:THR:HG22	2.02	0.59
1:C:290:THR:CG2	1:C:292:THR:HG22	2.33	0.59
1:B:138:LYS:HD3	1:B:138:LYS:N	2.18	0.59
1:B:92:GLN:H	1:B:92:GLN:HE21	1.49	0.59
1:B:15:GLU:HG3	3:B:456:HOH:O	2.01	0.58
1:C:238:ILE:HD12	1:C:298:LEU:CD1	2.33	0.58
1:B:249:THR:HA	1:B:252:GLU:HG2	1.85	0.58
1:B:290:THR:OG1	1:B:292:THR:HG22	2.04	0.58
1:B:238:ILE:HD11	1:B:301:ALA:CB	2.33	0.58
1:C:290:THR:HG21	1:C:292:THR:HG22	1.86	0.58
1:B:28:ILE:HD11	1:B:30:PHE:HD1	1.68	0.58
1:B:290:THR:HB	1:B:291:PRO:HD2	1.85	0.58
1:C:160:SER:C	1:C:163:ILE:HD13	2.24	0.57
1:C:205:ASN:OD1	1:C:264:ARG:O	2.22	0.57
1:A:19:LEU:CD2	1:A:56:LYS:HD3	2.34	0.57
1:B:14:HIS:CE1	1:B:58:ALA:H	2.23	0.57
1:B:52:ALA:HB1	1:B:58:ALA:HB2	1.87	0.56
1:C:153:LYS:HD3	1:C:163:ILE:HG13	1.87	0.56
1:C:160:SER:HA	1:C:163:ILE:HD13	1.86	0.56
1:C:290:THR:HB	1:C:293:SER:OG	2.06	0.56
1:B:14:HIS:O	1:B:18:LEU:HD22	2.06	0.56
1:B:236:LEU:HD22	1:B:297:ARG:NH2	2.20	0.56
1:A:19:LEU:HD21	1:A:56:LYS:HD3	1.87	0.55
1:C:6:ILE:HG22	1:C:81:LEU:HD21	1.89	0.55
1:C:306:TYR:HB3	1:C:307:PRO:HD3	1.89	0.55
1:C:87:GLU:HB2	1:C:114:MET:HE1	1.90	0.54
1:B:242:LEU:HB3	1:B:246:THR:OG1	2.08	0.54
1:B:14:HIS:HE1	1:B:58:ALA:H	1.54	0.54
1:C:69:LEU:HD23	1:C:70:SER:N	2.22	0.54
1:B:108:ALA:O	1:B:112:LEU:HD13	2.08	0.54
1:B:137:ARG:O	1:B:140:GLU:HG2	2.07	0.54
1:B:39:GLN:HE21	1:B:59:PRO:HA	1.73	0.54
1:B:117:ASP:O	1:B:121:ARG:HG3	2.07	0.53
1:A:294:MET:HG3	1:A:298:LEU:HD22	1.90	0.53
1:A:116:LYS:NZ	1:A:156:ASN:O	2.41	0.53
1:A:72:GLU:CD	1:A:72:GLU:H	2.12	0.53
1:C:112:LEU:HD21	1:C:119:SER:HA	1.91	0.53
1:A:205:ASN:OD1	1:A:264:ARG:O	2.27	0.53
1:B:241:PRO:C	1:B:242:LEU:HD22	2.29	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:233:ARG:HH11	1:C:233:ARG:HG3	1.74	0.53
1:C:204:GLY:O	1:C:264:ARG:O	2.27	0.53
1:B:294:MET:HG3	1:B:298:LEU:HD22	1.91	0.52
1:C:131:VAL:HG12	3:C:463:HOH:O	2.09	0.52
1:A:87:GLU:HB2	1:A:114:MET:CE	2.39	0.52
1:C:112:LEU:HD22	1:C:261:LEU:HD22	1.92	0.52
1:C:90:THR:HG23	1:C:91:VAL:N	2.25	0.52
1:C:72:GLU:H	1:C:72:GLU:CD	2.14	0.51
1:A:73:ARG:HH11	1:A:73:ARG:HG2	1.75	0.51
1:A:15:GLU:HB3	1:A:56:LYS:HE3	1.92	0.51
1:A:205:ASN:HA	1:A:264:ARG:O	2.10	0.51
1:B:153:LYS:HB3	1:B:163:ILE:HG12	1.92	0.51
1:B:215:GLU:OE1	1:B:217:ARG:HD2	2.11	0.51
1:A:120:LYS:HE2	1:A:189:GLU:OE2	2.11	0.51
1:B:233:ARG:HB3	1:B:233:ARG:HH21	1.75	0.51
1:A:116:LYS:NZ	1:A:157:THR:HA	2.27	0.49
1:A:243:ASP:HB2	1:A:244:PRO:HD2	1.93	0.49
1:B:2:ARG:HG2	1:B:2:ARG:NH2	2.21	0.49
1:C:43:TRP:CE3	1:C:67:PRO:HG3	2.49	0.48
1:B:157:THR:CG2	1:B:159:SER:HB3	2.43	0.48
1:B:134:VAL:HG21	1:B:145:PRO:HD2	1.94	0.48
1:B:238:ILE:HD11	1:B:301:ALA:HB2	1.95	0.47
1:C:19:LEU:CD2	1:C:56:LYS:HD3	2.44	0.47
1:A:146:PHE:CD2	1:A:190:LYS:HD3	2.50	0.47
1:B:233:ARG:HG2	1:B:234:ALA:N	2.30	0.47
1:B:162:GLY:HA2	1:B:178:LEU:HG	1.96	0.47
1:B:275:GLU:O	1:B:275:GLU:HG3	2.15	0.47
1:C:160:SER:CA	1:C:163:ILE:HD13	2.45	0.47
1:C:233:ARG:HG3	1:C:233:ARG:NH1	2.30	0.47
1:B:161:VAL:HG22	1:B:182:TYR:CE2	2.50	0.46
1:B:219:GLU:HG2	1:B:235:GLU:OE2	2.15	0.46
1:A:290:THR:HB	1:A:293:SER:OG	2.14	0.46
1:C:205:ASN:HA	1:C:264:ARG:O	2.16	0.46
1:C:290:THR:HG22	1:C:292:THR:N	2.12	0.46
1:A:52:ALA:HB1	1:A:58:ALA:HB2	1.97	0.46
1:B:294:MET:SD	1:B:298:LEU:HD13	2.55	0.46
1:B:145:PRO:HG2	1:B:146:PHE:CD1	2.51	0.46
1:B:149:PRO:HG2	1:B:191:ALA:HB3	1.98	0.46
1:C:5:LEU:CD2	1:C:25:LEU:HD13	2.46	0.45
1:C:238:ILE:HD12	1:C:298:LEU:HD11	1.97	0.45
1:B:145:PRO:HG2	1:B:146:PHE:HD1	1.81	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:237:LEU:C	1:C:238:ILE:HD13	2.37	0.45
1:A:116:LYS:HE3	3:A:490:HOH:O	2.17	0.45
1:C:112:LEU:CD2	1:C:119:SER:HA	2.46	0.45
1:B:141:PRO:HA	1:B:142:PRO:HD3	1.81	0.45
1:B:199:GLU:OE2	1:B:294:MET:HG2	2.17	0.45
1:B:69:LEU:CD2	1:B:70:SER:N	2.80	0.45
1:A:227:THR:O	1:A:227:THR:HG22	2.17	0.44
1:A:116:LYS:HZ1	1:A:157:THR:HA	1.80	0.44
1:B:26:ARG:HB3	1:B:26:ARG:HH21	1.78	0.44
1:B:14:HIS:CE1	1:B:18:LEU:HD21	2.53	0.44
1:B:222:PHE:CD1	1:B:222:PHE:N	2.86	0.44
1:C:161:VAL:HG12	1:C:182:TYR:CZ	2.52	0.44
1:C:160:SER:O	1:C:163:ILE:HD13	2.17	0.44
1:B:238:ILE:HD11	1:B:301:ALA:HB3	2.00	0.44
1:B:26:ARG:CB	1:B:26:ARG:HH21	2.30	0.44
1:B:217:ARG:O	1:B:235:GLU:HB2	2.18	0.44
1:C:290:THR:HG23	1:C:291:PRO:CD	2.45	0.44
1:A:298:LEU:HA	1:A:298:LEU:HD12	1.85	0.44
1:B:116:LYS:HE2	1:B:153:LYS:HD3	2.00	0.44
1:C:19:LEU:HG	1:C:56:LYS:HD3	2.00	0.44
1:C:298:LEU:HA	1:C:298:LEU:HD12	1.88	0.43
1:A:159:SER:HB3	3:A:499:HOH:O	2.18	0.43
1:A:134:VAL:HG12	1:A:188:VAL:HB	1.99	0.43
1:C:163:ILE:HD12	1:C:163:ILE:N	2.32	0.43
1:B:20:SER:HB2	1:B:289:PHE:HB2	2.00	0.43
1:C:28:ILE:HG23	1:C:28:ILE:O	2.19	0.43
1:C:15:GLU:H	1:C:15:GLU:CD	2.22	0.43
1:C:5:LEU:HD23	1:C:25:LEU:HD13	1.99	0.43
1:B:42:ARG:HG3	1:B:42:ARG:HH11	1.84	0.43
1:C:159:SER:HB3	1:C:160:SER:H	1.68	0.43
1:B:138:LYS:HA	1:B:180:PHE:CE1	2.54	0.43
1:C:15:GLU:HG2	1:C:16:VAL:N	2.34	0.42
1:C:19:LEU:HD21	1:C:56:LYS:HD3	2.00	0.42
1:A:266:MET:HB3	1:A:313:LEU:HD21	2.00	0.42
1:B:28:ILE:O	1:B:28:ILE:HG23	2.18	0.42
1:C:105:ALA:HB1	1:C:109:ALA:HB3	2.01	0.42
1:A:238:ILE:HA	1:A:239:PRO:HA	1.91	0.42
1:C:236:LEU:N	1:C:236:LEU:HD12	2.35	0.42
1:B:28:ILE:HD13	1:B:28:ILE:C	2.41	0.41
1:B:151:PHE:O	1:B:188:VAL:HA	2.20	0.41
1:B:161:VAL:HG22	1:B:182:TYR:CZ	2.55	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:81:LEU:HD22	1:C:81:LEU:N	2.36	0.41
1:A:1:MET:O	1:A:31:PRO:HD2	2.21	0.41
1:C:237:LEU:O	1:C:238:ILE:HD13	2.20	0.41
1:B:140:GLU:HA	1:B:141:PRO:HD3	1.84	0.41
1:B:280:LEU:C	1:B:280:LEU:HD23	2.41	0.41
1:A:168:ARG:HB3	3:A:441:HOH:O	2.21	0.41
1:C:238:ILE:HA	1:C:239:PRO:HA	1.87	0.41
1:C:52:ALA:HB1	1:C:58:ALA:HB2	2.02	0.41
1:B:9:GLY:O	1:B:14:HIS:HD2	2.04	0.41
1:C:311:ARG:C	1:C:311:ARG:HD3	2.41	0.41
1:B:153:LYS:CB	1:B:163:ILE:HG12	2.50	0.40
1:B:87:GLU:OE2	2:B:402:DAL:HB3	2.21	0.40
1:C:141:PRO:O	1:C:143:VAL:HG23	2.21	0.40
1:C:150:PHE:CE2	1:C:166:VAL:HB	2.57	0.40
1:B:222:PHE:O	1:B:222:PHE:CG	2.74	0.40
1:C:197:GLU:O	1:C:215:GLU:HG3	2.21	0.40
1:B:240:ALA:CB	1:B:242:LEU:HD23	2.51	0.40
1:B:80:LEU:HD12	1:B:80:LEU:O	2.22	0.40
1:C:290:THR:HG22	1:C:292:THR:HG22	2.03	0.40
1:B:1:MET:HG2	1:B:30:PHE:CD2	2.56	0.40
1:A:266:MET:O	1:A:267:ALA:HB2	2.21	0.40
1:C:114:MET:HG3	1:C:114:MET:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/319 (99%)	306 (96%)	9 (3%)	2 (1%)	25	25
1	B	308/319 (97%)	290 (94%)	17 (6%)	1 (0%)	41	45
1	C	304/319 (95%)	289 (95%)	14 (5%)	1 (0%)	41	45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	929/957 (97%)	885 (95%)	40 (4%)	4 (0%)	34 37

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	86	GLY
1	B	86	GLY
1	C	86	GLY
1	A	267	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	256/256 (100%)	242 (94%)	14 (6%)	21 24
1	B	249/256 (97%)	231 (93%)	18 (7%)	14 14
1	C	246/256 (96%)	235 (96%)	11 (4%)	27 33
All	All	751/768 (98%)	708 (94%)	43 (6%)	20 23

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	56	LYS
1	A	78	PHE
1	A	80	LEU
1	A	97	LEU
1	A	133	TRP
1	A	150	PHE
1	A	176	LEU
1	A	184	GLU
1	A	253	LEU
1	A	255	LEU
1	A	261	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	292	THR
1	A	298	LEU
1	B	2	ARG
1	B	18	LEU
1	B	28	ILE
1	B	69	LEU
1	B	78	PHE
1	B	80	LEU
1	B	92	GLN
1	B	97	LEU
1	B	133	TRP
1	B	138	LYS
1	B	150	PHE
1	B	169	PHE
1	B	171	ASP
1	B	181	ARG
1	B	222	PHE
1	B	255	LEU
1	B	283	LEU
1	B	298	LEU
1	C	25	LEU
1	C	26	ARG
1	C	56	LYS
1	C	78	PHE
1	C	133	TRP
1	C	150	PHE
1	C	169	PHE
1	C	255	LEU
1	C	266	MET
1	C	298	LEU
1	C	311	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	HIS
1	A	39	GLN
1	A	247	GLN
1	A	251	GLN
1	B	14	HIS
1	B	39	GLN
1	B	92	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	251	GLN
1	B	281	ASN
1	C	27	HIS
1	C	82	HIS
1	C	251	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	319/319 (100%)	-0.03	4 (1%) 77 75	17, 27, 44, 53	0
1	B	312/319 (97%)	0.20	10 (3%) 47 45	17, 31, 54, 69	0
1	C	308/319 (96%)	0.11	9 (2%) 51 49	17, 31, 50, 61	0
All	All	939/957 (98%)	0.09	23 (2%) 59 57	17, 29, 50, 69	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	225	TYR	4.0
1	C	170	GLN	3.8
1	B	222	PHE	3.8
1	C	143	VAL	3.1
1	B	230	THR	3.1
1	B	26	ARG	3.0
1	B	168	ARG	2.9
1	C	141	PRO	2.9
1	C	244	PRO	2.9
1	C	169	PHE	2.8
1	A	227	THR	2.7
1	B	27	HIS	2.7
1	B	157	THR	2.7
1	B	139	GLY	2.6
1	B	169	PHE	2.5
1	A	226	GLU	2.4
1	C	233	ARG	2.4
1	C	171	ASP	2.3
1	C	54	GLU	2.3
1	B	174	ALA	2.3
1	B	244	PRO	2.1
1	A	194	PRO	2.1
1	C	319	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	DAL	C	403	6/6	0.59	0.42	73,74,75,75	0
2	DAL	B	402	6/6	0.78	0.28	29,32,34,35	0
2	DAL	A	401	6/6	0.82	0.25	19,26,27,31	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.