



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 01:34 am BST

PDB ID : 4Z3X
Title : Active site complex BamBC of Benzoyl Coenzyme A reductase in complex with 1-Monoenoyl-CoA
Authors : Weinert, T.; Kung, J.W.; Weidenweber, S.; Huwiler, S.G.; Boll, M.; Ermler, U.
Deposited on : 2015-04-01
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	653	<div> <div></div> <div> <div></div> <div>88%</div> <div>11%</div> </div> </div>
1	B	653	<div> <div>15%</div> <div> <div></div> <div>89%</div> <div>11%</div> </div> </div>
1	C	653	<div> <div></div> <div> <div></div> <div>83%</div> <div>15%</div> <div>•</div> </div> </div>
1	D	653	<div> <div></div> <div> <div></div> <div>83%</div> <div>15%</div> <div>•</div> </div> </div>
2	E	179	<div> <div>2%</div> <div> <div></div> <div>75%</div> <div>17%</div> <div>•</div> <div>7%</div> </div> </div>
2	F	179	<div> <div></div> <div> <div></div> <div>81%</div> <div>14%</div> <div>5%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	179	
2	H	179	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SF4	H	1003	-	-	X	-

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 27713 atoms, of which 60 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Benzoyl-CoA reductase, putative.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	653	Total	C	N	O	S	0	1	0
			5187	3312	875	966	34			
1	B	653	Total	C	N	O	S	0	0	0
			5185	3311	876	964	34			
1	C	653	Total	C	N	O	S	0	0	0
			5181	3309	876	962	34			
1	D	652	Total	C	N	O	S	0	0	0
			5181	3309	875	963	34			

- Molecule 2 is a protein called Iron-sulfur cluster-binding oxidoreductase, putative benzoyl-CoA reductase electron transfer protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	166	Total	C	N	O	S	0	0	0
			1260	784	223	239	14			
2	F	170	Total	C	N	O	S	0	1	0
			1317	816	226	261	14			
2	G	169	Total	C	N	O	S	0	2	0
			1315	814	228	259	14			
2	H	161	Total	C	N	O	S	0	0	0
			1221	758	213	236	14			

- Molecule 3 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	C	1	Total	Fe	S	0	0
			8	4	4		
3	D	1	Total	Fe	S	0	0
			8	4	4		
3	E	1	Total	Fe	S	0	0
			8	4	4		
3	E	1	Total	Fe	S	0	0
			8	4	4		
3	E	1	Total	Fe	S	0	0
			8	4	4		
3	F	1	Total	Fe	S	0	0
			8	4	4		
3	F	1	Total	Fe	S	0	0
			8	4	4		
3	F	1	Total	Fe	S	0	0
			8	4	4		
3	G	1	Total	Fe	S	0	0
			8	4	4		
3	G	1	Total	Fe	S	0	0
			8	4	4		
3	G	1	Total	Fe	S	0	0
			8	4	4		
3	H	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	H	1	Total	Fe	S	0	0
			8	4	4		
3	H	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 4 is PHOSPHONIC ACIDMONO-(2-AMINO-5,6-DIMERCAPTO-4-OXO-3,7,8A, 9,10,10A-HEXAHYDRO-4H-8-OXA-1,3,9,10-TETRAAZA-ANTHRACEN-7-YLMETHYL) ESTER (three-letter code: MTE) (formula: $C_{10}H_{14}N_5O_6PS_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			24	10	5	6	1	2		
4	A	1	Total	C	N	O	P	S	0	0
			24	10	5	6	1	2		
4	B	1	Total	C	N	O	P	S	0	0
			24	10	5	6	1	2		
4	B	1	Total	C	N	O	P	S	0	0
			24	10	5	6	1	2		
4	C	1	Total	C	N	O	P	S	0	0
			24	10	5	6	1	2		
4	C	1	Total	C	N	O	P	S	0	0
			24	10	5	6	1	2		
4	D	1	Total	C	N	O	P	S	0	0
			24	10	5	6	1	2		
4	D	1	Total	C	N	O	P	S	0	0
			24	10	5	6	1	2		

- Molecule 5 is TUNGSTEN ION (three-letter code: W) (formula: W).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total W 1 1	0	0
5	A	1	Total W 1 1	0	0
5	D	1	Total W 1 1	0	0
5	C	1	Total W 1 1	0	0


- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total Mg 1 1	0	0
6	A	1	Total Mg 1 1	0	0
6	D	1	Total Mg 1 1	0	0
6	C	1	Total Mg 1 1	0	0

- Molecule 7 is UNKNOWN LIGAND (three-letter code: UNL) (formula:).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	B	1	Total X 1 1	0	0
7	A	1	Total X 1 1	0	0
7	D	1	Total X 1 1	0	0
7	C	1	Total X 1 1	0	0

- Molecule 8 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	O	0	0
			24	6	14	4		
8	A	1	Total	C	H	O	0	0
			24	6	14	4		
8	D	1	Total	C	H	O	0	0
			24	6	14	4		

- Molecule 9 is 1,5 Dienoyl-CoA (three-letter code: 4KX) (formula: C₂₈H₄₂N₇O₁₇P₃S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
9	A	1	Total	C	N	O	P	S	0	0
			56	28	7	17	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
9	B	1	Total	C	N	O	P	S	0	0
			56	28	7	17	3	1		
9	C	1	Total	C	N	O	P	S	0	1
			112	56	14	34	6	2		
9	D	1	Total	C	N	O	P	S	0	0
			56	28	7	17	3	1		

- Molecule 10 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	D	1	Total	C	H	O	0	0
			31	8	18	5		

- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	261	Total	O	0	0
			261	261		
11	B	118	Total	O	0	0
			118	118		
11	C	226	Total	O	0	0
			226	226		
11	D	230	Total	O	0	0
			230	230		
11	E	90	Total	O	0	0
			90	90		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	F	90	Total 90	O 90	0	0
11	G	71	Total 71	O 71	0	0
11	H	65	Total 65	O 65	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Benzoyl-CoA reductase, putative




- Molecule 1: Benzoyl-CoA reductase, putative




- Molecule 1: Benzoyl-CoA reductase, putative






- Molecule 1: Benzoyl-CoA reductase, putative

Chain D: 83% 15% .




- Molecule 2: Iron-sulfur cluster-binding oxidoreductase, putative benzoyl-CoA reductase electron transfer protein

Chain E: 2% 75% 17% 7% .




- Molecule 2: Iron-sulfur cluster-binding oxidoreductase, putative benzoyl-CoA reductase electron transfer protein


Chain F: 81% 14% 5%



- Molecule 2: Iron-sulfur cluster-binding oxidoreductase, putative benzoyl-CoA reductase electron transfer protein



- Molecule 2: Iron-sulfur cluster-binding oxidoreductase, putative benzoyl-CoA reductase electron transfer protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	125.77Å 116.26Å 143.97Å 90.00° 110.43° 90.00°	Depositor
Resolution (Å)	88.07 – 1.85 88.07 – 1.85	Depositor EDS
% Data completeness (in resolution range)	92.8 (88.07-1.85) 92.8 (88.07-1.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.97 (at 1.84Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.186 , 0.233 0.189 , 0.234	Depositor DCC
R_{free} test set	4088 reflections (1.33%)	wwPDB-VP
Wilson B-factor (Å ²)	34.4	Xtriage
Anisotropy	0.238	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 56.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	27713	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, PGE, SF4, PG4, W, UNL, 4KX, MTE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/5316	0.73	3/7187 (0.0%)
1	B	0.65	0/5311	0.70	3/7179 (0.0%)
1	C	0.84	2/5307 (0.0%)	0.80	5/7174 (0.1%)
1	D	0.93	4/5307 (0.1%)	0.88	7/7174 (0.1%)
2	E	0.96	4/1282 (0.3%)	1.03	7/1734 (0.4%)
2	F	0.95	0/1343	0.95	3/1819 (0.2%)
2	G	0.91	3/1344 (0.2%)	0.89	4/1819 (0.2%)
2	H	0.85	1/1242 (0.1%)	0.84	2/1681 (0.1%)
All	All	0.83	14/26452 (0.1%)	0.81	34/35767 (0.1%)

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	546	TYR	CD2-CE2	6.91	1.49	1.39
2	G	86	TYR	CE1-CZ	6.81	1.47	1.38
1	D	546	TYR	CD1-CE1	6.75	1.49	1.39
2	E	130	VAL	CB-CG2	6.52	1.66	1.52
2	E	25	ALA	CA-CB	6.20	1.65	1.52
2	H	64	TYR	CD2-CE2	6.09	1.48	1.39
2	E	93	ARG	CD-NE	-6.05	1.36	1.46
2	G	116	CYS	CB-SG	-5.62	1.72	1.81
1	D	621	TRP	CB-CG	5.50	1.60	1.50
2	E	31	SER	CB-OG	5.25	1.49	1.42
2	G	61	VAL	CB-CG2	5.21	1.63	1.52
1	C	349	TYR	CD2-CE2	5.08	1.47	1.39
1	D	454	LYS	CD-CE	5.04	1.63	1.51
1	C	300	TYR	CG-CD2	5.01	1.45	1.39

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	186	ARG	NE-CZ-NH1	17.61	129.10	120.30
1	D	186	ARG	NE-CZ-NH2	-14.24	113.18	120.30
1	A	186	ARG	NE-CZ-NH2	-12.21	114.20	120.30
2	E	93	ARG	NE-CZ-NH1	-11.98	114.31	120.30
1	A	186	ARG	NE-CZ-NH1	11.54	126.07	120.30
1	B	186	ARG	NE-CZ-NH2	-11.32	114.64	120.30
1	B	186	ARG	NE-CZ-NH1	10.78	125.69	120.30
2	E	93	ARG	NE-CZ-NH2	9.42	125.01	120.30
2	E	57	ARG	NE-CZ-NH2	-8.78	115.91	120.30
2	G	93	ARG	NE-CZ-NH1	-7.87	116.36	120.30
2	F	46	ARG	CG-CD-NE	-7.80	95.42	111.80
2	F	46	ARG	NE-CZ-NH2	-7.29	116.65	120.30
1	C	77	ARG	NE-CZ-NH1	7.13	123.87	120.30
1	D	580	ARG	NE-CZ-NH2	-6.74	116.93	120.30
1	C	186	ARG	NE-CZ-NH2	-6.68	116.96	120.30
1	D	580	ARG	NE-CZ-NH1	6.61	123.61	120.30
2	E	57	ARG	NE-CZ-NH1	6.55	123.58	120.30
1	D	209	LEU	CA-CB-CG	-6.55	100.24	115.30
2	G	46	ARG	CG-CD-NE	-6.48	98.19	111.80
2	G	93	ARG	NE-CZ-NH2	6.34	123.47	120.30
2	G	24	ARG	NE-CZ-NH2	-6.25	117.17	120.30
2	H	63	LEU	CB-CG-CD1	-6.05	100.71	111.00
2	E	101	LEU	CA-CB-CG	5.99	129.08	115.30
2	F	114	ASP	CB-CG-OD1	5.94	123.64	118.30
1	B	77	ARG	NE-CZ-NH2	-5.88	117.36	120.30
2	E	24	ARG	NE-CZ-NH2	-5.84	117.38	120.30
1	A	77	ARG	NE-CZ-NH2	-5.83	117.38	120.30
1	C	77	ARG	NE-CZ-NH2	-5.75	117.43	120.30
1	D	186	ARG	CD-NE-CZ	5.43	131.21	123.60
2	E	53	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	C	534	CYS	CA-CB-SG	-5.26	104.53	114.00
1	C	270	ARG	NE-CZ-NH2	-5.25	117.68	120.30
1	D	293	ARG	NE-CZ-NH1	5.11	122.85	120.30
2	H	57	ARG	NE-CZ-NH2	-5.07	117.77	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5187	0	5113	51	0
1	B	5185	0	5118	49	0
1	C	5181	0	5114	81	0
1	D	5181	0	5115	63	0
2	E	1260	0	1209	17	0
2	F	1317	0	1266	15	0
2	G	1315	0	1263	28	0
2	H	1221	0	1158	21	0
3	A	8	0	0	1	0
3	B	8	0	0	0	0
3	C	8	0	0	0	0
3	D	8	0	0	0	0
3	E	24	0	0	0	0
3	F	24	0	0	1	0
3	G	24	0	0	0	0
3	H	24	0	0	3	0
4	A	48	0	20	2	0
4	B	48	0	20	5	0
4	C	48	0	20	1	0
4	D	48	0	20	2	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	A	20	28	28	2	0
8	D	10	14	14	1	0
9	A	56	0	38	4	0
9	B	56	0	38	4	0
9	C	112	0	76	9	0
9	D	56	0	38	4	0
10	D	13	18	18	1	0
11	A	261	0	0	3	1
11	B	118	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	C	226	0	0	6	0
11	D	230	0	0	4	0
11	E	90	0	0	2	0
11	F	90	0	0	0	0
11	G	71	0	0	0	0
11	H	65	0	0	4	0
All	All	27653	60	25686	318	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (318) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1:MET:SD	1:C:2:ARG:N	2.35	1.00
2:G:152:MET:HE2	2:H:168:VAL:HA	1.55	0.88
1:D:84:SER:HB2	1:D:91:ALA:HB2	1.57	0.86
1:D:137:HIS:NE2	1:D:153:GLU:OE2	2.10	0.84
2:G:64:TYR:O	2:G:93:ARG:HD2	1.78	0.84
1:A:137:HIS:NE2	1:A:153:GLU:OE2	2.12	0.82
1:B:137:HIS:NE2	1:B:153:GLU:OE2	2.12	0.81
1:D:186:ARG:HD2	1:D:352:ASP:OD2	1.83	0.79
1:C:252:MET:CE	1:C:308:ALA:HB3	2.13	0.78
2:G:163:PHE:CE2	2:H:152:MET:HB3	2.19	0.78
1:C:252:MET:HE2	1:C:308:ALA:HB3	1.66	0.77
1:A:372:LEU:HD11	1:A:416:ILE:HD13	1.67	0.76
1:B:372:LEU:HD11	1:B:416:ILE:HD13	1.67	0.76
1:B:150:ILE:HG21	1:B:202:VAL:HG21	1.67	0.76
1:A:150:ILE:HG21	1:A:202:VAL:HG21	1.67	0.76
1:B:242:ILE:HG13	1:B:243:LEU:HG	1.68	0.76
1:A:242:ILE:HG13	1:A:243:LEU:HG	1.68	0.75
1:A:380:LEU:HD12	1:A:381:PRO:HD2	1.67	0.75
1:A:249:PRO:HG2	9:A:709:4KX:H4B	1.70	0.74
1:B:380:LEU:HD12	1:B:381:PRO:HD2	1.67	0.74
1:C:137:HIS:NE2	1:C:153:GLU:OE2	2.19	0.74
1:A:624:ASP:OD2	11:A:801:HOH:O	2.05	0.73
2:G:152:MET:CE	2:G:156:LEU:HD11	2.18	0.73
1:C:620:GLY:HA3	1:C:631:THR:HG21	1.71	0.72
1:C:249:PRO:HG2	9:C:707[A]:4KX:H4B	1.69	0.72
2:G:152:MET:HE1	2:G:156:LEU:HD11	1.70	0.72
1:D:242:ILE:HG13	1:D:243:LEU:HG	1.73	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:152:MET:CE	2:H:168:VAL:HA	2.21	0.70
1:D:383:GLY:O	1:D:387:ARG:HG3	1.93	0.69
1:C:249:PRO:HG2	9:C:707[B]:4KX:H4B	1.74	0.69
1:B:252:MET:CE	1:B:308:ALA:HB3	2.23	0.69
1:C:249:PRO:CG	9:C:707[A]:4KX:H4B	2.22	0.69
1:A:252:MET:CE	1:A:308:ALA:HB3	2.24	0.68
1:C:252:MET:CE	1:C:310:ILE:HD11	2.24	0.68
1:B:84:SER:HB2	1:B:91:ALA:HB2	1.75	0.68
1:C:366:LEU:HB3	1:C:372:LEU:HD13	1.75	0.68
1:B:260:HIS:NE2	9:B:707:4KX:H5B	2.08	0.68
1:A:84:SER:HB2	1:A:91:ALA:HB2	1.75	0.68
1:C:252:MET:HE1	1:C:310:ILE:HD11	1.75	0.67
1:C:249:PRO:CG	9:C:707[B]:4KX:H4B	2.25	0.66
1:D:471:LYS:HB3	1:D:473:GLU:OE1	1.96	0.65
1:A:252:MET:HE3	1:A:308:ALA:HB3	1.79	0.65
1:A:131:GLU:OE2	1:A:133:ARG:NE	2.22	0.64
1:B:252:MET:HE2	1:B:308:ALA:HB3	1.78	0.63
2:G:67[B]:GLU:CD	2:G:67[B]:GLU:H	2.00	0.63
1:A:372:LEU:HD23	1:A:377:PHE:CE1	2.34	0.63
1:B:383:GLY:O	1:B:387:ARG:HG3	1.99	0.63
1:A:383:GLY:O	1:A:387:ARG:HG3	1.99	0.63
2:G:63:LEU:HD11	2:G:92:CYS:O	1.99	0.62
1:B:322:CYS:HB3	4:B:703:MTE:S1'	2.38	0.62
1:B:372:LEU:HD23	1:B:377:PHE:CE1	2.34	0.62
2:E:64:TYR:O	2:E:93:ARG:CD	2.48	0.62
1:A:186:ARG:HD2	1:A:352:ASP:OD2	2.00	0.61
1:B:189:ILE:HD13	1:B:189:ILE:H	1.65	0.61
1:D:249:PRO:CG	9:D:709:4KX:H4B	2.31	0.61
1:D:338:PHE:CD1	1:D:385:GLU:HG3	2.35	0.61
2:G:72:GLU:HG2	2:G:98:SER:HB3	1.83	0.61
1:A:189:ILE:H	1:A:189:ILE:HD13	1.65	0.60
1:C:242:ILE:HG13	1:C:243:LEU:HG	1.82	0.60
1:B:186:ARG:HD2	1:B:352:ASP:OD2	2.01	0.60
1:B:131:GLU:OE2	1:B:133:ARG:NE	2.23	0.60
1:D:266:TRP:CE3	1:D:330:MET:HA	2.36	0.60
1:C:620:GLY:CA	1:C:631:THR:HG21	2.30	0.60
2:E:172:VAL:HG21	2:F:172:VAL:HG21	1.84	0.60
2:G:103[A]:ARG:HD2	2:G:108:GLY:O	2.02	0.60
2:G:29:ILE:HD13	2:G:127:TRP:CZ2	2.37	0.59
2:H:14:ASN:ND2	11:H:1102:HOH:O	2.19	0.59
1:C:260:HIS:NE2	9:C:707[B]:4KX:H5B	2.18	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:84:SER:HB2	1:C:91:ALA:HB2	1.84	0.58
1:D:186:ARG:HD3	1:D:352:ASP:OD1	2.03	0.58
1:D:591:VAL:HG21	11:D:1029:HOH:O	2.02	0.58
2:E:64:TYR:O	2:E:93:ARG:HD3	2.04	0.58
2:G:173:GLU:O	2:G:175:LEU:N	2.29	0.58
1:D:240:MET:H	10:D:708:PG4:H72	1.68	0.58
2:F:72:GLU:CG	2:F:98:SER:HB3	2.34	0.57
1:B:337:ASP:O	1:B:341:ARG:HG3	2.04	0.57
1:A:158:ARG:NH1	11:A:808:HOH:O	2.37	0.57
1:C:489:LYS:HA	1:C:492:LYS:CD	2.35	0.57
2:G:146:SER:HB3	2:H:71:SER:HB2	1.87	0.57
1:C:489:LYS:HA	1:C:492:LYS:HD3	1.87	0.57
2:G:163:PHE:CD2	2:H:152:MET:HB3	2.39	0.56
1:C:252:MET:HE3	1:C:308:ALA:HB3	1.87	0.56
1:D:366:LEU:HB3	1:D:372:LEU:HD13	1.87	0.56
1:A:252:MET:HE1	1:A:310:ILE:HD11	1.88	0.56
1:B:249:PRO:HG2	9:B:707:4KX:H4B	1.88	0.56
1:C:615:TYR:CZ	1:C:619:LYS:HE3	2.40	0.56
1:C:591:VAL:HG22	11:C:858:HOH:O	2.06	0.56
1:D:380:LEU:HD12	1:D:381:PRO:HD2	1.88	0.56
1:A:337:ASP:O	1:A:341:ARG:HG3	2.05	0.56
1:D:620:GLY:HA3	1:D:631:THR:HG21	1.88	0.56
2:E:65:ALA:HB2	2:E:102:PHE:CD1	2.41	0.56
1:D:428:ILE:HG22	1:D:429:LYS:HG3	1.88	0.55
1:C:538:SER:O	1:C:544:PRO:HG3	2.06	0.55
1:C:580:ARG:HH22	1:C:593:GLU:CD	2.10	0.55
1:D:622:ASN:HB3	1:D:624:ASP:H	1.72	0.55
1:D:1:MET:HG3	1:D:2:ARG:O	2.07	0.55
2:H:131:GLY:HA2	11:H:1143:HOH:O	2.06	0.55
9:C:707[B]:4KX:H8A	9:C:707[B]:4KX:H5DA	1.88	0.54
1:B:372:LEU:CD1	1:B:416:ILE:HD13	2.35	0.54
1:B:259:TRP:HE1	9:B:707:4KX:HDPB	1.72	0.54
1:A:372:LEU:CD1	1:A:416:ILE:HD13	2.35	0.54
1:D:591:VAL:HG23	11:D:848:HOH:O	2.08	0.54
1:D:249:PRO:HG2	9:D:709:4KX:H4B	1.89	0.54
2:G:27:GLU:HG2	2:G:49:VAL:O	2.07	0.54
2:H:7:LYS:O	11:H:1101:HOH:O	2.18	0.54
1:C:189:ILE:HD13	1:C:189:ILE:H	1.72	0.53
2:E:71:SER:HB2	2:F:146:SER:HB3	1.91	0.53
1:C:260:HIS:NE2	9:C:707[A]:4KX:H5B	2.23	0.53
1:C:620:GLY:O	1:C:631:THR:HG21	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:376:ASP:C	1:D:378:PRO:HD3	2.29	0.53
1:B:186:ARG:HD3	1:B:352:ASP:OD1	2.09	0.53
1:D:56:PRO:HD2	1:D:57:GLU:OE1	2.09	0.53
1:C:229:LYS:NZ	11:C:804:HOH:O	2.42	0.52
2:G:29:ILE:HD13	2:G:127:TRP:CE2	2.44	0.52
1:D:148:GLU:O	1:D:152:LYS:HG3	2.10	0.52
1:B:252:MET:HE3	1:B:308:ALA:HB3	1.91	0.52
2:E:70:GLU:HG2	11:E:1148:HOH:O	2.10	0.52
1:A:186:ARG:HD3	1:A:352:ASP:OD1	2.09	0.52
1:A:252:MET:HE2	1:A:308:ALA:HB3	1.92	0.51
1:C:472:LEU:O	1:C:476:GLU:HG3	2.09	0.51
2:E:64:TYR:O	2:E:93:ARG:HD2	2.09	0.51
2:H:85:GLU:HB3	11:H:1105:HOH:O	2.08	0.51
1:B:124:TYR:OH	1:B:156:GLU:OE2	2.23	0.51
1:C:322:CYS:HB3	4:C:703:MTE:S1'	2.51	0.51
1:C:383:GLY:O	1:C:387:ARG:HG3	2.11	0.51
1:C:511:VAL:HG21	1:C:610:GLU:HG2	1.92	0.51
2:H:152:MET:CE	2:H:156:LEU:HD11	2.41	0.51
1:C:13:ASP:HB3	1:C:18:SER:OG	2.10	0.51
2:E:67:GLU:OE2	2:E:112:LYS:NZ	2.40	0.51
2:F:23:CYS:O	2:F:24:ARG:HB2	2.11	0.51
1:A:240:MET:HG2	8:A:708:PGE:O1	2.11	0.51
1:B:620:GLY:HA3	1:B:631:THR:HG21	1.93	0.50
2:G:152:MET:HE3	2:G:156:LEU:HD11	1.92	0.50
1:B:252:MET:CE	1:B:310:ILE:HD11	2.42	0.50
9:A:709:4KX:O2A	11:A:802:HOH:O	2.20	0.50
1:C:412:ALA:O	1:C:416:ILE:HG13	2.12	0.50
1:A:398:ARG:HB3	1:A:403:ASP:OD1	2.11	0.50
1:C:186:ARG:NH2	11:C:805:HOH:O	2.42	0.50
1:D:322:CYS:HB2	4:D:703:MTE:S2'	2.52	0.50
1:C:356:ALA:HB3	1:C:357:PRO:HD3	1.92	0.50
1:A:252:MET:CE	1:A:310:ILE:HD11	2.42	0.50
2:F:115:LEU:HA	3:F:1002:SF4:S2	2.52	0.50
1:B:369:LYS:HG3	1:B:369:LYS:O	2.12	0.50
2:G:173:GLU:C	2:G:175:LEU:H	2.12	0.49
1:A:249:PRO:CG	9:A:709:4KX:H4B	2.41	0.49
1:B:249:PRO:CG	9:B:707:4KX:H4B	2.43	0.49
2:E:168:VAL:O	2:E:172:VAL:HG23	2.12	0.49
1:B:473:GLU:H	1:B:473:GLU:CD	2.16	0.49
1:C:186:ARG:HD3	1:C:352:ASP:OD1	2.11	0.49
2:F:72:GLU:HG2	2:F:98:SER:HB3	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:366:LEU:CB	1:C:372:LEU:HD13	2.41	0.49
1:B:398:ARG:HB3	1:B:403:ASP:OD1	2.12	0.49
1:D:493:ILE:HD13	1:D:513:MET:HB3	1.93	0.49
9:A:709:4KX:O9P	9:A:709:4KX:HCPA	2.13	0.49
2:H:153:GLU:O	2:H:157:GLU:HG3	2.13	0.49
1:C:443:PRO:HB2	1:C:514:CYS:SG	2.53	0.49
1:A:369:LYS:O	1:A:369:LYS:HG3	2.12	0.49
1:A:473:GLU:CD	1:A:473:GLU:H	2.16	0.49
1:B:252:MET:HE1	1:B:310:ILE:HD11	1.94	0.49
1:D:590:ARG:HD2	1:D:623:ASP:O	2.12	0.49
2:G:168:VAL:O	2:G:172:VAL:HG23	2.13	0.49
1:A:438:LEU:O	1:A:600:TRP:HA	2.13	0.48
1:B:250:GLN:OE1	1:B:253:LYS:HE3	2.12	0.48
1:B:322:CYS:CB	4:B:703:MTE:S1'	2.98	0.48
1:A:620:GLY:HA3	1:A:631:THR:HG21	1.93	0.48
2:H:152:MET:HE3	2:H:156:LEU:HD11	1.94	0.48
1:A:250:GLN:OE1	1:A:253:LYS:HE3	2.13	0.48
2:G:67[B]:GLU:HG2	3:H:1003:SF4:S4	2.53	0.48
1:C:436:LEU:O	1:C:437:LYS:HD3	2.14	0.48
1:B:438:LEU:O	1:B:600:TRP:HA	2.13	0.47
1:C:610:GLU:O	1:C:614:SER:OG	2.31	0.47
2:E:33:PHE:HD2	2:E:34:HIS:CE1	2.33	0.47
1:A:322:CYS:CB	4:A:702:MTE:S2'	3.02	0.47
2:H:67:GLU:OE1	2:H:112:LYS:NZ	2.31	0.47
1:C:488:GLU:O	1:C:491:LYS:HB2	2.14	0.47
1:D:322:CYS:CB	4:D:703:MTE:S2'	3.02	0.47
1:D:617:LYS:HD3	11:D:1002:HOH:O	2.14	0.47
2:G:107:SER:HA	2:H:151:GLU:HB3	1.96	0.47
1:D:312:MET:HB2	1:D:315:LEU:HD12	1.97	0.47
1:D:172:VAL:O	1:D:191:ALA:HB2	2.15	0.47
2:E:71:SER:CB	2:F:146:SER:HB3	2.45	0.47
1:D:465:PRO:HG2	1:D:494:PHE:CE1	2.49	0.47
1:A:124:TYR:OH	1:A:156:GLU:OE2	2.23	0.46
1:B:622:ASN:HB2	1:B:626:ILE:H	1.80	0.46
2:H:150:THR:OG1	2:H:151:GLU:N	2.47	0.46
1:C:79:ILE:HD12	1:C:79:ILE:N	2.30	0.46
1:A:622:ASN:HB2	1:A:626:ILE:H	1.81	0.46
1:D:348:GLU:OE2	1:D:348:GLU:HA	2.15	0.46
1:D:186:ARG:HD2	1:D:352:ASP:CG	2.35	0.46
1:D:531:LEU:HD23	1:D:551:TYR:CE1	2.50	0.46
1:D:161:VAL:HG22	1:D:202:VAL:HG13	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:322:CYS:HB2	4:A:702:MTE:S2'	2.55	0.46
1:C:242:ILE:HG22	1:C:254:VAL:HB	1.98	0.46
1:B:622:ASN:HB3	1:B:624:ASP:H	1.80	0.45
1:C:150:ILE:HG21	1:C:202:VAL:HG21	1.96	0.45
2:H:64:TYR:O	2:H:93:ARG:HD2	2.16	0.45
1:D:19:ILE:HD11	1:D:132:ILE:HG13	1.98	0.45
1:A:299:CYS:HB2	3:A:701:SF4:S3	2.57	0.45
2:F:96:CYS:SG	2:F:97:PRO:HD2	2.56	0.45
1:C:92:PHE:O	1:C:454:LYS:HE2	2.17	0.45
1:C:372:LEU:HD11	1:C:416:ILE:HG21	1.99	0.45
1:D:240:MET:HE2	1:D:242:ILE:HG12	1.98	0.45
2:E:85:GLU:HB3	11:E:1128:HOH:O	2.15	0.45
2:G:74:ILE:HD12	2:H:114:ASP:HA	1.98	0.45
1:A:622:ASN:HB3	1:A:624:ASP:H	1.81	0.45
1:C:241:PRO:HB2	1:C:254:VAL:HG21	1.99	0.45
1:D:391:LEU:HD11	1:D:405:LEU:HD12	1.98	0.45
1:B:486:PRO:HD3	1:B:520:TRP:CE2	2.52	0.45
1:C:318:TYR:CE1	1:C:344:GLN:HB2	2.52	0.45
1:D:505:MET:HB3	1:D:506:PRO:HA	1.98	0.45
1:C:383:GLY:HA3	1:C:386:GLU:OE1	2.16	0.44
1:D:215:GLU:H	1:D:215:GLU:CD	2.21	0.44
1:C:13:ASP:O	1:C:17:GLY:N	2.47	0.44
1:A:486:PRO:HD3	1:A:520:TRP:CE2	2.52	0.44
1:C:218:ILE:HA	1:C:218:ILE:HD12	1.75	0.44
1:C:324:THR:HG23	11:C:848:HOH:O	2.18	0.44
1:C:240:MET:SD	1:C:242:ILE:HG12	2.58	0.44
1:D:213:LYS:NZ	8:D:707:PGE:H52	2.33	0.44
1:C:470:PRO:HD2	1:C:474:GLN:OE1	2.18	0.44
1:C:590:ARG:NH1	1:C:623:ASP:O	2.45	0.44
1:D:240:MET:CE	1:D:242:ILE:HG12	2.48	0.44
2:F:141:GLU:HG3	2:F:142:GLU:OE2	2.18	0.44
2:E:114:ASP:HA	2:F:74:ILE:HD13	1.98	0.43
1:D:251:GLU:HB3	1:D:325:LYS:HD3	2.00	0.43
1:C:386:GLU:H	1:C:386:GLU:CD	2.21	0.43
1:A:189:ILE:N	1:A:189:ILE:HD13	2.31	0.43
1:C:348:GLU:HA	1:C:348:GLU:OE2	2.17	0.43
1:C:540:PHE:HB3	1:C:541:PRO:HD3	2.00	0.43
1:D:356:ALA:HB3	1:D:357:PRO:HD3	2.00	0.43
1:B:372:LEU:HD23	1:B:377:PHE:CZ	2.54	0.43
2:E:6:LYS:HD3	2:E:6:LYS:O	2.17	0.43
1:B:189:ILE:H	1:B:189:ILE:CD1	2.31	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:372:LEU:HD11	1:C:416:ILE:HD13	1.99	0.43
1:D:77:ARG:CZ	1:D:96:GLY:HA3	2.48	0.43
1:B:505:MET:HB3	1:B:506:PRO:HA	2.01	0.43
2:E:72:GLU:HG2	2:E:98:SER:HB3	2.00	0.43
2:F:65:ALA:HB2	2:F:102:PHE:CD1	2.54	0.43
2:H:66:GLY:O	2:H:112:LYS:HG3	2.19	0.43
1:B:487:ASP:OD1	1:B:489:LYS:HG2	2.18	0.43
1:C:468:PRO:HB3	1:C:497:TRP:CG	2.53	0.43
1:D:367:LEU:HD22	1:D:377:PHE:CE1	2.54	0.43
1:C:503:LYS:C	1:C:508:PHE:HB3	2.40	0.43
1:A:372:LEU:HD23	1:A:377:PHE:CZ	2.54	0.42
1:A:505:MET:HB3	1:A:506:PRO:HA	2.01	0.42
1:D:189:ILE:HD13	1:D:189:ILE:H	1.83	0.42
1:C:27:ARG:HG3	1:C:27:ARG:HH11	1.85	0.42
1:D:622:ASN:HB2	1:D:626:ILE:H	1.84	0.42
1:A:487:ASP:OD1	1:A:489:LYS:HG2	2.19	0.42
1:C:225:LEU:O	1:C:229:LYS:HG3	2.19	0.42
1:C:260:HIS:CE1	9:C:707[B]:4KX:H5B	2.53	0.42
2:G:156:LEU:CD2	2:H:159:LEU:HD13	2.49	0.42
1:B:266:TRP:CE3	1:B:330:MET:HA	2.54	0.42
1:B:322:CYS:HB2	4:B:702:MTE:S2'	2.59	0.42
1:C:266:TRP:CE3	1:C:330:MET:HA	2.54	0.42
1:D:41:LYS:HA	1:D:578:LEU:HD21	2.02	0.42
2:H:64:TYR:O	2:H:93:ARG:CD	2.67	0.42
1:B:635:LEU:HG	11:B:872:HOH:O	2.18	0.42
1:C:186:ARG:HD3	1:C:352:ASP:CG	2.40	0.42
1:C:186:ARG:CD	1:C:352:ASP:OD2	2.68	0.42
2:G:152:MET:HE3	2:G:156:LEU:CD1	2.50	0.42
1:B:322:CYS:CB	4:B:702:MTE:S2'	3.08	0.42
1:C:373:LYS:HE2	1:C:373:LYS:HB3	1.83	0.42
2:G:166:ASP:OD1	2:G:166:ASP:N	2.45	0.42
2:G:67[B]:GLU:CG	3:H:1003:SF4:S4	3.08	0.42
1:A:369:LYS:CG	1:A:371:ILE:HG13	2.50	0.42
1:C:531:LEU:HD23	1:C:551:TYR:CE1	2.54	0.42
1:D:318:TYR:OH	1:D:340:LEU:O	2.32	0.42
1:D:258:LYS:HB2	1:D:277:TRP:CD1	2.54	0.42
1:A:266:TRP:CE3	1:A:330:MET:HA	2.54	0.42
1:C:114:ARG:HD3	11:C:1005:HOH:O	2.19	0.41
1:C:231:ARG:HG2	1:C:246:LEU:HG	2.01	0.41
1:B:369:LYS:CG	1:B:371:ILE:HG13	2.50	0.41
1:C:511:VAL:HG11	1:C:614:SER:OG	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:364:PHE:O	1:A:368:GLU:HB2	2.21	0.41
1:D:450:CYS:SG	1:D:595:PRO:HD3	2.60	0.41
1:B:189:ILE:N	1:B:189:ILE:HD13	2.32	0.41
1:C:503:LYS:O	1:C:508:PHE:HB3	2.20	0.41
9:D:709:4KX:HCPA	9:D:709:4KX:O9P	2.20	0.41
1:A:481:ASP:OD1	1:A:481:ASP:N	2.53	0.41
1:C:442:ASN:HA	1:C:443:PRO:HD2	1.76	0.41
1:C:260:HIS:CE1	9:C:707[A]:4KX:H5B	2.55	0.41
2:F:11:LYS:HG2	2:F:137:GLU:HG2	2.01	0.41
2:G:123:LEU:HD23	2:G:123:LEU:HA	1.78	0.41
1:A:172:VAL:O	1:A:191:ALA:HB2	2.21	0.41
1:D:260:HIS:NE2	9:D:709:4KX:H5B	2.36	0.41
2:F:21:ASN:ND2	2:F:130:VAL:HG11	2.36	0.41
1:A:189:ILE:CD1	1:A:189:ILE:H	2.31	0.41
1:B:252:MET:SD	1:B:320:MET:HG2	2.61	0.41
1:B:513:MET:O	1:B:517:ILE:HG13	2.21	0.41
1:B:95:MET:HE2	1:B:184:ALA:H	1.85	0.41
1:A:466:GLN:HB2	8:A:708:PGE:H3	2.03	0.41
1:C:498:GLU:O	1:C:504:SER:HA	2.21	0.41
1:D:646:LYS:NZ	11:D:821:HOH:O	2.54	0.41
4:B:703:MTE:H6	11:B:859:HOH:O	2.21	0.41
1:C:488:GLU:O	1:C:492:LYS:HD2	2.21	0.41
1:C:61:ILE:O	1:C:80:VAL:HA	2.21	0.41
1:D:266:TRP:CZ3	1:D:330:MET:HA	2.56	0.41
1:D:641:GLY:O	1:D:645:ILE:HG13	2.21	0.41
2:E:55:PRO:HA	2:E:60:TYR:OH	2.20	0.41
1:B:364:PHE:O	1:B:368:GLU:HB2	2.20	0.41
1:D:486:PRO:HD3	1:D:520:TRP:CE2	2.56	0.41
1:C:253:LYS:HG2	1:C:296:LEU:HD13	2.02	0.40
1:A:252:MET:SD	1:A:320:MET:HG2	2.61	0.40
1:D:50:GLU:H	1:D:50:GLU:CD	2.22	0.40
2:E:109:LEU:HB3	2:E:110:PRO:HD2	2.04	0.40
2:F:67[A]:GLU:OE1	2:F:112:LYS:NZ	2.42	0.40
1:A:489:LYS:O	1:A:493:ILE:HG13	2.22	0.40
1:C:48:PRO:HB2	1:C:50:GLU:OE1	2.22	0.40
1:C:586:ARG:NH2	11:C:812:HOH:O	2.48	0.40
1:D:619:LYS:HB3	1:D:621:TRP:CE2	2.56	0.40
2:H:115:LEU:HA	3:H:1002:SF4:S1	2.61	0.40
1:D:189:ILE:HG12	1:D:190:GLY:N	2.36	0.40
1:A:580:ARG:NH2	1:A:593:GLU:OE1	2.45	0.40
1:D:372:LEU:C	1:D:373:LYS:HD2	2.41	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:42:ILE:HG23	1:D:46:ARG:HD3	2.03	0.40
1:D:489:LYS:O	1:D:493:ILE:HG13	2.21	0.40
2:G:103[B]:ARG:HD2	2:G:108:GLY:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:A:968:HOH:O	11:A:1030:HOH:O[2_645]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	652/653 (100%)	628 (96%)	24 (4%)	0	100	100
1	B	651/653 (100%)	627 (96%)	24 (4%)	0	100	100
1	C	651/653 (100%)	629 (97%)	22 (3%)	0	100	100
1	D	650/653 (100%)	623 (96%)	27 (4%)	0	100	100
2	E	162/179 (90%)	157 (97%)	5 (3%)	0	100	100
2	F	169/179 (94%)	167 (99%)	2 (1%)	0	100	100
2	G	169/179 (94%)	166 (98%)	2 (1%)	1 (1%)	25	12
2	H	157/179 (88%)	155 (99%)	2 (1%)	0	100	100
All	All	3261/3328 (98%)	3152 (97%)	108 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	G	174	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	547/548 (100%)	535 (98%)	12 (2%)	52	36
1	B	547/548 (100%)	536 (98%)	11 (2%)	55	40
1	C	546/548 (100%)	529 (97%)	17 (3%)	40	23
1	D	547/548 (100%)	534 (98%)	13 (2%)	49	33
2	E	136/159 (86%)	131 (96%)	5 (4%)	34	17
2	F	148/159 (93%)	145 (98%)	3 (2%)	55	40
2	G	147/159 (92%)	143 (97%)	4 (3%)	44	29
2	H	132/159 (83%)	129 (98%)	3 (2%)	50	34
All	All	2750/2828 (97%)	2682 (98%)	68 (2%)	47	31

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ARG
1	A	55	SER
1	A	174	TYR
1	A	179	GLN
1	A	189	ILE
1	A	309	THR
1	A	321	LYS
1	A	531	LEU
1	A	551	TYR
1	A	576	ARG
1	A	591	VAL
1	A	599	HIS
1	B	2	ARG
1	B	55	SER
1	B	174	TYR
1	B	179	GLN
1	B	189	ILE
1	B	309	THR
1	B	321	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	551	TYR
1	B	576	ARG
1	B	591	VAL
1	B	599	HIS
1	C	1	MET
1	C	45	ASP
1	C	50	GLU
1	C	114	ARG
1	C	179	GLN
1	C	189	ILE
1	C	215	GLU
1	C	309	THR
1	C	321	LYS
1	C	348	GLU
1	C	390	TYR
1	C	401	ILE
1	C	551	TYR
1	C	576	ARG
1	C	591	VAL
1	C	599	HIS
1	C	614	SER
1	D	50	GLU
1	D	55	SER
1	D	179	GLN
1	D	189	ILE
1	D	215	GLU
1	D	309	THR
1	D	321	LYS
1	D	439	SER
1	D	531	LEU
1	D	551	TYR
1	D	561	ILE
1	D	576	ARG
1	D	599	HIS
2	E	9	ILE
2	E	93	ARG
2	E	99	ARG
2	E	106	ASP
2	E	152	MET
2	F	99	ARG
2	F	152	MET
2	F	156	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	G	63	LEU
2	G	99	ARG
2	G	113	CYS
2	G	160	ILE
2	H	36	MET
2	H	63	LEU
2	H	99	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 45 ligands modelled in this entry, 4 are unknown and 8 are monoatomic - leaving 33 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SF4	C	701	1	0,12,12	0.00	-	-		
9	4KX	A	709	-	49,59,59	1.31	2 (4%)	58,87,87	1.08	4 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SF4	F	1003	2	0,12,12	0.00	-	-		
4	MTE	A	703	5,6	21,26,26	2.95	8 (38%)	21,40,40	3.18	10 (47%)
3	SF4	H	1003	2	0,12,12	0.00	-	-		
4	MTE	C	703	5,6	21,26,26	2.54	7 (33%)	21,40,40	2.61	9 (42%)
3	SF4	E	1002	2	0,12,12	0.00	-	-		
4	MTE	B	703	5,6	21,26,26	2.44	8 (38%)	21,40,40	2.83	5 (23%)
3	SF4	A	701	1	0,12,12	0.00	-	-		
3	SF4	G	1003	2	0,12,12	0.00	-	-		
9	4KX	D	709	-	49,59,59	1.31	2 (4%)	58,87,87	1.12	5 (8%)
3	SF4	D	702	1	0,12,12	0.00	-	-		
10	PG4	D	708	-	12,12,12	0.66	0	11,11,11	0.57	0
9	4KX	C	707[B]	-	49,59,59	1.31	2 (4%)	58,87,87	1.12	4 (6%)
4	MTE	C	702	5,6	21,26,26	2.33	6 (28%)	21,40,40	2.59	6 (28%)
4	MTE	D	704	5,6	21,26,26	2.32	5 (23%)	21,40,40	3.21	9 (42%)
8	PGE	A	707	-	9,9,9	0.55	0	8,8,8	0.61	0
3	SF4	F	1002	2	0,12,12	0.00	-	-		
8	PGE	D	707	-	9,9,9	0.45	0	8,8,8	0.53	0
3	SF4	F	1001	2	0,12,12	0.00	-	-		
9	4KX	C	707[A]	-	49,59,59	1.27	2 (4%)	58,87,87	1.07	4 (6%)
3	SF4	H	1002	2	0,12,12	0.00	-	-		
4	MTE	D	703	5,6	21,26,26	2.47	8 (38%)	21,40,40	2.64	6 (28%)
4	MTE	B	702	5,6	21,26,26	2.83	11 (52%)	21,40,40	2.29	8 (38%)
4	MTE	A	702	5,6	21,26,26	2.59	13 (61%)	21,40,40	2.70	9 (42%)
8	PGE	A	708	-	9,9,9	0.82	0	8,8,8	0.83	0
9	4KX	B	707	-	49,59,59	1.29	3 (6%)	58,87,87	1.19	4 (6%)
3	SF4	B	701	1	0,12,12	0.00	-	-		
3	SF4	G	1001	2	0,12,12	0.00	-	-		
3	SF4	E	1001	2	0,12,12	0.00	-	-		
3	SF4	G	1002	2	0,12,12	0.00	-	-		
3	SF4	H	1001	2	0,12,12	0.00	-	-		
3	SF4	E	1003	2	0,12,12	0.00	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SF4	C	701	1	-	-	0/6/5/5
9	4KX	A	709	-	-	2/48/79/79	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SF4	F	1003	2	-	-	0/6/5/5
3	SF4	B	701	1	-	-	0/6/5/5
3	SF4	H	1003	2	-	-	0/6/5/5
3	SF4	F	1002	2	-	-	0/6/5/5
3	SF4	E	1002	2	-	-	0/6/5/5
4	MTE	B	703	5,6	-	2/6/34/34	0/3/3/3
3	SF4	A	701	1	-	-	0/6/5/5
3	SF4	G	1003	2	-	-	0/6/5/5
9	4KX	D	709	-	-	4/48/79/79	0/4/4/4
3	SF4	D	702	1	-	-	0/6/5/5
10	PG4	D	708	-	-	6/10/10/10	-
4	MTE	C	702	5,6	-	0/6/34/34	0/3/3/3
4	MTE	D	704	5,6	-	0/6/34/34	0/3/3/3
8	PGE	A	707	-	-	3/7/7/7	-
4	MTE	D	703	5,6	-	0/6/34/34	0/3/3/3
4	MTE	A	703	5,6	-	0/6/34/34	0/3/3/3
8	PGE	D	707	-	-	2/7/7/7	-
3	SF4	F	1001	2	-	-	0/6/5/5
9	4KX	C	707[A]	-	-	3/48/79/79	0/4/4/4
3	SF4	H	1002	2	-	-	0/6/5/5
9	4KX	C	707[B]	-	-	22/48/79/79	0/4/4/4
4	MTE	B	702	5,6	-	0/6/34/34	0/3/3/3
4	MTE	A	702	5,6	-	1/6/34/34	0/3/3/3
8	PGE	A	708	-	-	5/7/7/7	-
9	4KX	B	707	-	-	5/48/79/79	0/4/4/4
4	MTE	C	703	5,6	-	0/6/34/34	0/3/3/3
3	SF4	G	1001	2	-	-	0/6/5/5
3	SF4	E	1001	2	-	-	0/6/5/5
3	SF4	G	1002	2	-	-	0/6/5/5
3	SF4	H	1001	2	-	-	0/6/5/5
3	SF4	E	1003	2	-	-	0/6/5/5

All (77) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	C	707[A]	4KX	C3B-C4B	7.29	1.52	1.33
9	C	707[B]	4KX	C3B-C4B	7.29	1.52	1.33
9	B	707	4KX	C3B-C4B	7.16	1.52	1.33
9	A	709	4KX	C3B-C4B	7.08	1.52	1.33
4	A	703	MTE	C4-C9	6.79	1.50	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	D	709	4KX	C3B-C4B	6.79	1.51	1.33
4	B	702	MTE	C4-C9	6.78	1.50	1.41
4	C	702	MTE	C9-C10	-6.77	1.28	1.41
4	B	703	MTE	C9-C10	-6.44	1.29	1.41
4	C	703	MTE	C2-N2	6.05	1.46	1.33
4	D	704	MTE	C4-C9	5.75	1.49	1.41
4	B	702	MTE	C9-C10	-5.48	1.31	1.41
4	A	703	MTE	C9-C10	-5.29	1.31	1.41
4	D	703	MTE	C4-C9	5.27	1.48	1.41
4	C	703	MTE	C4-C9	5.07	1.48	1.41
4	D	704	MTE	C9-C10	-5.06	1.31	1.41
4	B	702	MTE	C2-N2	4.99	1.43	1.33
4	A	703	MTE	C2-N2	4.94	1.43	1.33
4	A	702	MTE	C6-N5	4.86	1.52	1.45
4	C	702	MTE	C4-C9	4.76	1.48	1.41
4	A	703	MTE	C6-N5	4.71	1.51	1.45
4	A	702	MTE	C2-N2	4.65	1.43	1.33
4	C	703	MTE	C4-N3	4.60	1.41	1.33
4	D	703	MTE	C2-N2	4.53	1.43	1.33
4	D	703	MTE	C9-C10	-4.46	1.33	1.41
4	A	703	MTE	C7-C6	-4.26	1.50	1.53
4	B	703	MTE	C2-N2	4.23	1.42	1.33
9	D	709	4KX	C3B-C2B	4.21	1.52	1.43
4	C	703	MTE	C9-C10	-4.16	1.33	1.41
4	D	704	MTE	C6-N5	3.91	1.50	1.45
9	C	707[B]	4KX	C3B-C2B	3.85	1.51	1.43
9	A	709	4KX	C3B-C2B	3.83	1.51	1.43
9	C	707[A]	4KX	C3B-C2B	3.82	1.51	1.43
4	D	703	MTE	C9-N5	3.74	1.45	1.38
4	A	702	MTE	P-O3P	-3.59	1.41	1.54
9	B	707	4KX	C3B-C2B	3.59	1.50	1.43
4	B	702	MTE	O3'-C7	-3.59	1.38	1.43
4	B	703	MTE	C2-N3	3.44	1.41	1.35
4	A	702	MTE	O3'-C7	-3.43	1.38	1.43
4	C	702	MTE	C2-N2	3.40	1.40	1.33
4	B	703	MTE	C10-N1	3.38	1.40	1.34
4	A	703	MTE	C4-N3	3.37	1.38	1.33
4	A	703	MTE	C2-N3	3.31	1.41	1.35
4	C	703	MTE	C10-N1	3.24	1.40	1.34
4	D	704	MTE	C2-N2	3.24	1.40	1.33
4	B	703	MTE	O3'-C3'	-3.23	1.39	1.43
4	A	702	MTE	C9-N5	3.20	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	702	MTE	C9-N5	3.05	1.44	1.38
4	D	703	MTE	C4-N3	2.94	1.38	1.33
4	A	702	MTE	C9-C10	-2.93	1.35	1.41
4	A	702	MTE	C4-C9	2.93	1.45	1.41
4	B	702	MTE	C4-N3	2.91	1.38	1.33
4	A	702	MTE	C10-N1	2.90	1.40	1.34
4	D	703	MTE	O3'-C3'	-2.84	1.40	1.43
4	C	703	MTE	C9-N5	2.82	1.43	1.38
4	A	702	MTE	P-O1P	2.79	1.59	1.50
4	B	703	MTE	C4-N3	2.76	1.37	1.33
4	A	702	MTE	C2'-C1'	-2.69	1.18	1.35
4	C	703	MTE	C2-N3	2.67	1.40	1.35
4	A	702	MTE	C4-N3	2.63	1.37	1.33
4	B	702	MTE	O3'-C3'	-2.53	1.40	1.43
4	C	702	MTE	C2-N3	2.44	1.39	1.35
4	B	703	MTE	C6-N5	-2.43	1.41	1.45
4	B	702	MTE	C2-N3	2.40	1.39	1.35
4	D	703	MTE	C10-N1	2.39	1.39	1.34
4	B	702	MTE	C7-C6	-2.37	1.51	1.53
4	B	702	MTE	C10-N1	2.37	1.39	1.34
4	B	703	MTE	C7-C6	-2.32	1.51	1.53
9	B	707	4KX	P3D-O3D	2.28	1.63	1.59
4	A	703	MTE	C10-N1	2.27	1.38	1.34
4	D	704	MTE	C4-N3	2.24	1.36	1.33
4	D	703	MTE	O3'-C7	-2.21	1.40	1.43
4	C	702	MTE	C9-N5	2.15	1.42	1.38
4	A	702	MTE	O3'-C3'	-2.10	1.40	1.43
4	C	702	MTE	C2'-C1'	2.03	1.48	1.35
4	A	702	MTE	C2-N3	2.03	1.39	1.35
4	B	702	MTE	P-O1P	2.01	1.57	1.50

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	704	MTE	O3'-C7-N8	-7.88	100.46	108.57
4	B	703	MTE	C4-C9-C10	7.86	121.55	114.57
4	D	704	MTE	C4-C9-C10	7.65	121.37	114.57
4	A	702	MTE	C9-C10-N8	7.29	124.80	118.13
4	A	703	MTE	O3'-C7-N8	-7.00	101.37	108.57
4	C	703	MTE	C4-C9-C10	6.75	120.57	114.57
4	D	703	MTE	C9-C10-N8	6.67	124.23	118.13
4	C	702	MTE	O3'-C7-C6	6.47	113.28	108.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	703	MTE	C4-C9-N5	-6.37	113.77	119.12
4	B	703	MTE	O3'-C7-N8	-6.12	102.28	108.57
4	C	702	MTE	C4-C9-C10	5.89	119.80	114.57
9	C	707[B]	4KX	C5B-C4B-C3B	-5.86	111.30	122.99
9	C	707[A]	4KX	C5B-C4B-C3B	-5.81	111.39	122.99
4	A	703	MTE	C4-C9-N5	5.61	123.83	119.12
4	A	702	MTE	C4-C9-C10	5.58	119.52	114.57
9	B	707	4KX	C5B-C4B-C3B	-5.56	111.89	122.99
4	C	703	MTE	O3'-C7-N8	-5.47	102.95	108.57
4	D	703	MTE	C4-C9-C10	5.46	119.42	114.57
4	B	702	MTE	C4-C9-C10	5.44	119.40	114.57
4	D	703	MTE	C7-C6-C1'	-5.22	98.82	110.53
4	A	703	MTE	O3'-C7-C6	-5.19	105.50	108.96
4	A	703	MTE	C2-N1-C10	5.00	125.74	114.54
4	B	702	MTE	C9-C10-N8	4.85	122.57	118.13
4	D	704	MTE	C9-C10-N8	4.68	122.41	118.13
9	A	709	4KX	C5B-C4B-C3B	-4.65	113.70	122.99
4	A	703	MTE	C9-C10-N8	4.57	122.31	118.13
9	B	707	4KX	C2P-S1P-C1B	4.43	105.36	99.80
9	D	709	4KX	C5B-C4B-C3B	-4.35	114.31	122.99
4	A	703	MTE	C4-C9-C10	4.34	118.43	114.57
4	D	704	MTE	C4-C9-N5	4.33	122.75	119.12
4	D	704	MTE	O3'-C7-C6	4.18	111.75	108.96
4	C	702	MTE	O3'-C7-N8	-4.03	104.43	108.57
4	A	702	MTE	O3'-C7-N8	-3.97	104.48	108.57
4	D	703	MTE	C10-N8-C7	-3.92	115.98	123.67
4	C	702	MTE	O3P-P-O4'	3.89	117.08	106.73
4	C	702	MTE	C9-C10-N8	3.43	121.27	118.13
4	A	702	MTE	C7-C6-C1'	-3.35	103.03	110.53
4	B	702	MTE	C2-N1-C10	3.32	121.97	114.54
4	A	703	MTE	P-O4'-C4'	3.15	126.97	118.30
4	A	702	MTE	C4-N3-C2	3.04	120.75	115.93
9	C	707[A]	4KX	C5B-C6B-C7B	-2.99	112.52	119.32
9	C	707[B]	4KX	C5B-C6B-C7B	-2.98	112.53	119.32
9	B	707	4KX	C5B-C6B-C7B	-2.95	112.59	119.32
4	C	703	MTE	C4-N3-C2	2.90	120.54	115.93
4	C	703	MTE	O4'-P-O1P	2.85	114.48	106.47
4	D	704	MTE	O2P-P-O1P	-2.84	99.58	110.68
9	A	709	4KX	C5B-C6B-C7B	-2.83	112.87	119.32
9	A	709	4KX	O5A-P2A-O6A	2.81	120.80	107.75
4	A	703	MTE	N3-C2-N1	-2.77	121.07	125.42
4	C	703	MTE	C9-C4-N3	-2.75	116.19	124.01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	703	MTE	C9-C10-N8	2.74	120.64	118.13
9	D	709	4KX	C5B-C6B-C7B	-2.74	113.08	119.32
4	D	704	MTE	O2P-P-O4'	2.71	113.95	106.73
4	C	703	MTE	N3-C2-N1	-2.71	121.17	125.42
4	A	702	MTE	C9-C4-N3	-2.68	116.40	124.01
9	D	709	4KX	C2P-S1P-C1B	2.65	103.12	99.80
4	B	702	MTE	O2P-P-O4'	2.64	113.75	106.73
4	B	702	MTE	C10-N8-C7	-2.52	118.73	123.67
4	C	703	MTE	C2-N1-C10	2.48	120.11	114.54
4	D	704	MTE	C2-N1-C10	2.47	120.08	114.54
4	C	703	MTE	C10-N8-C7	-2.47	118.84	123.67
4	A	703	MTE	C7-C6-C1'	2.43	115.98	110.53
4	B	702	MTE	C4-C9-N5	2.42	121.15	119.12
9	C	707[B]	4KX	C5M-C6A-N6A	2.41	124.02	120.35
9	B	707	4KX	C5M-C6A-N6A	2.35	123.92	120.35
9	C	707[B]	4KX	C2P-S1P-C1B	2.35	102.75	99.80
4	D	703	MTE	O3'-C7-N8	-2.34	106.16	108.57
4	A	702	MTE	N2-C2-N1	2.29	120.81	117.25
9	D	709	4KX	C5M-C6A-N6A	2.28	123.82	120.35
4	A	703	MTE	N2-C2-N3	2.28	120.80	117.25
9	C	707[A]	4KX	C2P-S1P-C1B	2.24	102.61	99.80
4	B	703	MTE	O4'-P-O1P	2.23	112.73	106.47
4	C	702	MTE	O3P-P-O1P	-2.22	101.98	110.68
9	C	707[A]	4KX	C5M-C6A-N6A	2.20	123.70	120.35
9	D	709	4KX	O5D-P1A-O2A	2.15	117.49	109.07
9	A	709	4KX	C5M-C6A-N6A	2.15	123.62	120.35
4	B	702	MTE	N3-C2-N1	-2.10	122.12	125.42
4	D	704	MTE	O3P-P-O2P	2.10	115.66	107.64
4	B	702	MTE	O4'-P-O1P	2.10	112.36	106.47
4	A	702	MTE	C4-C9-N5	2.09	120.88	119.12
4	A	702	MTE	C9-N5-C6	-2.07	112.50	120.00
4	D	703	MTE	C2-N1-C10	2.06	119.16	114.54
4	B	703	MTE	C10-N8-C7	-2.03	119.69	123.67

There are no chirality outliers.

All (55) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	703	MTE	C4'-O4'-P-O2P
4	B	703	MTE	C4'-O4'-P-O3P
9	D	709	4KX	C3D-O3D-P3D-O9A
9	B	707	4KX	N8P-C9P-CAP-OAP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	C	707[B]	4KX	C5D-O5D-P1A-O1A
9	C	707[B]	4KX	CCP-O6A-P2A-O4A
9	C	707[B]	4KX	CCP-O6A-P2A-O5A
9	C	707[B]	4KX	N4P-C5P-C6P-C7P
9	C	707[B]	4KX	O5P-C5P-C6P-C7P
9	C	707[B]	4KX	CBP-CCP-O6A-P2A
9	C	707[B]	4KX	N8P-C9P-CAP-CBP
9	C	707[B]	4KX	O9P-C9P-CAP-CBP
9	C	707[B]	4KX	CAP-CBP-CCP-O6A
8	A	707	PGE	O2-C3-C4-O3
10	D	708	PG4	O1-C1-C2-O2
8	A	708	PGE	O3-C5-C6-O4
8	D	707	PGE	O1-C1-C2-O2
8	A	708	PGE	O1-C1-C2-O2
9	C	707[B]	4KX	CDP-CBP-CCP-O6A
9	C	707[B]	4KX	CEP-CBP-CCP-O6A
10	D	708	PG4	O2-C3-C4-O3
10	D	708	PG4	C4-C3-O2-C2
9	B	707	4KX	O9P-C9P-CAP-OAP
9	C	707[B]	4KX	C2D-C3D-O3D-P3D
9	B	707	4KX	N4P-C5P-C6P-C7P
8	A	707	PGE	O1-C1-C2-O2
9	C	707[B]	4KX	C4D-C3D-O3D-P3D
9	C	707[B]	4KX	N8P-C9P-CAP-OAP
8	A	708	PGE	C6-C5-O3-C4
8	A	708	PGE	C3-C4-O3-C5
8	D	707	PGE	C6-C5-O3-C4
9	B	707	4KX	O5P-C5P-C6P-C7P
8	A	708	PGE	C1-C2-O2-C3
9	A	709	4KX	C3D-O3D-P3D-O9A
9	D	709	4KX	C5D-O5D-P1A-O3A
9	C	707[B]	4KX	C3D-O3D-P3D-O8A
9	C	707[B]	4KX	C5D-O5D-P1A-O2A
10	D	708	PG4	C6-C5-O3-C4
9	D	709	4KX	O5P-C5P-C6P-C7P
4	A	702	MTE	C4'-O4'-P-O1P
9	D	709	4KX	N4P-C5P-C6P-C7P
10	D	708	PG4	C5-C6-O4-C7
8	A	707	PGE	C6-C5-O3-C4
9	C	707[B]	4KX	C2P-C3P-N4P-C5P
9	B	707	4KX	C3D-O3D-P3D-O8A
9	C	707[B]	4KX	C5D-O5D-P1A-O3A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	C	707[B]	4KX	CCP-O6A-P2A-O3A
9	C	707[A]	4KX	C3D-O3D-P3D-O8A
9	C	707[B]	4KX	P2A-O3A-P1A-O1A
9	C	707[B]	4KX	C4D-C5D-O5D-P1A
9	C	707[B]	4KX	O4D-C4D-C5D-O5D
10	D	708	PG4	C8-C7-O4-C6
9	C	707[A]	4KX	O5P-C5P-C6P-C7P
9	A	709	4KX	N4P-C5P-C6P-C7P
9	C	707[A]	4KX	N4P-C5P-C6P-C7P


There are no ring outliers.



17 monomers are involved in 40 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	709	4KX	4	0
3	H	1003	SF4	2	0
4	C	703	MTE	1	0
4	B	703	MTE	3	0
3	A	701	SF4	1	0
9	D	709	4KX	4	0
10	D	708	PG4	1	0
9	C	707[B]	4KX	5	0
3	F	1002	SF4	1	0
8	D	707	PGE	1	0
9	C	707[A]	4KX	4	0
3	H	1002	SF4	1	0
4	D	703	MTE	2	0
4	B	702	MTE	2	0
4	A	702	MTE	2	0
8	A	708	PGE	2	0
9	B	707	4KX	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














Ligand 4KX C 707 (A)



Ligand MTE D 703







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	653/653 (100%)	-0.18	2 (0%) 94 93	27, 45, 73, 123	0
1	B	653/653 (100%)	0.80	98 (15%) 2 2	36, 82, 128, 169	0
1	C	653/653 (100%)	-0.22	2 (0%) 94 93	31, 48, 80, 136	0
1	D	652/653 (99%)	-0.29	0 100 100	26, 48, 75, 99	0
2	E	166/179 (92%)	-0.23	4 (2%) 59 57	31, 43, 77, 140	0
2	F	170/179 (94%)	-0.32	0 100 100	30, 42, 68, 86	0
2	G	169/179 (94%)	-0.18	0 100 100	31, 46, 99, 130	0
2	H	161/179 (89%)	-0.30	2 (1%) 79 79	30, 46, 99, 116	0
All	All	3277/3328 (98%)	-0.03	108 (3%) 46 44	26, 50, 101, 169	0

All (108) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	377	PHE	8.3
1	B	416	ILE	7.6
1	B	366	LEU	7.2
1	B	405	LEU	6.8
2	E	143	PRO	6.6
1	B	653	GLY	6.4
1	B	369	LYS	5.8
1	B	371	ILE	5.7
1	B	423	TYR	5.6
1	B	380	LEU	5.5
1	B	511	VAL	5.4
1	B	394	LYS	5.3
1	B	285	TRP	5.3
1	B	418	ASN	5.1
1	B	372	LEU	4.9
1	B	323	PHE	4.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	502	GLU	4.7
1	B	607	LEU	4.7
1	B	357	PRO	4.6
1	C	653	GLY	4.5
1	B	421	GLU	4.5
1	B	434	LEU	4.3
1	B	390	TYR	4.2
1	B	392	LEU	4.1
1	B	388	PHE	4.1
2	E	6	LYS	3.8
1	B	652	ALA	3.8
1	B	381	PRO	3.8
1	B	364	PHE	3.8
1	B	264	PHE	3.7
1	B	363	ALA	3.5
1	B	313	GLU	3.5
2	E	144	ASP	3.5
1	B	438	LEU	3.4
1	B	255	HIS	3.4
1	B	136	SER	3.4
1	B	401	ILE	3.4
1	B	441	LEU	3.4
1	B	315	LEU	3.4
1	B	396	VAL	3.4
1	B	370	GLY	3.3
1	B	258	LYS	3.3
1	B	497	TRP	3.3
1	B	611	LEU	3.2
1	B	373	LYS	3.1
1	B	355	SER	3.1
1	B	367	LEU	3.1
1	B	604	PHE	3.1
1	B	362	PHE	3.0
1	B	417	GLY	3.0
1	A	653	GLY	3.0
1	B	508	PHE	3.0
1	B	419	GLY	3.0
1	B	375	SER	3.0
1	B	650	LEU	2.9
1	A	419	GLY	2.9
1	B	506	PRO	2.8
1	B	376	ASP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	336	LEU	2.8
1	B	591	VAL	2.7
1	B	289	MET	2.7
1	B	382	GLU	2.7
1	B	292	ALA	2.6
1	B	597	ALA	2.6
1	C	652	ALA	2.6
1	B	153	GLU	2.6
1	B	471	LYS	2.6
1	B	241	PRO	2.6
1	B	601	LYS	2.6
1	B	276	PHE	2.6
1	B	138	LEU	2.6
1	B	243	LEU	2.6
1	B	327	THR	2.6
1	B	166	LYS	2.5
1	B	236	ILE	2.5
1	B	277	TRP	2.5
1	B	399	ASP	2.5
1	B	395	ILE	2.5
1	B	498	GLU	2.5
1	B	600	TRP	2.4
1	B	288	THR	2.4
1	B	469	TYR	2.4
1	B	267	GLY	2.4
1	B	328	TYR	2.4
1	B	338	PHE	2.4
1	B	596	PRO	2.4
2	H	169	ALA	2.3
1	B	651	SER	2.3
1	B	404	ILE	2.3
1	B	274	LYS	2.3
1	B	500	ARG	2.3
1	B	507	ASN	2.2
1	B	503	LYS	2.2
1	B	331	ALA	2.2
2	H	168	VAL	2.2
1	B	354	PHE	2.1
1	B	359	VAL	2.1
1	B	379	GLY	2.1
1	B	383	GLY	2.1
1	B	472	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	412	ALA	2.1
1	B	283	HIS	2.1
1	B	256	ASP	2.1
1	B	402	GLY	2.1
1	B	259	TRP	2.1
1	B	173	PHE	2.0
2	E	148	LYS	2.0
1	B	428	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	PGE	A	707	10/10	0.69	0.14	70,92,111,112	0
9	4KX	B	707	56/56	0.79	0.19	65,100,129,156	56
9	4KX	C	707[B]	56/56	0.80	0.20	42,68,80,84	56
9	4KX	C	707[A]	56/56	0.80	0.20	57,67,87,90	56
8	PGE	D	707	10/10	0.85	0.11	64,80,91,102	0
10	PG4	D	708	13/13	0.85	0.12	51,66,80,81	0
8	PGE	A	708	10/10	0.87	0.10	48,66,84,85	0
7	UNL	C	705	1/-	0.89	0.44	46,46,46,46	0
6	MG	B	706	1/1	0.90	0.10	44,44,44,44	0
4	MTE	B	702	24/24	0.91	0.11	34,49,58,86	0
7	UNL	A	706	1/-	0.93	0.39	33,33,33,33	0
7	UNL	D	701	1/-	0.94	0.32	32,32,32,32	0
4	MTE	B	703	24/24	0.94	0.11	38,52,64,74	0
9	4KX	A	709	56/56	0.94	0.11	27,40,81,100	56
4	MTE	C	703	24/24	0.95	0.09	29,37,42,44	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
9	4KX	D	709	56/56	0.95	0.09	29,41,64,81	0
6	MG	C	704	1/1	0.96	0.13	33,33,33,33	0
7	UNL	B	705	1/-	0.96	0.29	30,30,30,30	0
6	MG	A	705	1/1	0.97	0.07	28,28,28,28	0
4	MTE	D	704	24/24	0.97	0.09	21,31,36,37	0
3	SF4	A	701	8/8	0.97	0.10	25,31,34,38	0
4	MTE	A	703	24/24	0.97	0.10	19,29,32,35	0
3	SF4	B	701	8/8	0.97	0.06	39,46,46,56	0
5	W	B	704	1/1	0.97	0.06	58,58,58,58	0
3	SF4	H	1002	8/8	0.98	0.11	39,41,44,46	0
3	SF4	F	1001	8/8	0.98	0.11	29,34,36,37	0
3	SF4	H	1003	8/8	0.98	0.11	39,41,41,42	0
4	MTE	A	702	24/24	0.98	0.11	16,27,33,35	0
3	SF4	C	701	8/8	0.98	0.10	30,34,41,45	0
3	SF4	E	1002	8/8	0.98	0.11	36,37,39,40	0
3	SF4	D	702	8/8	0.98	0.10	28,31,37,39	0
3	SF4	G	1002	8/8	0.98	0.12	33,37,38,39	0
6	MG	D	706	1/1	0.98	0.10	32,32,32,32	0
4	MTE	C	702	24/24	0.98	0.12	28,34,37,38	0
4	MTE	D	703	24/24	0.98	0.09	24,29,32,33	0
3	SF4	G	1003	8/8	0.99	0.11	39,41,42,44	0
3	SF4	G	1001	8/8	0.99	0.13	33,36,38,40	0
3	SF4	E	1001	8/8	0.99	0.11	32,34,36,37	0
3	SF4	F	1003	8/8	0.99	0.11	29,36,39,39	0
3	SF4	H	1001	8/8	0.99	0.12	30,33,35,36	0
3	SF4	F	1002	8/8	0.99	0.13	30,31,33,33	0
5	W	C	706	1/1	0.99	0.16	44,44,44,44	0
3	SF4	E	1003	8/8	0.99	0.11	34,34,36,36	0
5	W	A	704	1/1	1.00	0.16	33,33,33,33	0
5	W	D	705	1/1	1.00	0.17	35,35,35,35	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 4KX B 707:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 4KX C 707 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4KX C 707 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MTE B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MTE B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4KX A 709:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MTE C 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4KX D 709:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MTE D 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MTE A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MTE A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MTE C 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MTE D 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.