



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 10:27 am BST

PDB ID : 1Z7G
Title : Free human HGPRT
Authors : Keough, D.T.; Brereton, I.M.; de Jersey, J.; Guddat, L.W.
Deposited on : 2005-03-24
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	217	<div> <div>10%</div> <div> <div></div> <div>72%</div> <div>17%</div> <div>•</div> <div>8%</div> </div> </div>
1	B	217	<div> <div>8%</div> <div> <div></div> <div>78%</div> <div>14%</div> <div>8%</div> </div> </div>
1	C	217	<div> <div>3%</div> <div> <div></div> <div>80%</div> <div>13%</div> <div>•</div> <div>6%</div> </div> </div>
1	D	217	<div> <div>8%</div> <div> <div></div> <div>80%</div> <div>12%</div> <div>•</div> <div>7%</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6777 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hypoxanthine-guanine phosphoribosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	199	Total	C	N	O	S	0	0	0
			1558	1002	259	290	7			
1	B	199	Total	C	N	O	S	0	0	0
			1560	1005	260	288	7			
1	C	204	Total	C	N	O	S	0	0	0
			1590	1023	263	297	7			
1	D	202	Total	C	N	O	S	0	0	0
			1565	1008	259	291	7			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	105	Total	O	0	0
			105	105		
2	B	133	Total	O	0	0
			133	133		
2	C	137	Total	O	0	0
			137	137		
2	D	129	Total	O	0	0
			129	129		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase




- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase





- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase



- Molecule 1: Hypoxanthine-guanine phosphoribosyltransferase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	149.57Å 51.80Å 117.52Å 90.00° 105.80° 90.00°	Depositor
Resolution (Å)	46.30 – 1.90 35.20 – 1.90	Depositor EDS
% Data completeness (in resolution range)	95.3 (46.30-1.90) 93.2 (35.20-1.90)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 1.89Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.213 , 0.254 0.213 , 0.253	Depositor DCC
R_{free} test set	6666 reflections (10.13%)	wwPDB-VP
Wilson B-factor (Å ²)	27.2	Xtriage
Anisotropy	0.306	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 55.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6777	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/1587	0.53	0/2148
1	B	0.31	0/1590	0.55	0/2152
1	C	0.32	0/1621	0.57	0/2195
1	D	0.33	0/1594	0.56	0/2158
All	All	0.32	0/6392	0.55	0/8653

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1558	0	1536	36	0
1	B	1560	0	1552	18	0
1	C	1590	0	1578	25	0
1	D	1565	0	1540	22	0
2	A	105	0	0	1	0
2	B	133	0	0	1	0
2	C	137	0	0	5	0
2	D	129	0	0	1	0
All	All	6777	0	6206	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:38:HIS:H	1:B:203:HIS:HD2	1.09	0.95
1:A:38:HIS:H	1:A:203:HIS:HD2	1.19	0.91
1:C:38:HIS:H	1:C:203:HIS:HD2	1.13	0.89
1:D:38:HIS:H	1:D:203:HIS:HD2	1.16	0.87
1:C:142:MET:HE1	1:C:145:LEU:HD23	1.57	0.85
1:D:38:HIS:H	1:D:203:HIS:CD2	2.03	0.76
1:B:38:HIS:H	1:B:203:HIS:CD2	2.01	0.75
1:A:38:HIS:H	1:A:203:HIS:CD2	2.05	0.74
1:C:38:HIS:H	1:C:203:HIS:CD2	2.03	0.72
1:A:50:ARG:HH11	1:A:50:ARG:HG3	1.53	0.72
1:C:135:ILE:HD13	1:C:136:ILE:N	2.06	0.70
1:A:182:ILE:HD13	1:A:182:ILE:H	1.57	0.69
1:A:142:MET:HE1	1:A:145:LEU:HD23	1.78	0.65
1:A:35:PHE:O	1:A:36:ILE:HD13	1.97	0.65
1:D:4:SER:HB2	2:D:2547:HOH:O	1.98	0.63
1:B:8:VAL:HG13	1:B:166:ARG:HH21	1.64	0.61
1:A:182:ILE:HB	1:A:183:PRO:HD2	1.86	0.57
1:A:50:ARG:NH1	1:A:50:ARG:HG3	2.20	0.57
1:C:29:GLU:HG3	2:C:2024:HOH:O	2.05	0.55
1:C:135:ILE:C	1:C:135:ILE:HD13	2.27	0.55
1:A:72:LYS:HA	1:A:72:LYS:HE2	1.89	0.55
1:D:128:ASN:OD1	1:D:156:MET:HG2	2.06	0.55
1:A:32:GLU:HG2	1:A:33:ARG:HG2	1.89	0.54
1:D:11:ASP:OD1	1:D:183:PRO:HB3	2.08	0.54
1:A:22:CYS:CB	1:B:50:ARG:HE	2.21	0.54
1:B:128:ASN:OD1	1:B:156:MET:HG2	2.07	0.53
1:D:136:ILE:HG13	1:D:175:PRO:HG3	1.91	0.53
1:D:182:ILE:HB	1:D:183:PRO:HD2	1.90	0.53
1:D:182:ILE:HD13	1:D:182:ILE:H	1.72	0.53
1:D:135:ILE:HD13	1:D:136:ILE:N	2.24	0.53
1:C:68:LYS:HE3	1:C:133:GLU:OE1	2.09	0.52
1:D:49:ALA:HA	1:D:81:ILE:HD11	1.92	0.52
1:D:49:ALA:HB1	1:D:81:ILE:HD13	1.91	0.51
1:A:116:ILE:HD12	1:A:116:ILE:N	2.26	0.51
1:D:131:ILE:HB	1:D:159:VAL:HG22	1.93	0.51
1:A:72:LYS:HD2	2:A:2447:HOH:O	2.10	0.51
1:D:139:GLY:HA2	1:D:173:TYR:HB2	1.93	0.51
1:A:147:SER:O	1:A:151:GLN:HG3	2.12	0.51
1:D:50:ARG:CB	1:D:50:ARG:HH11	2.24	0.51
1:C:144:THR:HG21	2:C:2536:HOH:O	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:136:ILE:HD13	1:D:137:ASP:N	2.27	0.50
1:A:120:ASP:OD2	1:A:122:SER:HB2	2.10	0.50
1:C:29:GLU:HA	2:C:2451:HOH:O	2.11	0.50
1:D:142:MET:HE1	1:D:145:LEU:HD23	1.93	0.50
1:A:153:ASN:N	1:A:154:PRO:HD3	2.27	0.49
1:A:35:PHE:HE2	1:A:183:PRO:HD2	1.77	0.49
1:B:78:LEU:O	1:B:82:LYS:HG3	2.12	0.49
1:A:16:TYR:O	1:A:33:ARG:HB2	2.13	0.49
1:C:62:VAL:HG12	1:C:64:LEU:HD13	1.95	0.48
1:A:207:ILE:HD13	1:A:212:LYS:HG2	1.95	0.48
1:C:212:LYS:NZ	1:C:212:LYS:HB2	2.28	0.48
1:A:136:ILE:HD12	1:A:175:PRO:HG3	1.94	0.48
1:B:41:ILE:HD11	1:B:204:VAL:HG23	1.94	0.48
1:A:149:VAL:HG12	1:A:154:PRO:HG2	1.96	0.47
1:B:124:LEU:HD13	1:B:154:PRO:HB3	1.97	0.47
1:B:124:LEU:HD11	1:B:152:TYR:HB2	1.97	0.47
1:A:197:TYR:O	1:A:198:PHE:HB2	2.15	0.46
1:C:9:ILE:HD12	1:C:182:ILE:HG22	1.96	0.46
1:A:65:CYS:O	1:A:99:ILE:HD13	2.16	0.45
1:B:214:LYS:HD2	1:B:215:TYR:CZ	2.51	0.45
1:D:18:LEU:HD22	1:D:23:ILE:HD13	1.98	0.45
1:D:173:TYR:O	1:D:175:PRO:HD3	2.17	0.45
1:A:35:PHE:CE2	1:A:183:PRO:HD2	2.52	0.45
1:B:173:TYR:O	1:B:175:PRO:HD3	2.16	0.45
1:C:50:ARG:HG3	2:C:2294:HOH:O	2.17	0.45
1:A:121:LEU:H	1:A:121:LEU:HD22	1.82	0.45
1:C:197:TYR:O	1:C:198:PHE:HB2	2.17	0.44
1:C:32:GLU:C	1:C:33:ARG:HG2	2.38	0.44
1:B:197:TYR:O	1:B:198:PHE:HB2	2.17	0.44
1:B:50:ARG:HG3	2:B:2426:HOH:O	2.16	0.44
1:A:173:TYR:O	1:A:175:PRO:HD3	2.18	0.44
1:C:136:ILE:HD13	1:C:161:SER:OG	2.18	0.44
1:A:142:MET:HE3	1:A:142:MET:O	2.18	0.44
1:C:171:VAL:HG12	1:C:171:VAL:O	2.17	0.44
1:A:121:LEU:N	1:A:121:LEU:HD22	2.33	0.43
1:C:41:ILE:HD13	1:C:180:PHE:CE1	2.53	0.43
1:A:135:ILE:HD12	1:A:163:LEU:O	2.18	0.43
1:B:146:LEU:O	1:B:150:ARG:HG3	2.18	0.43
1:A:156:MET:HE2	1:A:158:LYS:HE2	2.01	0.43
1:A:121:LEU:HD12	1:A:124:LEU:HD11	2.00	0.43
1:C:102:LYS:CB	1:C:114:LYS:HE2	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:62:VAL:HG12	1:A:64:LEU:HD13	2.01	0.43
1:B:133:GLU:O	1:B:161:SER:HA	2.18	0.43
1:C:72:LYS:HA	1:C:72:LYS:HD2	1.81	0.43
1:D:136:ILE:HD13	1:D:137:ASP:H	1.84	0.42
1:C:50:ARG:NH1	2:C:2294:HOH:O	2.52	0.42
1:D:197:TYR:O	1:D:198:PHE:HB2	2.19	0.42
1:D:121:LEU:HD22	1:D:121:LEU:N	2.33	0.42
1:B:50:ARG:NH1	1:B:84:LEU:HD11	2.34	0.42
1:C:114:LYS:HE2	1:C:114:LYS:HB2	1.85	0.42
1:B:11:ASP:OD2	1:B:183:PRO:HB3	2.19	0.42
1:D:135:ILE:HG23	1:D:135:ILE:O	2.19	0.42
1:A:99:ILE:HD13	1:A:99:ILE:H	1.85	0.41
1:A:38:HIS:N	1:A:203:HIS:HD2	2.01	0.41
1:C:131:ILE:HG21	1:C:142:MET:HE1	2.02	0.41
1:C:135:ILE:HD13	1:C:136:ILE:C	2.40	0.41
1:A:41:ILE:HD11	1:A:204:VAL:HG23	2.03	0.41
1:A:46:GLU:HG3	1:A:50:ARG:HH12	1.86	0.40
1:C:167:THR:C	1:C:169:ARG:H	2.24	0.40
1:B:150:ARG:HG2	1:B:150:ARG:HH11	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	193/217 (89%)	188 (97%)	5 (3%)	0	100	100
1	B	193/217 (89%)	184 (95%)	8 (4%)	1 (0%)	29	18
1	C	200/217 (92%)	191 (96%)	9 (4%)	0	100	100
1	D	194/217 (89%)	189 (97%)	5 (3%)	0	100	100
All	All	780/868 (90%)	752 (96%)	27 (4%)	1 (0%)	51	43

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	169	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/191 (87%)	161 (96%)	6 (4%)	35	26
1	B	169/191 (88%)	167 (99%)	2 (1%)	71	70
1	C	172/191 (90%)	169 (98%)	3 (2%)	60	57
1	D	167/191 (87%)	160 (96%)	7 (4%)	30	20
All	All	675/764 (88%)	657 (97%)	18 (3%)	44	38

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	PHE
1	A	64	LEU
1	A	72	LYS
1	A	99	ILE
1	A	120	ASP
1	A	182	ILE
1	B	64	LEU
1	B	186	PHE
1	C	64	LEU
1	C	135	ILE
1	C	186	PHE
1	D	13	GLU
1	D	35	PHE
1	D	50	ARG
1	D	135	ILE
1	D	136	ILE
1	D	182	ILE
1	D	186	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	HIS
1	A	60	HIS
1	A	128	ASN
1	A	153	ASN
1	A	203	HIS
1	B	26	HIS
1	B	153	ASN
1	B	203	HIS
1	C	151	GLN
1	C	195	ASN
1	C	203	HIS
1	D	25	ASN
1	D	26	HIS
1	D	153	ASN
1	D	203	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	199/217 (91%)	0.63	22 (11%) 5 6	19, 33, 59, 70	0
1	B	199/217 (91%)	0.34	17 (8%) 10 12	17, 30, 59, 72	0
1	C	204/217 (94%)	0.07	6 (2%) 51 54	17, 27, 53, 62	0
1	D	202/217 (93%)	0.51	17 (8%) 11 12	18, 29, 58, 83	0
All	All	804/868 (92%)	0.39	62 (7%) 13 15	17, 30, 58, 83	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	171	VAL	7.7
1	A	113	ILE	7.6
1	C	137	ASP	7.4
1	B	170	SER	7.1
1	D	168	PRO	7.1
1	A	138	THR	6.5
1	B	169	ARG	6.3
1	A	101	LEU	6.2
1	D	169	ARG	5.7
1	A	137	ASP	5.2
1	B	168	PRO	5.1
1	A	139	GLY	4.9
1	D	167	THR	4.9
1	D	143	GLN	4.4
1	C	116	ILE	4.1
1	D	103	SER	4.1
1	D	112	ASP	3.8
1	A	136	ILE	3.7
1	C	114	LYS	3.4
1	A	118	GLY	3.3
1	B	138	THR	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	186	PHE	3.2
1	C	138	THR	3.2
1	D	123	THR	3.2
1	B	152	TYR	3.2
1	A	141	THR	3.2
1	B	123	THR	3.1
1	A	217	ALA	3.0
1	B	137	ASP	3.0
1	A	167	THR	2.8
1	B	167	THR	2.8
1	A	12	ASP	2.8
1	B	139	GLY	2.8
1	D	117	GLY	2.7
1	D	136	ILE	2.6
1	D	5	PRO	2.6
1	D	122	SER	2.6
1	B	114	LYS	2.5
1	D	172	GLY	2.5
1	D	116	ILE	2.5
1	A	59	HIS	2.5
1	A	144	THR	2.4
1	B	4	SER	2.4
1	A	140	LYS	2.4
1	D	217	ALA	2.3
1	B	140	LYS	2.3
1	B	116	ILE	2.3
1	A	173	TYR	2.2
1	C	102	LYS	2.2
1	A	120	ASP	2.2
1	A	116	ILE	2.2
1	B	143	GLN	2.2
1	D	186	PHE	2.2
1	C	144	THR	2.1
1	A	63	ALA	2.1
1	B	59	HIS	2.1
1	A	57	GLY	2.1
1	B	124	LEU	2.1
1	D	111	GLY	2.1
1	A	115	VAL	2.1
1	D	113	ILE	2.1
1	A	119	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.