



# Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 04:27 am BST

PDB ID : 5Z70  
Title : Crystal structure of oleate hydratase from *Stenotrophomonas* sp. KCTC 12332  
Authors : Park, A.K.  
Deposited on : 2018-01-26  
Resolution : 2.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2307 (2.94-2.90)
Clashscore	141614	2531 (2.94-2.90)
Ramachandran outliers	138981	2462 (2.94-2.90)
Sidechain outliers	138945	2464 (2.94-2.90)
RSRZ outliers	127900	2248 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	605	<div> <div>6%</div> <div> <div></div> <div>68%</div> <div>19%</div> <div>•</div> <div>10%</div> </div> </div>
1	B	605	<div> <div>%</div> <div> <div></div> <div>67%</div> <div>19%</div> <div>•</div> <div>11%</div> </div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8606 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Oleate hydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	543	Total	C	N	O	S	0	0	0
			4316	2754	732	809	21			
1	B	538	Total	C	N	O	S	0	0	0
			4283	2733	727	802	21			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	O	0	0
			3	3		
2	B	4	Total	O	0	0
			4	4		


### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Oleate hydratase



#### • Molecule 1: Oleate hydratase





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	62.06Å 235.25Å 176.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.83 – 2.91 49.61 – 2.91	Depositor EDS
% Data completeness (in resolution range)	99.5 (35.83-2.91) 99.5 (49.61-2.91)	Depositor EDS
$R_{merge}$	0.26	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.86 (at 2.91Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
R, $R_{free}$	0.227 , 0.290 0.226 , 0.289	Depositor DCC
$R_{free}$ test set	1514 reflections (5.26%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	74.6	Xtriage
Anisotropy	0.445	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 35.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	8606	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.26	0/4421	0.52	0/6003
1	B	0.29	0/4386	0.52	3/5954 (0.1%)
All	All	0.28	0/8807	0.52	3/11957 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	109	GLY	N-CA-C	-5.86	98.44	113.10
1	B	435	THR	C-N-CA	-5.17	108.78	121.70
1	B	117	TYR	CA-CB-CG	5.02	122.93	113.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	51	GLU	Peptide
1	B	430	GLN	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4316	0	4226	68	0
1	B	4283	0	4189	77	0
2	A	3	0	0	0	0
2	B	4	0	0	0	0
All	All	8606	0	8415	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:234:ARG:NH2	1:A:541:GLU:OE2	2.08	0.87
1:A:90:THR:HB	1:A:91:PRO:HD3	1.56	0.87
1:A:300:LYS:NZ	1:A:305:ASP:OD1	2.11	0.84
1:B:607:PRO:HB2	1:B:608:PRO:HD2	1.67	0.76
1:A:332:LEU:HA	1:A:466:GLY:HA3	1.68	0.75
1:B:310:ILE:HG23	1:B:314:ASP:HB2	1.68	0.75
1:B:88:VAL:HA	1:B:276:PHE:HB3	1.69	0.75
1:B:455:ASN:N	1:B:472:GLU:OE2	2.20	0.73
1:B:99:GLY:HA2	1:B:106:LEU:H	1.56	0.71
1:A:516:VAL:HG21	1:A:553:THR:HG21	1.73	0.70
1:A:156:ARG:HH22	1:A:215:SER:HB2	1.57	0.70
1:B:579:ARG:NH1	1:B:607:PRO:HG2	2.07	0.69
1:B:378:MET:HB2	1:B:498:PRO:HA	1.75	0.69
1:A:470:LEU:HD21	1:A:492:VAL:HG11	1.76	0.67
1:A:62:ILE:HG21	1:A:540:MET:HG3	1.78	0.66
1:B:345:PRO:HD2	1:B:349:SER:HB2	1.78	0.65
1:B:234:ARG:NH2	1:B:541:GLU:OE2	2.30	0.65
1:B:579:ARG:NH1	1:B:590:GLU:OE2	2.31	0.63
1:B:117:TYR:HD2	1:B:117:TYR:H	1.46	0.63
1:B:193:ASP:OD1	1:B:369:LYS:NZ	2.30	0.63
1:B:332:LEU:HA	1:B:466:GLY:HA3	1.81	0.63
1:B:117:TYR:HB3	1:B:120:PHE:HB3	1.81	0.62
1:B:364:PHE:HA	1:B:513:PRO:HB3	1.81	0.62

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:335:ALA:HA	1:A:465:THR:HG21	1.82	0.61
1:A:380:GLU:OE2	1:A:494:LEU:HD23	2.01	0.61
1:B:261:VAL:HG22	1:B:262:PRO:HD3	1.82	0.61
1:A:188:LYS:HE3	1:A:229:LYS:HD3	1.81	0.60
1:B:191:LEU:HA	1:B:194:ILE:HD12	1.82	0.59
1:A:191:LEU:HA	1:A:194:ILE:HD12	1.85	0.59
1:B:53:ARG:NH1	1:B:313:LYS:O	2.36	0.58
1:B:607:PRO:HB2	1:B:608:PRO:CD	2.33	0.58
1:B:53:ARG:NH1	1:B:315:VAL:HG13	2.19	0.58
1:A:378:MET:HB2	1:A:498:PRO:HA	1.86	0.57
1:A:395:LEU:HA	1:A:398:LEU:HD12	1.86	0.57
1:B:87:ALA:O	1:B:88:VAL:HG12	2.03	0.57
1:A:54:LYS:HA	1:A:81:ASP:HB3	1.86	0.56
1:A:475:TYR:HA	1:A:480:VAL:HB	1.86	0.56
1:A:193:ASP:OD1	1:A:369:LYS:NZ	2.38	0.56
1:B:60:SER:HB3	1:B:86:ASP:OD2	2.06	0.56
1:B:503:GLN:HB2	1:B:536:ILE:HD12	1.87	0.56
1:B:49:GLN:HG3	1:B:50:VAL:HG23	1.89	0.55
1:A:575:ILE:HD13	1:A:606:LEU:HD23	1.88	0.55
1:A:124:PHE:HB3	1:A:138:VAL:HG12	1.88	0.55
1:A:389:SER:H	1:A:392:THR:HG22	1.70	0.55
1:A:115:TRP:CZ2	1:A:117:TYR:HB3	2.42	0.54
1:A:331:ASP:HA	1:A:494:LEU:HD13	1.90	0.54
1:B:422:VAL:HB	1:B:448:LEU:HB2	1.89	0.54
1:B:172:LEU:HD22	1:B:176:HIS:HB3	1.88	0.54
1:B:594:HIS:CD2	1:B:606:LEU:HD13	2.43	0.53
1:B:264:VAL:O	1:B:266:TYR:N	2.36	0.53
1:B:177:GLN:NE2	1:B:582:ASN:HA	2.22	0.53
1:A:466:GLY:HA2	1:A:492:VAL:HG21	1.91	0.53
1:A:196:ILE:HG21	1:A:210:TRP:CZ2	2.43	0.52
1:A:325:GLU:OE1	1:A:349:SER:HB2	2.09	0.52
1:B:104:GLY:O	1:B:385:THR:OG1	2.16	0.52
1:A:256:TYR:HA	1:A:260:VAL:HG13	1.92	0.52
1:A:512:ARG:HH12	1:A:536:ILE:HG12	1.74	0.52
1:B:354:TRP:CD2	1:B:367:PRO:HB3	2.46	0.51
1:B:112:GLU:OE1	1:B:112:GLU:N	2.44	0.51
1:A:406:GLY:HA2	1:A:430:GLN:O	2.11	0.51
1:A:83:THR:HG22	1:A:273:ASN:HB2	1.93	0.50
1:A:98:SER:OG	1:A:108:ARG:NH2	2.44	0.50
1:A:175:ALA:O	1:A:179:GLU:HG3	2.12	0.50
1:A:173:SER:OG	1:A:174:SER:N	2.44	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:HIS:O	1:A:568:GLN:HB3	2.12	0.50
1:B:196:ILE:HG21	1:B:210:TRP:CZ2	2.47	0.49
1:A:382:ALA:HB3	1:A:445:VAL:HG12	1.95	0.49
1:B:425:PHE:HB2	1:B:445:VAL:HG22	1.94	0.49
1:A:143:ARG:O	1:A:147:ASP:HB2	2.12	0.49
1:B:106:LEU:HD21	1:B:329:TYR:CE1	2.47	0.49
1:B:311:GLY:O	1:B:313:LYS:N	2.40	0.48
1:A:232:MET:O	1:A:236:LEU:HG	2.13	0.48
1:B:335:ALA:HB2	1:B:465:THR:HG22	1.94	0.48
1:B:236:LEU:HD22	1:B:577:GLY:HA3	1.95	0.48
1:A:409:VAL:HG13	1:A:427:CYS:O	2.14	0.48
1:A:335:ALA:CA	1:A:465:THR:HG21	2.43	0.48
1:A:380:GLU:HB2	1:A:496:LEU:HD13	1.95	0.47
1:A:86:ASP:OD1	1:A:87:ALA:N	2.46	0.47
1:B:117:TYR:O	1:B:119:HIS:N	2.44	0.47
1:B:189:GLU:OE2	1:B:189:GLU:N	2.41	0.47
1:A:58:ILE:HB	1:A:318:ALA:HA	1.96	0.47
1:B:117:TYR:CD2	1:B:117:TYR:N	2.82	0.47
1:B:117:TYR:HB2	1:B:118:ASP:H	1.53	0.47
1:B:235:PHE:O	1:B:239:ILE:HG23	2.14	0.47
1:A:251:PRO:HB3	1:A:259:PHE:CZ	2.49	0.47
1:A:90:THR:HB	1:A:91:PRO:CD	2.36	0.47
1:B:283:LEU:HD23	1:B:297:ILE:HG12	1.96	0.47
1:B:54:LYS:HA	1:B:81:ASP:HB3	1.96	0.47
1:B:378:MET:CB	1:B:498:PRO:HA	2.44	0.46
1:A:425:PHE:HB3	1:A:445:VAL:HG23	1.98	0.46
1:B:294:VAL:HG11	1:B:316:VAL:HG21	1.98	0.45
1:B:79:GLY:O	1:B:272:VAL:HA	2.16	0.45
1:A:422:VAL:HB	1:A:448:LEU:HB2	1.98	0.45
1:A:388:PRO:HD3	1:A:439:ASP:O	2.16	0.45
1:A:461:MET:N	1:A:462:PRO:HD2	2.31	0.45
1:B:256:TYR:O	1:B:261:VAL:HG13	2.17	0.45
1:B:251:PRO:HB3	1:B:259:PHE:CZ	2.52	0.44
1:A:132:TYR:HB3	1:A:136:TYR:HD2	1.83	0.44
1:A:364:PHE:HA	1:A:513:PRO:HB3	1.99	0.44
1:B:337:ASP:OD1	1:B:338:LEU:N	2.50	0.44
1:B:421:TRP:HA	1:B:449:VAL:HG22	1.99	0.44
1:B:579:ARG:HH12	1:B:607:PRO:HG2	1.77	0.44
1:A:379:TRP:HB2	1:A:447:ALA:O	2.17	0.44
1:A:602:PHE:O	1:A:605:ILE:HG12	2.17	0.44
1:B:244:ASP:OD1	1:B:246:SER:HB3	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:413:ILE:HG22	1:B:426:THR:OG1	2.18	0.44
1:B:421:TRP:HB3	1:B:447:ALA:HB1	2.00	0.44
1:B:131:GLU:OE2	1:B:252:LYS:NZ	2.40	0.44
1:A:237:ASP:OD1	1:A:237:ASP:N	2.51	0.43
1:B:582:ASN:O	1:B:582:ASN:ND2	2.51	0.43
1:A:117:TYR:CD1	1:A:119:HIS:HB2	2.54	0.43
1:A:369:LYS:HB3	1:A:369:LYS:HE2	1.82	0.43
1:A:485:GLU:N	1:A:485:GLU:OE1	2.48	0.43
1:B:267:LEU:HB3	1:B:272:VAL:HG21	2.01	0.43
1:A:332:LEU:HD12	1:A:467:ARG:N	2.33	0.43
1:B:234:ARG:NH1	1:B:235:PHE:CZ	2.87	0.43
1:A:138:VAL:HG21	1:A:262:PRO:HG2	2.00	0.42
1:B:54:LYS:HB3	1:B:54:LYS:HE2	1.90	0.42
1:A:430:GLN:HG3	1:A:441:LEU:HD22	2.01	0.42
1:B:173:SER:O	1:B:177:GLN:HG3	2.20	0.42
1:B:369:LYS:HE2	1:B:369:LYS:HB3	1.65	0.42
1:B:109:GLY:HA3	1:B:497:MET:SD	2.60	0.42
1:B:152:TRP:CZ2	1:B:400:ILE:HD12	2.55	0.42
1:B:107:ILE:HG13	1:B:383:THR:HG21	2.01	0.42
1:A:146:ASN:CG	1:A:249:VAL:HG23	2.40	0.41
1:A:335:ALA:CB	1:A:465:THR:HG21	2.49	0.41
1:B:259:PHE:C	1:B:262:PRO:HD2	2.41	0.41
1:A:337:ASP:OD1	1:A:338:LEU:N	2.54	0.41
1:A:382:ALA:HB3	1:A:445:VAL:CG1	2.51	0.41
1:A:593:LEU:HD13	1:A:593:LEU:HA	1.90	0.41
1:B:332:LEU:HD21	1:B:467:ARG:NH2	2.36	0.41
1:A:111:ARG:NH2	1:A:216:MET:O	2.54	0.41
1:B:285:MET:HB3	1:B:285:MET:HE2	1.95	0.41
1:A:380:GLU:HB3	1:A:461:MET:CE	2.50	0.41
1:B:83:THR:HG23	1:B:273:ASN:HB2	2.02	0.41
1:B:311:GLY:C	1:B:313:LYS:H	2.24	0.41
1:A:142:TYR:CE1	1:A:259:PHE:HZ	2.39	0.40
1:A:456:HIS:HB2	1:A:475:TYR:CG	2.56	0.40
1:B:234:ARG:NH1	1:B:235:PHE:CE1	2.89	0.40
1:B:380:GLU:HB2	1:B:496:LEU:HD13	2.03	0.40
1:B:152:TRP:CE2	1:B:400:ILE:HD12	2.56	0.40
1:B:112:GLU:O	1:B:112:GLU:HG2	2.21	0.40
1:B:60:SER:HB3	1:B:86:ASP:CG	2.42	0.40
1:A:53:ARG:HD3	1:A:313:LYS:O	2.22	0.40
1:B:261:VAL:CG2	1:B:262:PRO:HD3	2.48	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	537/605 (89%)	493 (92%)	34 (6%)	10 (2%)	8	27
1	B	530/605 (88%)	484 (91%)	32 (6%)	14 (3%)	5	19
All	All	1067/1210 (88%)	977 (92%)	66 (6%)	24 (2%)	6	23

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	91	PRO
1	A	108	ARG
1	A	335	ALA
1	B	50	VAL
1	B	88	VAL
1	B	108	ARG
1	B	265	ASN
1	B	430	GLN
1	A	466	GLY
1	B	431	PRO
1	A	90	THR
1	B	101	ALA
1	B	103	ASP
1	B	104	GLY
1	B	266	TYR
1	B	345	PRO
1	A	111	ARG
1	B	100	ASN
1	B	105	TYR
1	B	607	PRO
1	A	98	SER
1	A	104	GLY
1	A	93	GLY
1	A	89	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	469/513 (91%)	442 (94%)	27 (6%)	20	48
1	B	465/513 (91%)	436 (94%)	29 (6%)	18	45
All	All	934/1026 (91%)	878 (94%)	56 (6%)	19	47

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	LYS
1	A	90	THR
1	A	113	MET
1	A	114	ASN
1	A	138	VAL
1	A	143	ARG
1	A	159	HIS
1	A	174	SER
1	A	239	ILE
1	A	240	ASP
1	A	260	VAL
1	A	283	LEU
1	A	292	ARG
1	A	298	LEU
1	A	373	GLN
1	A	385	THR
1	A	398	LEU
1	A	409	VAL
1	A	438	ASP
1	A	440	VAL
1	A	443	LEU
1	A	448	LEU
1	A	464	CYS
1	A	467	ARG
1	A	492	VAL
1	A	582	ASN
1	A	593	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	51	GLU
1	B	88	VAL
1	B	100	ASN
1	B	102	GLU
1	B	108	ARG
1	B	113	MET
1	B	114	ASN
1	B	117	TYR
1	B	143	ARG
1	B	159	HIS
1	B	160	LYS
1	B	236	LEU
1	B	240	ASP
1	B	283	LEU
1	B	304	ARG
1	B	332	LEU
1	B	337	ASP
1	B	338	LEU
1	B	343	THR
1	B	353	LEU
1	B	438	ASP
1	B	439	ASP
1	B	440	VAL
1	B	472	GLU
1	B	485	GLU
1	B	492	VAL
1	B	530	VAL
1	B	542	SER
1	B	582	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	428	ASN
1	B	114	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	543/605 (89%)	0.47	34 (6%)	20 17	41, 78, 109, 139	0
1	B	538/605 (88%)	0.27	8 (1%)	73 73	40, 65, 92, 110	0
All	All	1081/1210 (89%)	0.37	42 (3%)	39 36	40, 70, 105, 139	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	309	ASP	6.3
1	A	443	LEU	4.9
1	A	308	ILE	4.4
1	A	307	LYS	4.2
1	B	289	ASN	4.1
1	A	441	LEU	3.8
1	A	310	ILE	3.6
1	A	191	LEU	3.5
1	A	56	TRP	3.4
1	B	291	GLU	3.4
1	A	334	THR	3.4
1	A	284	ASP	3.4
1	A	160	LYS	3.2
1	A	288	ASN	3.2
1	A	297	ILE	3.1
1	A	464	CYS	3.1
1	A	275	GLU	3.0
1	B	170	LEU	2.8
1	A	95	LEU	2.8
1	A	523	LEU	2.8
1	A	391	LEU	2.7
1	B	77	MET	2.6
1	A	291	GLU	2.6
1	A	292	ARG	2.5

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	99	GLY	2.5
1	A	296	SER	2.4
1	A	163	GLN	2.3
1	A	287	ASP	2.3
1	A	113	MET	2.3
1	B	76	ARG	2.3
1	B	345	PRO	2.2
1	A	294	VAL	2.2
1	A	522	ASN	2.2
1	A	132	TYR	2.2
1	A	598	ASP	2.1
1	B	78	LYS	2.1
1	A	453	LYS	2.1
1	A	439	ASP	2.1
1	A	609	LEU	2.1
1	A	338	LEU	2.1
1	A	364	PHE	2.1
1	B	297	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.