



# wwPDB X-ray Structure Validation Summary Report ⓘ

Apr 25, 2022 – 01:24 pm BST

PDB ID : 7Z7P  
Title : Structure of the fluorescent protein NeonCyan0.95 at pH 5.6  
Authors : Depernet, H.; Dupuy, J.; Royant, A.  
Deposited on : 2022-03-16  
Resolution : 1.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.28  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0267  
CCP4 : 7.1.010 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.28


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	<div> <div></div> <div>86%10%.</div> </div>
1	B	234	<div> <div></div> <div>84%11%5%</div> </div>
1	C	234	<div> <div></div> <div>87%9%.</div> </div>
1	D	234	<div> <div></div> <div>91%6%.</div> </div>
1	E	234	<div> <div></div> <div>84%10%6%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	234	<div><div></div><div>85%</div><div>9%</div><div>6%</div></div>
1	G	234	<div><div></div><div>86%</div><div>7%</div><div>6%</div></div>
1	H	234	<div><div></div><div>%</div><div>81%</div><div>12%</div><div>6%</div></div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14907 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NeonCyan0.95.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	226	Total	C	N	O	S	0	6	0
			1842	1175	308	348	11			
1	B	223	Total	C	N	O	S	0	6	0
			1813	1153	304	346	10			
1	C	227	Total	C	N	O	S	0	6	0
			1849	1177	309	353	10			
1	D	227	Total	C	N	O	S	0	6	0
			1841	1170	308	353	10			
1	E	220	Total	C	N	O	S	0	1	0
			1749	1116	291	334	8			
1	F	221	Total	C	N	O	S	0	4	0
			1770	1132	295	334	9			
1	G	219	Total	C	N	O	S	0	3	0
			1752	1119	292	332	9			
1	H	220	Total	C	N	O	S	0	2	0
			1755	1121	294	332	8			

There are 392 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP B1PNC0
A	2	VAL	-	expression tag	UNP B1PNC0
A	3	SER	-	expression tag	UNP B1PNC0
A	4	LYS	-	expression tag	UNP B1PNC0
A	5	GLY	-	expression tag	UNP B1PNC0
A	6	GLU	-	expression tag	UNP B1PNC0
A	7	GLU	-	expression tag	UNP B1PNC0
A	8	ASP	-	expression tag	UNP B1PNC0
A	9	ASN	-	expression tag	UNP B1PNC0
A	10	MET	-	expression tag	UNP B1PNC0
A	11	ALA	-	expression tag	UNP B1PNC0
A	25	ILE	PHE	engineered mutation	UNP B1PNC0
A	35	GLN	ARG	engineered mutation	UNP B1PNC0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	42	GLU	ASP	engineered mutation	UNP B1PNC0
A	55	ASP	ALA	engineered mutation	UNP B1PNC0
A	66	HIS	GLN	engineered mutation	UNP B1PNC0
A	67	VAL	ILE	engineered mutation	UNP B1PNC0
A	69	IO8	GLY	chromophore	UNP B1PNC0
A	?	-	TYR	chromophore	UNP B1PNC0
A	?	-	GLY	chromophore	UNP B1PNC0
A	77	TYR	PHE	engineered mutation	UNP B1PNC0
A	89	VAL	LYS	engineered mutation	UNP B1PNC0
A	110	VAL	SER	engineered mutation	UNP B1PNC0
A	125	ALA	PHE	engineered mutation	UNP B1PNC0
A	128	LYS	ILE	engineered mutation	UNP B1PNC0
A	146	VAL	ALA	engineered mutation	UNP B1PNC0
A	148	SER	TRP	engineered mutation	UNP B1PNC0
A	150	TRP	VAL	engineered mutation	UNP B1PNC0
A	151	SER	THR	engineered mutation	UNP B1PNC0
A	153	LYS	MET	engineered mutation	UNP B1PNC0
A	154	THR	LEU	engineered mutation	UNP B1PNC0
A	166	LYS	ASP	engineered mutation	UNP B1PNC0
A	168	SER	THR	engineered mutation	UNP B1PNC0
A	173	ASN	SER	engineered mutation	UNP B1PNC0
A	175	GLU	LYS	engineered mutation	UNP B1PNC0
A	178	ARG	GLN	engineered mutation	UNP B1PNC0
A	181	ALA	VAL	engineered mutation	UNP B1PNC0
A	184	THR	ASN	engineered mutation	UNP B1PNC0
A	195	TYR	ILE	engineered mutation	UNP B1PNC0
A	201	VAL	MET	engineered mutation	UNP B1PNC0
A	202	TYR	PHE	engineered mutation	UNP B1PNC0
A	213	GLU	LYS	engineered mutation	UNP B1PNC0
A	230	GLY	-	expression tag	UNP B1PNC0
A	231	MET	-	expression tag	UNP B1PNC0
A	232	ASP	-	expression tag	UNP B1PNC0
A	233	GLU	-	expression tag	UNP B1PNC0
A	234	LEU	-	expression tag	UNP B1PNC0
A	235	TYR	-	expression tag	UNP B1PNC0
A	236	LYS	-	expression tag	UNP B1PNC0
B	1	MET	-	initiating methionine	UNP B1PNC0
B	2	VAL	-	expression tag	UNP B1PNC0
B	3	SER	-	expression tag	UNP B1PNC0
B	4	LYS	-	expression tag	UNP B1PNC0
B	5	GLY	-	expression tag	UNP B1PNC0
B	6	GLU	-	expression tag	UNP B1PNC0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	7	GLU	-	expression tag	UNP B1PNC0
B	8	ASP	-	expression tag	UNP B1PNC0
B	9	ASN	-	expression tag	UNP B1PNC0
B	10	MET	-	expression tag	UNP B1PNC0
B	11	ALA	-	expression tag	UNP B1PNC0
B	25	ILE	PHE	engineered mutation	UNP B1PNC0
B	35	GLN	ARG	engineered mutation	UNP B1PNC0
B	42	GLU	ASP	engineered mutation	UNP B1PNC0
B	55	ASP	ALA	engineered mutation	UNP B1PNC0
B	66	HIS	GLN	engineered mutation	UNP B1PNC0
B	67	VAL	ILE	engineered mutation	UNP B1PNC0
B	69	IO8	GLY	chromophore	UNP B1PNC0
B	?	-	TYR	chromophore	UNP B1PNC0
B	?	-	GLY	chromophore	UNP B1PNC0
B	77	TYR	PHE	engineered mutation	UNP B1PNC0
B	89	VAL	LYS	engineered mutation	UNP B1PNC0
B	110	VAL	SER	engineered mutation	UNP B1PNC0
B	125	ALA	PHE	engineered mutation	UNP B1PNC0
B	128	LYS	ILE	engineered mutation	UNP B1PNC0
B	146	VAL	ALA	engineered mutation	UNP B1PNC0
B	148	SER	TRP	engineered mutation	UNP B1PNC0
B	150	TRP	VAL	engineered mutation	UNP B1PNC0
B	151	SER	THR	engineered mutation	UNP B1PNC0
B	153	LYS	MET	engineered mutation	UNP B1PNC0
B	154	THR	LEU	engineered mutation	UNP B1PNC0
B	166	LYS	ASP	engineered mutation	UNP B1PNC0
B	168	SER	THR	engineered mutation	UNP B1PNC0
B	173	ASN	SER	engineered mutation	UNP B1PNC0
B	175	GLU	LYS	engineered mutation	UNP B1PNC0
B	178	ARG	GLN	engineered mutation	UNP B1PNC0
B	181	ALA	VAL	engineered mutation	UNP B1PNC0
B	184	THR	ASN	engineered mutation	UNP B1PNC0
B	195	TYR	ILE	engineered mutation	UNP B1PNC0
B	201	VAL	MET	engineered mutation	UNP B1PNC0
B	202	TYR	PHE	engineered mutation	UNP B1PNC0
B	213	GLU	LYS	engineered mutation	UNP B1PNC0
B	230	GLY	-	expression tag	UNP B1PNC0
B	231	MET	-	expression tag	UNP B1PNC0
B	232	ASP	-	expression tag	UNP B1PNC0
B	233	GLU	-	expression tag	UNP B1PNC0
B	234	LEU	-	expression tag	UNP B1PNC0
B	235	TYR	-	expression tag	UNP B1PNC0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	236	LYS	-	expression tag	UNP B1PNC0
C	1	MET	-	initiating methionine	UNP B1PNC0
C	2	VAL	-	expression tag	UNP B1PNC0
C	3	SER	-	expression tag	UNP B1PNC0
C	4	LYS	-	expression tag	UNP B1PNC0
C	5	GLY	-	expression tag	UNP B1PNC0
C	6	GLU	-	expression tag	UNP B1PNC0
C	7	GLU	-	expression tag	UNP B1PNC0
C	8	ASP	-	expression tag	UNP B1PNC0
C	9	ASN	-	expression tag	UNP B1PNC0
C	10	MET	-	expression tag	UNP B1PNC0
C	11	ALA	-	expression tag	UNP B1PNC0
C	25	ILE	PHE	engineered mutation	UNP B1PNC0
C	35	GLN	ARG	engineered mutation	UNP B1PNC0
C	42	GLU	ASP	engineered mutation	UNP B1PNC0
C	55	ASP	ALA	engineered mutation	UNP B1PNC0
C	66	HIS	GLN	engineered mutation	UNP B1PNC0
C	67	VAL	ILE	engineered mutation	UNP B1PNC0
C	69	IO8	GLY	chromophore	UNP B1PNC0
C	?	-	TYR	chromophore	UNP B1PNC0
C	?	-	GLY	chromophore	UNP B1PNC0
C	77	TYR	PHE	engineered mutation	UNP B1PNC0
C	89	VAL	LYS	engineered mutation	UNP B1PNC0
C	110	VAL	SER	engineered mutation	UNP B1PNC0
C	125	ALA	PHE	engineered mutation	UNP B1PNC0
C	128	LYS	ILE	engineered mutation	UNP B1PNC0
C	146	VAL	ALA	engineered mutation	UNP B1PNC0
C	148	SER	TRP	engineered mutation	UNP B1PNC0
C	150	TRP	VAL	engineered mutation	UNP B1PNC0
C	151	SER	THR	engineered mutation	UNP B1PNC0
C	153	LYS	MET	engineered mutation	UNP B1PNC0
C	154	THR	LEU	engineered mutation	UNP B1PNC0
C	166	LYS	ASP	engineered mutation	UNP B1PNC0
C	168	SER	THR	engineered mutation	UNP B1PNC0
C	173	ASN	SER	engineered mutation	UNP B1PNC0
C	175	GLU	LYS	engineered mutation	UNP B1PNC0
C	178	ARG	GLN	engineered mutation	UNP B1PNC0
C	181	ALA	VAL	engineered mutation	UNP B1PNC0
C	184	THR	ASN	engineered mutation	UNP B1PNC0
C	195	TYR	ILE	engineered mutation	UNP B1PNC0
C	201	VAL	MET	engineered mutation	UNP B1PNC0
C	202	TYR	PHE	engineered mutation	UNP B1PNC0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	213	GLU	LYS	engineered mutation	UNP B1PNC0
C	230	GLY	-	expression tag	UNP B1PNC0
C	231	MET	-	expression tag	UNP B1PNC0
C	232	ASP	-	expression tag	UNP B1PNC0
C	233	GLU	-	expression tag	UNP B1PNC0
C	234	LEU	-	expression tag	UNP B1PNC0
C	235	TYR	-	expression tag	UNP B1PNC0
C	236	LYS	-	expression tag	UNP B1PNC0
D	1	MET	-	initiating methionine	UNP B1PNC0
D	2	VAL	-	expression tag	UNP B1PNC0
D	3	SER	-	expression tag	UNP B1PNC0
D	4	LYS	-	expression tag	UNP B1PNC0
D	5	GLY	-	expression tag	UNP B1PNC0
D	6	GLU	-	expression tag	UNP B1PNC0
D	7	GLU	-	expression tag	UNP B1PNC0
D	8	ASP	-	expression tag	UNP B1PNC0
D	9	ASN	-	expression tag	UNP B1PNC0
D	10	MET	-	expression tag	UNP B1PNC0
D	11	ALA	-	expression tag	UNP B1PNC0
D	25	ILE	PHE	engineered mutation	UNP B1PNC0
D	35	GLN	ARG	engineered mutation	UNP B1PNC0
D	42	GLU	ASP	engineered mutation	UNP B1PNC0
D	55	ASP	ALA	engineered mutation	UNP B1PNC0
D	66	HIS	GLN	engineered mutation	UNP B1PNC0
D	67	VAL	ILE	engineered mutation	UNP B1PNC0
D	69	IO8	GLY	chromophore	UNP B1PNC0
D	?	-	TYR	chromophore	UNP B1PNC0
D	?	-	GLY	chromophore	UNP B1PNC0
D	77	TYR	PHE	engineered mutation	UNP B1PNC0
D	89	VAL	LYS	engineered mutation	UNP B1PNC0
D	110	VAL	SER	engineered mutation	UNP B1PNC0
D	125	ALA	PHE	engineered mutation	UNP B1PNC0
D	128	LYS	ILE	engineered mutation	UNP B1PNC0
D	146	VAL	ALA	engineered mutation	UNP B1PNC0
D	148	SER	TRP	engineered mutation	UNP B1PNC0
D	150	TRP	VAL	engineered mutation	UNP B1PNC0
D	151	SER	THR	engineered mutation	UNP B1PNC0
D	153	LYS	MET	engineered mutation	UNP B1PNC0
D	154	THR	LEU	engineered mutation	UNP B1PNC0
D	166	LYS	ASP	engineered mutation	UNP B1PNC0
D	168	SER	THR	engineered mutation	UNP B1PNC0
D	173	ASN	SER	engineered mutation	UNP B1PNC0

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	175	GLU	LYS	engineered mutation	UNP B1PNC0
D	178	ARG	GLN	engineered mutation	UNP B1PNC0
D	181	ALA	VAL	engineered mutation	UNP B1PNC0
D	184	THR	ASN	engineered mutation	UNP B1PNC0
D	195	TYR	ILE	engineered mutation	UNP B1PNC0
D	201	VAL	MET	engineered mutation	UNP B1PNC0
D	202	TYR	PHE	engineered mutation	UNP B1PNC0
D	213	GLU	LYS	engineered mutation	UNP B1PNC0
D	230	GLY	-	expression tag	UNP B1PNC0
D	231	MET	-	expression tag	UNP B1PNC0
D	232	ASP	-	expression tag	UNP B1PNC0
D	233	GLU	-	expression tag	UNP B1PNC0
D	234	LEU	-	expression tag	UNP B1PNC0
D	235	TYR	-	expression tag	UNP B1PNC0
D	236	LYS	-	expression tag	UNP B1PNC0
E	1	MET	-	initiating methionine	UNP B1PNC0
E	2	VAL	-	expression tag	UNP B1PNC0
E	3	SER	-	expression tag	UNP B1PNC0
E	4	LYS	-	expression tag	UNP B1PNC0
E	5	GLY	-	expression tag	UNP B1PNC0
E	6	GLU	-	expression tag	UNP B1PNC0
E	7	GLU	-	expression tag	UNP B1PNC0
E	8	ASP	-	expression tag	UNP B1PNC0
E	9	ASN	-	expression tag	UNP B1PNC0
E	10	MET	-	expression tag	UNP B1PNC0
E	11	ALA	-	expression tag	UNP B1PNC0
E	25	ILE	PHE	engineered mutation	UNP B1PNC0
E	35	GLN	ARG	engineered mutation	UNP B1PNC0
E	42	GLU	ASP	engineered mutation	UNP B1PNC0
E	55	ASP	ALA	engineered mutation	UNP B1PNC0
E	66	HIS	GLN	engineered mutation	UNP B1PNC0
E	67	VAL	ILE	engineered mutation	UNP B1PNC0
E	69	IO8	GLY	chromophore	UNP B1PNC0
E	?	-	TYR	chromophore	UNP B1PNC0
E	?	-	GLY	chromophore	UNP B1PNC0
E	77	TYR	PHE	engineered mutation	UNP B1PNC0
E	89	VAL	LYS	engineered mutation	UNP B1PNC0
E	110	VAL	SER	engineered mutation	UNP B1PNC0
E	125	ALA	PHE	engineered mutation	UNP B1PNC0
E	128	LYS	ILE	engineered mutation	UNP B1PNC0
E	146	VAL	ALA	engineered mutation	UNP B1PNC0
E	148	SER	TRP	engineered mutation	UNP B1PNC0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	150	TRP	VAL	engineered mutation	UNP B1PNC0
E	151	SER	THR	engineered mutation	UNP B1PNC0
E	153	LYS	MET	engineered mutation	UNP B1PNC0
E	154	THR	LEU	engineered mutation	UNP B1PNC0
E	166	LYS	ASP	engineered mutation	UNP B1PNC0
E	168	SER	THR	engineered mutation	UNP B1PNC0
E	173	ASN	SER	engineered mutation	UNP B1PNC0
E	175	GLU	LYS	engineered mutation	UNP B1PNC0
E	178	ARG	GLN	engineered mutation	UNP B1PNC0
E	181	ALA	VAL	engineered mutation	UNP B1PNC0
E	184	THR	ASN	engineered mutation	UNP B1PNC0
E	195	TYR	ILE	engineered mutation	UNP B1PNC0
E	201	VAL	MET	engineered mutation	UNP B1PNC0
E	202	TYR	PHE	engineered mutation	UNP B1PNC0
E	213	GLU	LYS	engineered mutation	UNP B1PNC0
E	230	GLY	-	expression tag	UNP B1PNC0
E	231	MET	-	expression tag	UNP B1PNC0
E	232	ASP	-	expression tag	UNP B1PNC0
E	233	GLU	-	expression tag	UNP B1PNC0
E	234	LEU	-	expression tag	UNP B1PNC0
E	235	TYR	-	expression tag	UNP B1PNC0
E	236	LYS	-	expression tag	UNP B1PNC0
F	1	MET	-	initiating methionine	UNP B1PNC0
F	2	VAL	-	expression tag	UNP B1PNC0
F	3	SER	-	expression tag	UNP B1PNC0
F	4	LYS	-	expression tag	UNP B1PNC0
F	5	GLY	-	expression tag	UNP B1PNC0
F	6	GLU	-	expression tag	UNP B1PNC0
F	7	GLU	-	expression tag	UNP B1PNC0
F	8	ASP	-	expression tag	UNP B1PNC0
F	9	ASN	-	expression tag	UNP B1PNC0
F	10	MET	-	expression tag	UNP B1PNC0
F	11	ALA	-	expression tag	UNP B1PNC0
F	25	ILE	PHE	engineered mutation	UNP B1PNC0
F	35	GLN	ARG	engineered mutation	UNP B1PNC0
F	42	GLU	ASP	engineered mutation	UNP B1PNC0
F	55	ASP	ALA	engineered mutation	UNP B1PNC0
F	66	HIS	GLN	engineered mutation	UNP B1PNC0
F	67	VAL	ILE	engineered mutation	UNP B1PNC0
F	69	IO8	GLY	chromophore	UNP B1PNC0
F	?	-	TYR	chromophore	UNP B1PNC0
F	?	-	GLY	chromophore	UNP B1PNC0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	77	TYR	PHE	engineered mutation	UNP B1PNC0
F	89	VAL	LYS	engineered mutation	UNP B1PNC0
F	110	VAL	SER	engineered mutation	UNP B1PNC0
F	125	ALA	PHE	engineered mutation	UNP B1PNC0
F	128	LYS	ILE	engineered mutation	UNP B1PNC0
F	146	VAL	ALA	engineered mutation	UNP B1PNC0
F	148	SER	TRP	engineered mutation	UNP B1PNC0
F	150	TRP	VAL	engineered mutation	UNP B1PNC0
F	151	SER	THR	engineered mutation	UNP B1PNC0
F	153	LYS	MET	engineered mutation	UNP B1PNC0
F	154	THR	LEU	engineered mutation	UNP B1PNC0
F	166	LYS	ASP	engineered mutation	UNP B1PNC0
F	168	SER	THR	engineered mutation	UNP B1PNC0
F	173	ASN	SER	engineered mutation	UNP B1PNC0
F	175	GLU	LYS	engineered mutation	UNP B1PNC0
F	178	ARG	GLN	engineered mutation	UNP B1PNC0
F	181	ALA	VAL	engineered mutation	UNP B1PNC0
F	184	THR	ASN	engineered mutation	UNP B1PNC0
F	195	TYR	ILE	engineered mutation	UNP B1PNC0
F	201	VAL	MET	engineered mutation	UNP B1PNC0
F	202	TYR	PHE	engineered mutation	UNP B1PNC0
F	213	GLU	LYS	engineered mutation	UNP B1PNC0
F	230	GLY	-	expression tag	UNP B1PNC0
F	231	MET	-	expression tag	UNP B1PNC0
F	232	ASP	-	expression tag	UNP B1PNC0
F	233	GLU	-	expression tag	UNP B1PNC0
F	234	LEU	-	expression tag	UNP B1PNC0
F	235	TYR	-	expression tag	UNP B1PNC0
F	236	LYS	-	expression tag	UNP B1PNC0
G	1	MET	-	initiating methionine	UNP B1PNC0
G	2	VAL	-	expression tag	UNP B1PNC0
G	3	SER	-	expression tag	UNP B1PNC0
G	4	LYS	-	expression tag	UNP B1PNC0
G	5	GLY	-	expression tag	UNP B1PNC0
G	6	GLU	-	expression tag	UNP B1PNC0
G	7	GLU	-	expression tag	UNP B1PNC0
G	8	ASP	-	expression tag	UNP B1PNC0
G	9	ASN	-	expression tag	UNP B1PNC0
G	10	MET	-	expression tag	UNP B1PNC0
G	11	ALA	-	expression tag	UNP B1PNC0
G	25	ILE	PHE	engineered mutation	UNP B1PNC0
G	35	GLN	ARG	engineered mutation	UNP B1PNC0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	42	GLU	ASP	engineered mutation	UNP B1PNC0
G	55	ASP	ALA	engineered mutation	UNP B1PNC0
G	66	HIS	GLN	engineered mutation	UNP B1PNC0
G	67	VAL	ILE	engineered mutation	UNP B1PNC0
G	69	IO8	GLY	chromophore	UNP B1PNC0
G	?	-	TYR	chromophore	UNP B1PNC0
G	?	-	GLY	chromophore	UNP B1PNC0
G	77	TYR	PHE	engineered mutation	UNP B1PNC0
G	89	VAL	LYS	engineered mutation	UNP B1PNC0
G	110	VAL	SER	engineered mutation	UNP B1PNC0
G	125	ALA	PHE	engineered mutation	UNP B1PNC0
G	128	LYS	ILE	engineered mutation	UNP B1PNC0
G	146	VAL	ALA	engineered mutation	UNP B1PNC0
G	148	SER	TRP	engineered mutation	UNP B1PNC0
G	150	TRP	VAL	engineered mutation	UNP B1PNC0
G	151	SER	THR	engineered mutation	UNP B1PNC0
G	153	LYS	MET	engineered mutation	UNP B1PNC0
G	154	THR	LEU	engineered mutation	UNP B1PNC0
G	166	LYS	ASP	engineered mutation	UNP B1PNC0
G	168	SER	THR	engineered mutation	UNP B1PNC0
G	173	ASN	SER	engineered mutation	UNP B1PNC0
G	175	GLU	LYS	engineered mutation	UNP B1PNC0
G	178	ARG	GLN	engineered mutation	UNP B1PNC0
G	181	ALA	VAL	engineered mutation	UNP B1PNC0
G	184	THR	ASN	engineered mutation	UNP B1PNC0
G	195	TYR	ILE	engineered mutation	UNP B1PNC0
G	201	VAL	MET	engineered mutation	UNP B1PNC0
G	202	TYR	PHE	engineered mutation	UNP B1PNC0
G	213	GLU	LYS	engineered mutation	UNP B1PNC0
G	230	GLY	-	expression tag	UNP B1PNC0
G	231	MET	-	expression tag	UNP B1PNC0
G	232	ASP	-	expression tag	UNP B1PNC0
G	233	GLU	-	expression tag	UNP B1PNC0
G	234	LEU	-	expression tag	UNP B1PNC0
G	235	TYR	-	expression tag	UNP B1PNC0
G	236	LYS	-	expression tag	UNP B1PNC0
H	1	MET	-	initiating methionine	UNP B1PNC0
H	2	VAL	-	expression tag	UNP B1PNC0
H	3	SER	-	expression tag	UNP B1PNC0
H	4	LYS	-	expression tag	UNP B1PNC0
H	5	GLY	-	expression tag	UNP B1PNC0
H	6	GLU	-	expression tag	UNP B1PNC0

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
H	7	GLU	-	expression tag	UNP B1PNC0
H	8	ASP	-	expression tag	UNP B1PNC0
H	9	ASN	-	expression tag	UNP B1PNC0
H	10	MET	-	expression tag	UNP B1PNC0
H	11	ALA	-	expression tag	UNP B1PNC0
H	25	ILE	PHE	engineered mutation	UNP B1PNC0
H	35	GLN	ARG	engineered mutation	UNP B1PNC0
H	42	GLU	ASP	engineered mutation	UNP B1PNC0
H	55	ASP	ALA	engineered mutation	UNP B1PNC0
H	66	HIS	GLN	engineered mutation	UNP B1PNC0
H	67	VAL	ILE	engineered mutation	UNP B1PNC0
H	69	IO8	GLY	chromophore	UNP B1PNC0
H	?	-	TYR	chromophore	UNP B1PNC0
H	?	-	GLY	chromophore	UNP B1PNC0
H	77	TYR	PHE	engineered mutation	UNP B1PNC0
H	89	VAL	LYS	engineered mutation	UNP B1PNC0
H	110	VAL	SER	engineered mutation	UNP B1PNC0
H	125	ALA	PHE	engineered mutation	UNP B1PNC0
H	128	LYS	ILE	engineered mutation	UNP B1PNC0
H	146	VAL	ALA	engineered mutation	UNP B1PNC0
H	148	SER	TRP	engineered mutation	UNP B1PNC0
H	150	TRP	VAL	engineered mutation	UNP B1PNC0
H	151	SER	THR	engineered mutation	UNP B1PNC0
H	153	LYS	MET	engineered mutation	UNP B1PNC0
H	154	THR	LEU	engineered mutation	UNP B1PNC0
H	166	LYS	ASP	engineered mutation	UNP B1PNC0
H	168	SER	THR	engineered mutation	UNP B1PNC0
H	173	ASN	SER	engineered mutation	UNP B1PNC0
H	175	GLU	LYS	engineered mutation	UNP B1PNC0
H	178	ARG	GLN	engineered mutation	UNP B1PNC0
H	181	ALA	VAL	engineered mutation	UNP B1PNC0
H	184	THR	ASN	engineered mutation	UNP B1PNC0
H	195	TYR	ILE	engineered mutation	UNP B1PNC0
H	201	VAL	MET	engineered mutation	UNP B1PNC0
H	202	TYR	PHE	engineered mutation	UNP B1PNC0
H	213	GLU	LYS	engineered mutation	UNP B1PNC0
H	230	GLY	-	expression tag	UNP B1PNC0
H	231	MET	-	expression tag	UNP B1PNC0
H	232	ASP	-	expression tag	UNP B1PNC0
H	233	GLU	-	expression tag	UNP B1PNC0
H	234	LEU	-	expression tag	UNP B1PNC0
H	235	TYR	-	expression tag	UNP B1PNC0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	236	LYS	-	expression tag	UNP B1PNC0

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	107	Total	O	0	0
			107	107		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	90	Total 90	O 90	0	0
3	C	78	Total 78	O 78	0	0
3	D	100	Total 100	O 100	0	1
3	E	33	Total 33	O 33	0	0
3	F	32	Total 32	O 32	0	0
3	G	23	Total 23	O 23	0	0
3	H	33	Total 33	O 33	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NeonCyan0.95




- Molecule 1: NeonCyan0.95




- Molecule 1: NeonCyan0.95




- Molecule 1: NeonCyan0.95



- Molecule 1: NeonCyan0.95








- Molecule 1: NeonCyan0.95

Chain F: 85% 9% 6%




- Molecule 1: NeonCyan0.95

Chain G: 86% 7% 6%



- Molecule 1: NeonCyan0.95

Chain H: 81% 12% 6%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	66.15Å 72.37Å 117.36Å 90.19° 90.04° 90.07°	Depositor
Resolution (Å)	48.90 – 1.95 48.86 – 1.95	Depositor EDS
% Data completeness (in resolution range)	96.0 (48.90-1.95) 95.1 (48.86-1.95)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.63 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.209 , 0.254 0.216 , 0.255	Depositor DCC
$R_{free}$ test set	7140 reflections (4.69%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.5	Xtriage
Anisotropy	0.047	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.440 for h,-k,-l 0.438 for -h,k,-l 0.459 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	14907	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.00% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, IO8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.71	0/1884	0.90	0/2553
1	B	0.72	0/1854	0.90	0/2514
1	C	0.72	0/1891	0.88	0/2563
1	D	0.72	0/1883	0.91	0/2554
1	E	0.71	0/1781	0.84	0/2418
1	F	0.71	0/1811	0.84	0/2458
1	G	0.69	0/1790	0.82	0/2430
1	H	0.69	0/1790	0.84	0/2430
All	All	0.71	0/14684	0.87	0/19920

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1842	0	1739	16	0
1	B	1813	0	1701	20	0
1	C	1849	0	1733	19	0
1	D	1841	0	1711	12	0
1	E	1749	0	1625	13	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1770	0	1661	11	0
1	G	1752	0	1637	9	0
1	H	1755	0	1638	18	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
2	G	5	0	0	0	0
2	H	5	0	0	0	0
3	A	107	0	0	1	0
3	B	90	0	0	0	0
3	C	78	0	0	0	0
3	D	100	0	0	0	0
3	E	33	0	0	0	0
3	F	32	0	0	0	0
3	G	23	0	0	0	0
3	H	33	0	0	0	0
All	All	14907	0	13445	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 118 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:20:HIS:HE1	1:C:31:ASP:OD2	1.63	0.81
1:B:20:HIS:HE1	1:B:31:ASP:OD2	1.62	0.81
1:C:18:GLU:OE1	1:C:120:HIS:HE1	1.67	0.78
1:D:20:HIS:HE1	1:D:31:ASP:OD2	1.67	0.77
1:D:18:GLU:OE1	1:D:120:HIS:HE1	1.69	0.75

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	228/234 (97%)	222 (97%)	6 (3%)	0	100	100
1	B	225/234 (96%)	217 (96%)	8 (4%)	0	100	100
1	C	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
1	D	229/234 (98%)	221 (96%)	8 (4%)	0	100	100
1	E	217/234 (93%)	208 (96%)	9 (4%)	0	100	100
1	F	221/234 (94%)	210 (95%)	11 (5%)	0	100	100
1	G	218/234 (93%)	209 (96%)	8 (4%)	1 (0%)	29	17
1	H	218/234 (93%)	209 (96%)	9 (4%)	0	100	100
All	All	1785/1872 (95%)	1718 (96%)	66 (4%)	1 (0%)	51	43

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	91	GLY

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/200 (98%)	195 (99%)	2 (1%)	76	74
1	B	194/200 (97%)	194 (100%)	0	100	100
1	C	197/200 (98%)	195 (99%)	2 (1%)	76	74
1	D	195/200 (98%)	193 (99%)	2 (1%)	76	74

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	184/200 (92%)	182 (99%)	2 (1%)	73	71
1	F	187/200 (94%)	184 (98%)	3 (2%)	62	58
1	G	185/200 (92%)	184 (100%)	1 (0%)	88	88
1	H	184/200 (92%)	181 (98%)	3 (2%)	62	58
All	All	1523/1600 (95%)	1508 (99%)	15 (1%)	76	74

5 of 15 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	155	TYR
1	H	107	SER
1	F	57	GLN
1	H	126	GLN
1	G	72	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 22 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	57	GLN
1	G	20	HIS
1	F	222	GLN
1	G	120	HIS
1	C	120	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	IO8	A	69	1	22,23,24	3.30	5 (22%)	27,32,34	3.43	11 (40%)
1	IO8	F	69	1	22,23,24	3.00	3 (13%)	27,32,34	4.07	11 (40%)
1	IO8	E	69	1	22,23,24	2.46	3 (13%)	27,32,34	4.16	14 (51%)
1	IO8	B	69	1	22,23,24	1.91	3 (13%)	27,32,34	3.38	9 (33%)
1	IO8	D	69	1	22,23,24	2.77	6 (27%)	27,32,34	3.84	9 (33%)
1	IO8	C	69	1	22,23,24	2.19	6 (27%)	27,32,34	3.36	11 (40%)
1	IO8	G	69	1	22,23,24	3.92	5 (22%)	27,32,34	3.57	10 (37%)
1	IO8	H	69	1	22,23,24	2.65	4 (18%)	27,32,34	3.28	10 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	IO8	A	69	1	-	2/4/25/26	0/3/3/3
1	IO8	F	69	1	-	2/4/25/26	0/3/3/3
1	IO8	E	69	1	-	2/4/25/26	0/3/3/3
1	IO8	B	69	1	-	2/4/25/26	0/3/3/3
1	IO8	D	69	1	-	2/4/25/26	0/3/3/3
1	IO8	C	69	1	-	2/4/25/26	0/3/3/3
1	IO8	G	69	1	-	2/4/25/26	0/3/3/3
1	IO8	H	69	1	-	1/4/25/26	0/3/3/3

The worst 5 of 35 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	69	IO8	CB-CA2	17.00	1.49	1.35
1	F	69	IO8	CB-CA2	12.52	1.45	1.35
1	A	69	IO8	CB-CA2	11.76	1.44	1.35
1	H	69	IO8	CB-CA2	10.68	1.44	1.35
1	E	69	IO8	CB-CA2	9.98	1.43	1.35

The worst 5 of 85 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	69	IO8	O2-C2-CA2	-12.90	123.72	130.96
1	F	69	IO8	O2-C2-CA2	-12.85	123.75	130.96
1	D	69	IO8	CA2-C2-N	11.23	108.68	103.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	69	IO8	O2-C2-CA2	-10.56	125.03	130.96
1	C	69	IO8	CA2-C2-N	10.02	108.11	103.37

There are no chirality outliers.

5 of 15 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	69	IO8	C2-CA2-CB-CG
1	B	69	IO8	C2-CA2-CB-CG
1	C	69	IO8	C2-CA2-CB-CG
1	D	69	IO8	C2-CA2-CB-CG
1	E	69	IO8	C2-CA2-CB-CG

There are no ring outliers.

6 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	E	69	IO8	1	0
1	B	69	IO8	3	0
1	D	69	IO8	1	0
1	C	69	IO8	1	0
1	G	69	IO8	1	0
1	H	69	IO8	1	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	C	301	-	4,4,4	0.51	0	6,6,6	0.35	0
2	SO4	H	301	-	4,4,4	0.51	0	6,6,6	0.18	0
2	SO4	D	301	-	4,4,4	0.49	0	6,6,6	0.35	0
2	SO4	F	301	-	4,4,4	0.46	0	6,6,6	0.17	0
2	SO4	B	301	-	4,4,4	0.60	0	6,6,6	0.20	0
2	SO4	A	301	-	4,4,4	0.50	0	6,6,6	0.33	0
2	SO4	E	301	-	4,4,4	0.43	0	6,6,6	0.19	0
2	SO4	G	301	-	4,4,4	0.56	0	6,6,6	0.22	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	225/234 (96%)	0.02	2 (0%) 84 89	25, 34, 55, 81	0
1	B	222/234 (94%)	-0.02	0 100 100	25, 34, 54, 88	0
1	C	226/234 (96%)	0.00	2 (0%) 84 89	24, 35, 57, 89	0
1	D	226/234 (96%)	0.02	2 (0%) 84 89	25, 35, 56, 92	0
1	E	219/234 (93%)	0.18	2 (0%) 84 89	31, 46, 72, 90	0
1	F	220/234 (94%)	0.16	0 100 100	32, 46, 71, 83	0
1	G	218/234 (93%)	0.22	1 (0%) 91 94	33, 47, 72, 84	0
1	H	219/234 (93%)	0.20	2 (0%) 84 89	31, 47, 74, 85	0
All	All	1775/1872 (94%)	0.10	11 (0%) 89 93	24, 41, 68, 92	0

The worst 5 of 11 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	234	LEU	3.0
1	G	27	GLY	2.4
1	H	196	LEU	2.3
1	E	57	GLN	2.3
1	C	10	MET	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	IO8	D	69	21/22	0.91	0.13	23,29,41,42	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	IO8	B	69	21/22	0.92	0.12	25,31,38,44	0
1	IO8	G	69	21/22	0.93	0.13	35,41,46,47	0
1	IO8	E	69	21/22	0.94	0.12	34,40,45,48	0
1	IO8	A	69	21/22	0.94	0.13	24,30,40,43	0
1	IO8	F	69	21/22	0.95	0.11	33,40,44,48	0
1	IO8	C	69	21/22	0.95	0.11	23,28,38,41	0
1	IO8	H	69	21/22	0.95	0.10	34,40,44,49	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	B	301	5/5	0.98	0.12	34,39,44,52	0
2	SO4	C	301	5/5	0.98	0.13	35,37,44,56	0
2	SO4	D	301	5/5	0.98	0.13	37,39,45,54	0
2	SO4	E	301	5/5	0.98	0.09	45,47,53,54	0
2	SO4	G	301	5/5	0.98	0.10	48,51,56,59	0
2	SO4	H	301	5/5	0.98	0.13	49,52,54,59	0
2	SO4	A	301	5/5	0.99	0.11	36,36,45,50	0
2	SO4	F	301	5/5	0.99	0.10	46,49,51,59	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.