



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 07:21 PM BST

PDB ID : 4ZCI  
Title : Crystal Structure of Escherichia coli GTPase BipA/TypA  
Authors : Fan, H.T.; Hahm, J.; Diggs, S.; Blaha, G.  
Deposited on : 2015-04-16  
Resolution : 2.63 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1




# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3797 (2.64-2.60)
Clashscore	141614	4168 (2.64-2.60)
Ramachandran outliers	138981	4093 (2.64-2.60)
Sidechain outliers	138945	4093 (2.64-2.60)
RSRZ outliers	127900	3731 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	635	<div> <div>%</div> <div> <div></div> <div>72%</div> <div>14%</div> <div>•</div> <div>12%</div> </div> </div>
1	B	635	<div> <div>6%</div> <div> <div></div> <div>75%</div> <div>13%</div> <div>•</div> <div>12%</div> </div> </div>



## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8661 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTP-binding protein TypA/BipA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	561	Total	C	N	O	S	0	0	0
			4315	2703	763	832	17			
1	B	561	Total	C	N	O	S	0	0	0
			4239	2658	753	811	17			

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-33	MET	-	initiating methionine	UNP P32132
A	-32	GLY	-	expression tag	UNP P32132
A	-31	SER	-	expression tag	UNP P32132
A	-30	SER	-	expression tag	UNP P32132
A	-29	HIS	-	expression tag	UNP P32132
A	-28	HIS	-	expression tag	UNP P32132
A	-27	HIS	-	expression tag	UNP P32132
A	-26	HIS	-	expression tag	UNP P32132
A	-25	HIS	-	expression tag	UNP P32132
A	-24	HIS	-	expression tag	UNP P32132
A	-23	SER	-	expression tag	UNP P32132
A	-22	SER	-	expression tag	UNP P32132
A	-21	GLY	-	expression tag	UNP P32132
A	-20	LEU	-	expression tag	UNP P32132
A	-19	VAL	-	expression tag	UNP P32132
A	-18	PRO	-	expression tag	UNP P32132
A	-17	ARG	-	expression tag	UNP P32132
A	-16	GLY	-	expression tag	UNP P32132
A	-15	SER	-	expression tag	UNP P32132
A	-14	HIS	-	expression tag	UNP P32132
A	-13	MET	-	expression tag	UNP P32132
A	-12	ALA	-	expression tag	UNP P32132
A	-11	SER	-	expression tag	UNP P32132
A	-10	MET	-	expression tag	UNP P32132
A	-9	THR	-	expression tag	UNP P32132

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	GLY	-	expression tag	UNP P32132
A	-7	GLY	-	expression tag	UNP P32132
A	-6	GLN	-	expression tag	UNP P32132
A	-5	GLN	-	expression tag	UNP P32132
A	-4	MET	-	expression tag	UNP P32132
A	-3	GLY	-	expression tag	UNP P32132
A	-2	ARG	-	expression tag	UNP P32132
A	-1	GLY	-	expression tag	UNP P32132
A	0	SER	-	expression tag	UNP P32132
B	-33	MET	-	initiating methionine	UNP P32132
B	-32	GLY	-	expression tag	UNP P32132
B	-31	SER	-	expression tag	UNP P32132
B	-30	SER	-	expression tag	UNP P32132
B	-29	HIS	-	expression tag	UNP P32132
B	-28	HIS	-	expression tag	UNP P32132
B	-27	HIS	-	expression tag	UNP P32132
B	-26	HIS	-	expression tag	UNP P32132
B	-25	HIS	-	expression tag	UNP P32132
B	-24	HIS	-	expression tag	UNP P32132
B	-23	SER	-	expression tag	UNP P32132
B	-22	SER	-	expression tag	UNP P32132
B	-21	GLY	-	expression tag	UNP P32132
B	-20	LEU	-	expression tag	UNP P32132
B	-19	VAL	-	expression tag	UNP P32132
B	-18	PRO	-	expression tag	UNP P32132
B	-17	ARG	-	expression tag	UNP P32132
B	-16	GLY	-	expression tag	UNP P32132
B	-15	SER	-	expression tag	UNP P32132
B	-14	HIS	-	expression tag	UNP P32132
B	-13	MET	-	expression tag	UNP P32132
B	-12	ALA	-	expression tag	UNP P32132
B	-11	SER	-	expression tag	UNP P32132
B	-10	MET	-	expression tag	UNP P32132
B	-9	THR	-	expression tag	UNP P32132
B	-8	GLY	-	expression tag	UNP P32132
B	-7	GLY	-	expression tag	UNP P32132
B	-6	GLN	-	expression tag	UNP P32132
B	-5	GLN	-	expression tag	UNP P32132
B	-4	MET	-	expression tag	UNP P32132
B	-3	GLY	-	expression tag	UNP P32132
B	-2	ARG	-	expression tag	UNP P32132
B	-1	GLY	-	expression tag	UNP P32132


*Continued on next page...*



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	SER	-	expression tag	UNP P32132

- Molecule 2 is COBALT HEXAMMINE(III) (three-letter code: NCO) (formula:  $\text{CoH}_{18}\text{N}_6$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Co	N	0	0
			7	1	6		
2	A	1	Total	Co	N	0	0
			7	1	6		
2	B	1	Total	Co	N	0	0
			7	1	6		
2	B	1	Total	Co	N	0	0
			7	1	6		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	41	Total	O	0	0
			41	41		
3	B	38	Total	O	0	0
			38	38		




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: GTP-binding protein TypA/BipA



#### • Molecule 1: GTP-binding protein TypA/BipA









## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	56.72Å 161.39Å 89.60Å 90.00° 97.95° 90.00°	Depositor
Resolution (Å)	46.00 – 2.63 46.00 – 2.63	Depositor EDS
% Data completeness (in resolution range)	98.4 (46.00-2.63) 98.4 (46.00-2.63)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.14 (at 2.61Å)	Xtriage
Refinement program	PHENIX dev_1819	Depositor
R, $R_{free}$	0.210 , 0.248 0.215 , 0.248	Depositor DCC
$R_{free}$ test set	2261 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	58.9	Xtriage
Anisotropy	0.427	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 55.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8661	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	78.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NCO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.25	0/4383	0.43	0/5936
1	B	0.24	0/4306	0.44	0/5839
All	All	0.25	0/8689	0.44	0/11775

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4315	0	4269	49	0
1	B	4239	0	4139	41	0
2	A	14	0	0	0	0
2	B	14	0	0	0	0
3	A	41	0	0	3	0
3	B	38	0	0	2	0
All	All	8661	0	8408	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash



magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:ASP:N	1:A:152:ASP:OD1	2.17	0.74
1:A:327:THR:HG23	1:A:329:ARG:H	1.59	0.67
1:B:255:LEU:HB2	1:B:275:ALA:HB3	1.79	0.65
1:A:407:VAL:HG11	1:A:415:VAL:HG21	1.81	0.62
1:A:326:VAL:HG12	1:A:379:GLU:HB3	1.81	0.62
1:B:149:VAL:O	1:B:149:VAL:HG22	2.00	0.61
1:A:277:THR:O	3:A:1101:HOH:O	2.16	0.61
1:B:572:ILE:HD13	1:B:578:VAL:HG23	1.81	0.61
1:A:137:PRO:HG2	1:A:176:HIS:ND1	2.18	0.58
1:A:379:GLU:HG3	1:A:581:THR:HG22	1.86	0.57
1:B:12:ALA:HB2	1:B:98:VAL:HB	1.86	0.57
1:B:417:GLN:NE2	3:B:1102:HOH:O	2.30	0.56
1:B:69:ARG:NH2	1:B:272:ASP:OD1	2.40	0.55
1:A:253:LYS:HD2	1:A:277:THR:HG21	1.90	0.54
1:B:147:LEU:C	1:B:149:VAL:H	2.11	0.53
1:B:308:SER:HA	1:B:359:SER:HA	1.91	0.52
1:A:390:ARG:NH1	1:A:472:TYR:OH	2.41	0.52
1:A:176:HIS:CD2	1:A:177:GLU:HG3	2.46	0.51
1:B:86:GLU:HG3	1:B:301:SER:HB2	1.92	0.51
1:A:450:GLY:O	1:A:570:GLU:HG3	2.10	0.51
1:B:4:LYS:HB3	1:B:68:TYR:HA	1.92	0.51
1:B:25:LEU:O	1:B:187:TYR:OH	2.25	0.51
1:B:25:LEU:HD21	1:B:186:LEU:HD23	1.94	0.50
1:A:314:ASN:OD1	3:A:1102:HOH:O	2.20	0.50
1:B:523:ILE:HD12	1:B:587:ILE:HG22	1.93	0.50
1:B:110:ARG:NH1	1:B:467:SER:O	2.45	0.50
1:A:487:VAL:HG11	1:A:523:ILE:HD13	1.93	0.50
1:A:25:LEU:O	1:A:187:TYR:OH	2.27	0.49
1:B:236:GLN:NE2	3:B:1106:HOH:O	2.44	0.49
1:A:572:ILE:HD13	1:A:578:VAL:HG23	1.94	0.49
1:A:373:MET:O	1:A:378:PHE:HB2	2.13	0.49
1:A:313:VAL:HG22	1:A:354:ASP:HB3	1.95	0.48
1:A:556:VAL:HG23	1:A:557:LEU:HG	1.96	0.48
1:B:310:PHE:HB2	1:B:383:SER:HB3	1.96	0.48
1:A:591:HIS:HB2	1:A:597:ARG:HG2	1.96	0.47
1:B:268:ALA:HB1	1:B:274:VAL:HG11	1.96	0.47
1:B:301:SER:O	1:B:301:SER:OG	2.30	0.47
1:A:107:PRO:O	1:A:110:ARG:HB2	2.13	0.47
1:B:391:GLU:O	1:B:391:GLU:HG3	2.15	0.47
1:A:129:LYS:NZ	3:A:1105:HOH:O	2.48	0.47
1:A:139:TRP:HE3	1:A:140:VAL:HG12	1.79	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:318:PHE:HA	1:A:321:LYS:HD2	1.97	0.47
1:B:336:ASN:OD1	1:B:336:ASN:N	2.48	0.47
1:A:301:SER:O	1:A:301:SER:OG	2.31	0.46
1:A:523:ILE:HD12	1:A:587:ILE:HG22	1.98	0.46
1:B:334:ARG:HD3	1:B:378:PHE:HE2	1.80	0.46
1:A:151:LEU:HD11	1:A:470:SER:OG	2.16	0.46
1:A:483:ARG:HD2	1:A:485:ASN:O	2.16	0.45
1:B:147:LEU:O	1:B:149:VAL:N	2.42	0.45
1:B:64:LYS:HE3	1:B:258:LEU:HD11	1.97	0.45
1:A:574:ASP:O	1:A:590:ARG:NH1	2.50	0.45
1:B:432:ASP:HB3	1:B:434:LYS:H	1.81	0.45
1:B:149:VAL:C	1:B:151:LEU:H	2.20	0.44
1:B:77:GLY:O	1:B:78:HIS:ND1	2.49	0.44
1:B:76:PRO:HG2	1:B:84:GLU:HB3	1.99	0.44
1:A:139:TRP:O	1:A:143:GLN:HG2	2.18	0.43
1:B:576:GLU:HG2	1:B:589:LYS:HD3	1.99	0.43
1:A:85:VAL:O	1:A:89:MET:HG2	2.18	0.43
1:A:131:ASP:N	1:A:131:ASP:OD1	2.51	0.43
1:B:201:LEU:HD11	1:B:269:GLU:HB3	2.01	0.43
1:A:199:VAL:HB	1:A:270:ALA:HB1	2.01	0.43
1:A:432:ASP:HB3	1:A:434:LYS:H	1.83	0.43
1:B:284:ILE:O	1:B:285:SER:HB2	2.19	0.43
1:A:401:GLU:OE1	1:A:467:SER:OG	2.27	0.42
1:A:268:ALA:HB1	1:A:274:VAL:HG11	2.01	0.42
1:A:331:ILE:O	1:A:335:LEU:HG	2.18	0.42
1:A:207:MET:HE3	1:A:274:VAL:HG22	2.00	0.42
1:B:108:GLN:N	1:B:108:GLN:OE1	2.53	0.42
1:B:213:ASP:HB3	1:B:221:ILE:HB	2.01	0.42
1:B:339:LEU:HD21	1:B:347:VAL:HG23	2.01	0.42
1:B:124:ILE:HG23	1:B:161:PRO:HG2	2.00	0.41
1:A:322:GLU:OE1	1:A:586:ARG:NH2	2.53	0.41
1:B:455:PHE:O	1:B:459:THR:HG22	2.21	0.41
1:A:310:PHE:HB2	1:A:383:SER:HB3	2.03	0.41
1:A:406:ASP:OD1	1:A:436:ARG:NE	2.39	0.41
1:B:483:ARG:HD2	1:B:485:ASN:O	2.21	0.41
1:A:459:THR:CG2	1:A:463:GLY:H	2.34	0.41
1:A:559:PRO:HA	1:A:560:PRO:HD3	1.85	0.41
1:A:374:ARG:HD2	1:A:581:THR:O	2.21	0.41
1:B:148:PHE:HB3	1:B:152:ASP:OD2	2.20	0.41
1:B:452:ARG:HB2	1:B:452:ARG:HE	1.60	0.41
1:B:84:GLU:HA	1:B:87:ARG:HD2	2.03	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:559:PRO:HA	1:B:560:PRO:HD3	1.74	0.41
1:A:483:ARG:NH1	1:A:576:GLU:OE1	2.54	0.40
1:A:208:GLN:HB2	1:A:297:LEU:HD12	2.03	0.40
1:A:201:LEU:HD11	1:A:269:GLU:HB3	2.03	0.40
1:B:334:ARG:HG2	1:B:334:ARG:HH11	1.86	0.40
1:A:284:ILE:O	1:A:285:SER:HB2	2.22	0.40
1:A:129:LYS:O	1:A:132:ARG:HG2	2.21	0.40
1:A:139:TRP:CE3	1:A:140:VAL:HG12	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	555/635 (87%)	523 (94%)	30 (5%)	2 (0%)	34	55
1	B	555/635 (87%)	523 (94%)	26 (5%)	6 (1%)	14	27
All	All	1110/1270 (87%)	1046 (94%)	56 (5%)	8 (1%)	22	41

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	80	ASP
1	B	151	LEU
1	A	301	SER
1	B	516	ALA
1	A	2	ILE
1	B	148	PHE
1	B	2	ILE
1	B	326	VAL



### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	466/540 (86%)	438 (94%)	28 (6%)	19	37
1	B	444/540 (82%)	420 (95%)	24 (5%)	22	42
All	All	910/1080 (84%)	858 (94%)	52 (6%)	20	39

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	THR
1	A	59	LYS
1	A	84	GLU
1	A	140	VAL
1	A	152	ASP
1	A	155	ASP
1	A	176	HIS
1	A	181	GLU
1	A	207	MET
1	A	218	VAL
1	A	225	ARG
1	A	265	THR
1	A	277	THR
1	A	300	LEU
1	A	303	ASP
1	A	327	THR
1	A	329	ARG
1	A	330	GLN
1	A	357	ARG
1	A	361	ARG
1	A	368	VAL
1	A	380	LEU
1	A	383	SER
1	A	514	HIS
1	A	562	ARG
1	A	573	ASP
1	A	583	THR

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	590	ARG
1	B	31	THR
1	B	59	LYS
1	B	110	ARG
1	B	151	LEU
1	B	152	ASP
1	B	155	ASP
1	B	218	VAL
1	B	260	LEU
1	B	265	THR
1	B	300	LEU
1	B	303	ASP
1	B	313	VAL
1	B	336	ASN
1	B	357	ARG
1	B	361	ARG
1	B	383	SER
1	B	384	ARG
1	B	391	GLU
1	B	412	GLN
1	B	493	GLN
1	B	512	LEU
1	B	556	VAL
1	B	573	ASP
1	B	583	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	ASN
1	A	176	HIS
1	A	342	ASN
1	B	493	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.



## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NCO	A	1002	-	6,6,6	0.43	0	-		
2	NCO	B	1002	-	6,6,6	0.43	0	-		
2	NCO	A	1001	-	6,6,6	0.44	0	-		
2	NCO	B	1001	-	6,6,6	0.43	0	-		

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.



## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	561/635 (88%)	0.00	8 (1%) 75 71	35, 69, 121, 151	0
1	B	561/635 (88%)	0.27	38 (6%) 17 13	42, 75, 140, 179	0
All	All	1122/1270 (88%)	0.14	46 (4%) 37 31	35, 73, 133, 179	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	394	GLY	8.6
1	B	1	MET	4.9
1	B	395	ARG	4.5
1	B	335	LEU	4.2
1	B	502	PHE	4.0
1	B	302	VAL	3.8
1	B	356	PHE	3.8
1	B	317	PRO	3.7
1	A	78	HIS	3.7
1	B	583	THR	3.6
1	B	518	VAL	3.5
1	B	393	ASP	3.4
1	B	514	HIS	3.3
1	A	158	LEU	3.3
1	B	500	ALA	3.3
1	B	392	ILE	3.3
1	B	370	ILE	3.1
1	B	57	LEU	3.1
1	A	149	VAL	3.0
1	B	331	ILE	2.9
1	A	583	THR	2.8
1	B	323	GLY	2.8
1	B	512	LEU	2.8
1	A	502	PHE	2.7

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	318	PHE	2.7
1	B	333	ASP	2.7
1	A	558	VAL	2.7
1	B	557	LEU	2.6
1	B	498	ALA	2.5
1	B	311	PHE	2.5
1	B	492	GLY	2.5
1	B	325	PHE	2.5
1	B	580	VAL	2.4
1	B	158	LEU	2.4
1	B	324	LYS	2.3
1	B	149	VAL	2.2
1	B	578	VAL	2.2
1	A	157	GLN	2.1
1	A	313	VAL	2.1
1	B	339	LEU	2.1
1	B	581	THR	2.1
1	B	31	THR	2.1
1	B	301	SER	2.1
1	B	452	ARG	2.1
1	B	519	TYR	2.0
1	B	516	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NCO	B	1002	7/7	0.95	0.29	107,110,112,112	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NCO	A	1002	7/7	0.97	0.21	103,104,105,106	0
2	NCO	B	1001	7/7	0.98	0.18	61,66,69,70	0
2	NCO	A	1001	7/7	0.99	0.16	51,53,56,59	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.