



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2020 – 03:54 PM BST

PDB ID : 3ZJK
Title : crystal structure of Ttb-gly F401S mutant
Authors : Teze, D.; Tran, V.; Tellier, C.; Dion, M.; Leroux, C.; Roncza, J.; Czjzek, M.
Deposited on : 2013-01-18
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	431	<div> <div>83%</div> <div>14%</div> <div>••</div> </div>
1	B	431	<div> <div>%</div> <div>80%</div> <div>15%</div> <div>••</div> </div>
1	C	431	<div> <div>5%</div> <div>79%</div> <div>18%</div> <div>••</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	C	904	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 10601 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called BETA GLYCOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	424	Total	C	N	O	S	0	0	0
			3393	2185	606	597	5			
1	B	423	Total	C	N	O	S	0	0	0
			3388	2182	605	596	5			
1	C	425	Total	C	N	O	S	0	0	0
			3398	2188	607	598	5			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	401	SER	PHE	engineered mutation	UNP Q9RA61
B	401	SER	PHE	engineered mutation	UNP Q9RA61
C	401	SER	PHE	engineered mutation	UNP Q9RA61

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Cl	0	0
			1	1		
3	A	1	Total	Cl	0	0
			1	1		
3	C	1	Total	Cl	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	183	Total	O	0	0
			183	183		
4	B	145	Total	O	0	0
			145	145		
4	C	73	Total	O	0	0
			73	73		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: BETA GLYCOSIDASE



• Molecule 1: BETA GLYCOSIDASE



• Molecule 1: BETA GLYCOSIDASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	98.56Å 77.32Å 101.77Å 90.00° 103.46° 90.00°	Depositor
Resolution (Å)	60.18 – 2.20 60.18 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (60.18-2.20) 99.8 (60.18-2.20)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.88 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.173 , 0.223 0.176 , 0.223	Depositor DCC
R_{free} test set	3808 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	23.6	Xtriage
Anisotropy	0.068	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 44.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.020 for l,-k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10601	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	2/3504 (0.1%)	0.90	3/4782 (0.1%)
1	B	1.01	1/3499 (0.0%)	0.94	3/4775 (0.1%)
1	C	0.78	0/3509	0.79	2/4789 (0.0%)
All	All	0.94	3/10512 (0.0%)	0.88	8/14346 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	386	SER	CB-OG	5.35	1.49	1.42
1	A	154	ASP	CB-CG	5.17	1.62	1.51
1	B	363	GLU	CG-CD	5.04	1.59	1.51

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	413	ARG	NE-CZ-NH2	-5.80	117.40	120.30
1	B	413	ARG	NE-CZ-NH1	5.70	123.15	120.30
1	B	373	ARG	NE-CZ-NH2	-5.55	117.52	120.30
1	A	66	MET	CG-SD-CE	5.39	108.82	100.20
1	A	267	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	A	346	LEU	CA-CB-CG	5.13	127.11	115.30
1	B	96	LEU	CA-CB-CG	5.12	127.08	115.30
1	C	84	LEU	CB-CG-CD2	-5.01	102.49	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3393	0	3280	49	0
1	B	3388	0	3275	69	0
1	C	3398	0	3285	64	0
2	A	6	0	8	0	0
2	B	6	0	8	2	0
2	C	6	0	8	7	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	183	0	0	4	0
4	B	145	0	0	4	0
4	C	73	0	0	1	0
All	All	10601	0	9864	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:119:HIS:HE1	2:C:904:GOL:H32	1.06	1.19
1:B:7:LYS:HA	1:B:7:LYS:HE2	1.28	1.08
1:A:7:LYS:HB2	1:A:7:LYS:NZ	1.70	1.07
1:B:36:PHE:CD1	1:B:180:PRO:O	2.11	1.03
1:A:213:ARG:NH2	1:B:213:ARG:NH1	2.06	1.02
1:C:119:HIS:CE1	2:C:904:GOL:H32	1.95	1.01
1:B:7:LYS:HA	1:B:7:LYS:CE	1.96	0.94
1:B:101:ARG:HH11	1:B:101:ARG:HG2	1.34	0.93
1:C:119:HIS:HE1	2:C:904:GOL:C3	1.82	0.93
1:C:184:ASN:HD21	1:C:186:GLU:HB3	1.32	0.92
1:A:83:ILE:HD12	1:A:96:LEU:HD13	1.50	0.91
1:A:36:PHE:CD1	1:A:180:PRO:O	2.27	0.88
1:B:288:ARG:HH11	1:B:288:ARG:CG	1.89	0.86
1:A:7:LYS:HB2	1:A:7:LYS:HZ3	1.37	0.85
1:B:274:ARG:HB3	1:B:274:ARG:HH11	1.42	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:ASN:OD1	1:A:238:HIS:HE1	1.61	0.84
1:B:288:ARG:HH11	1:B:288:ARG:HG2	1.42	0.83
1:A:213:ARG:NH2	1:B:213:ARG:HH11	1.73	0.81
1:C:83:ILE:HD12	1:C:96:LEU:HD13	1.60	0.81
1:B:7:LYS:CA	1:B:7:LYS:HE2	2.11	0.81
1:C:55:HIS:HD2	1:C:62:ASP:OD2	1.65	0.79
1:B:367:GLU:OE2	1:B:425:ARG:NH1	2.17	0.78
1:A:179:ALA:HA	1:A:180:PRO:C	2.03	0.78
1:B:303:PRO:HB3	1:B:313:GLU:HG3	1.66	0.77
1:B:224:TYR:HB2	1:B:288:ARG:NH1	1.99	0.77
1:B:101:ARG:NH1	1:B:101:ARG:HG2	2.00	0.75
1:C:132:TRP:O	1:C:194:HIS:HD2	1.70	0.74
1:B:179:ALA:HA	1:B:180:PRO:C	2.07	0.73
1:A:179:ALA:HA	1:A:180:PRO:O	1.89	0.72
1:B:274:ARG:CB	1:B:274:ARG:HH11	2.01	0.71
1:A:7:LYS:HB2	1:A:7:LYS:HZ2	1.55	0.71
1:B:183:ARG:NH1	4:B:2077:HOH:O	2.22	0.71
1:B:274:ARG:CG	1:B:274:ARG:HH11	2.04	0.70
1:B:179:ALA:HA	1:B:180:PRO:O	1.92	0.69
1:C:310:MET:HA	1:C:310:MET:HE3	1.73	0.69
1:C:49:GLY:O	1:C:52:ALA:N	2.26	0.68
1:A:213:ARG:HH21	1:B:213:ARG:NH1	1.90	0.68
1:C:158:PHE:CE1	1:C:213:ARG:HD2	2.29	0.67
1:C:310:MET:CE	1:C:395:PHE:CE2	2.77	0.67
1:A:213:ARG:CZ	1:B:213:ARG:NH1	2.58	0.66
1:A:55:HIS:HD2	1:A:62:ASP:OD2	1.78	0.66
1:C:310:MET:HE1	1:C:395:PHE:CE2	2.31	0.66
1:C:36:PHE:CD1	1:C:180:PRO:O	2.49	0.65
1:B:51:PRO:HD3	4:B:2035:HOH:O	1.97	0.65
1:A:428:ARG:O	1:A:429:ALA:C	2.34	0.65
1:C:184:ASN:C	1:C:184:ASN:HD22	1.99	0.65
1:C:60:GLU:HG2	1:C:105:ARG:NH1	2.13	0.64
1:A:219:ASN:OD1	1:A:238:HIS:CE1	2.49	0.62
1:C:132:TRP:O	1:C:194:HIS:CD2	2.51	0.62
1:A:17:TYR:CZ	1:A:49:GLY:HA3	2.34	0.62
1:C:412:ARG:HA	4:C:2021:HOH:O	1.98	0.61
1:C:412:ARG:HG3	1:C:413:ARG:N	2.14	0.61
1:C:105:ARG:HG3	1:C:105:ARG:O	2.00	0.60
1:A:129:ARG:HD2	4:A:2075:HOH:O	2.00	0.60
1:B:338:GLU:OE1	2:B:903:GOL:H32	2.02	0.59
1:B:332:TRP:HB3	1:B:333:PRO:HD2	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:179:ALA:HA	1:C:180:PRO:C	2.22	0.59
1:B:194:HIS:HE1	4:B:2066:HOH:O	1.85	0.58
1:A:367:GLU:OE2	4:A:2163:HOH:O	2.17	0.58
1:C:393:TRP:HE1	2:C:904:GOL:H31	1.69	0.58
1:B:7:LYS:HE2	1:B:8:PHE:H	1.69	0.57
1:C:44:ARG:NH2	1:C:399:ARG:HH22	2.02	0.57
1:B:224:TYR:HB2	1:B:288:ARG:HH12	1.69	0.57
1:A:150:ARG:HG2	1:C:91:ILE:HD12	1.85	0.57
1:C:60:GLU:HG2	1:C:105:ARG:HH11	1.70	0.56
1:C:180:PRO:HG2	1:C:182:LEU:HD13	1.88	0.56
1:B:51:PRO:O	1:B:52:ALA:C	2.44	0.56
1:A:80:TRP:HB3	1:A:81:PRO:HD3	1.88	0.56
1:C:284:TYR:OH	1:C:338:GLU:OE1	2.20	0.55
1:B:274:ARG:CG	1:B:274:ARG:NH1	2.66	0.55
1:C:184:ASN:ND2	1:C:184:ASN:C	2.60	0.55
1:C:18:GLN:OE1	2:C:904:GOL:O3	2.25	0.55
1:B:139:PHE:CE1	1:B:143:GLU:OE1	2.60	0.55
1:C:36:PHE:HD1	1:C:180:PRO:O	1.90	0.54
1:B:274:ARG:HG3	1:B:274:ARG:NH1	2.22	0.54
1:C:310:MET:CA	1:C:310:MET:HE3	2.38	0.54
1:B:288:ARG:NH1	1:B:288:ARG:CG	2.57	0.53
1:C:18:GLN:O	1:C:390:ASN:HB2	2.08	0.53
1:B:274:ARG:O	1:B:275:PRO:C	2.45	0.53
1:C:310:MET:HE2	1:C:395:PHE:CE2	2.44	0.53
1:C:164:GLU:HG2	1:C:219:ASN:HB2	1.92	0.52
1:A:80:TRP:N	1:A:81:PRO:CD	2.73	0.52
1:B:124:LEU:O	1:B:128:GLU:HG2	2.10	0.51
1:A:7:LYS:CB	1:A:7:LYS:NZ	2.56	0.51
1:B:146:GLU:OE2	1:B:150:ARG:NH2	2.43	0.51
1:B:224:TYR:CB	1:B:288:ARG:HH12	2.24	0.51
1:C:224:TYR:O	1:C:288:ARG:HA	2.10	0.51
1:A:68:SER:O	1:A:423:ARG:HD2	2.11	0.51
1:C:54:ASP:O	1:C:58:ARG:HG3	2.11	0.51
1:A:132:TRP:O	1:A:194:HIS:HD2	1.94	0.50
1:C:133:ARG:HD2	1:C:187:ALA:HB1	1.93	0.50
1:B:101:ARG:HH11	1:B:101:ARG:CG	2.14	0.50
1:B:271:LEU:O	1:B:274:ARG:HG2	2.12	0.50
1:B:55:HIS:HD2	1:B:62:ASP:OD2	1.95	0.49
1:C:130:GLY:O	1:C:133:ARG:HB2	2.13	0.49
1:B:359:VAL:O	1:B:363:GLU:HG3	2.12	0.49
1:C:219:ASN:OD1	1:C:238:HIS:HE1	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:184:ASN:HD22	1:C:185:LEU:N	2.10	0.49
1:C:347:TRP:CZ2	1:C:349:GLY:HA2	2.47	0.48
1:A:146:GLU:HB2	1:A:205:ALA:HB1	1.96	0.48
1:A:288:ARG:HD3	1:A:304:GLU:OE2	2.13	0.48
1:B:80:TRP:N	1:B:81:PRO:CD	2.77	0.47
1:C:393:TRP:HE1	2:C:904:GOL:C3	2.27	0.47
1:A:320:HIS:CE1	1:A:371:ARG:HG2	2.50	0.47
1:C:308:THR:C	1:C:310:MET:H	2.17	0.47
1:C:308:THR:C	1:C:310:MET:N	2.68	0.46
1:A:353:VAL:HB	1:A:416:LYS:HG2	1.98	0.46
1:B:50:GLU:HA	1:B:51:PRO:HA	1.55	0.46
1:A:350:GLU:CD	1:A:350:GLU:H	2.19	0.46
1:B:180:PRO:HG2	1:B:181:GLY:H	1.80	0.46
1:B:7:LYS:HE2	1:B:8:PHE:N	2.30	0.46
1:A:236:ARG:HD2	1:A:253:GLU:O	2.15	0.45
1:C:320:HIS:O	1:C:324:LYS:HG2	2.16	0.45
1:A:180:PRO:HG2	1:A:181:GLY:H	1.80	0.45
1:B:274:ARG:HA	1:B:274:ARG:HD2	1.55	0.45
1:B:36:PHE:CE1	1:B:180:PRO:O	2.65	0.45
1:B:357:GLU:H	1:B:357:GLU:HG2	1.37	0.45
1:C:119:HIS:CE1	2:C:904:GOL:C3	2.74	0.45
1:C:412:ARG:HG2	1:C:414:ILE:CD1	2.47	0.45
1:B:18:GLN:HG2	1:B:391:PHE:O	2.17	0.44
1:A:149:ALA:HB2	1:A:206:LEU:HD12	1.99	0.44
1:A:91:ILE:O	1:A:93:PRO:HD3	2.17	0.44
1:B:301:LEU:HB3	1:B:302:PRO:HD2	1.99	0.44
1:B:146:GLU:O	1:B:150:ARG:HG3	2.18	0.44
1:C:310:MET:HG2	1:C:342:ALA:HB3	1.99	0.44
1:A:36:PHE:HD1	1:A:180:PRO:O	1.93	0.44
1:B:389:ASP:OD2	1:B:405:TYR:HA	2.18	0.44
1:C:310:MET:HE1	1:C:395:PHE:CD2	2.52	0.44
1:A:343:TYR:CE2	1:A:357:GLU:HB3	2.52	0.44
1:A:133:ARG:HD2	1:A:187:ALA:HB1	2.00	0.44
1:A:7:LYS:CB	1:A:7:LYS:HZ3	2.18	0.44
1:A:50:GLU:HA	1:A:51:PRO:HA	1.53	0.43
1:C:412:ARG:HG2	1:C:414:ILE:HD11	1.99	0.43
1:C:44:ARG:HB3	1:C:394:ALA:O	2.18	0.43
1:C:427:ALA:C	1:C:429:ALA:H	2.21	0.43
1:C:343:TYR:H	1:C:358:ARG:HH21	1.66	0.43
1:B:119:HIS:HE1	2:B:903:GOL:O2	2.01	0.43
1:A:151:ALA:HB1	1:C:93:PRO:HG3	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:49:GLY:O	1:C:52:ALA:HB2	2.19	0.43
1:C:63:ILE:HD11	1:C:102:LEU:HD12	1.99	0.43
1:B:79:ALA:C	1:B:81:PRO:HD2	2.40	0.42
1:C:224:TYR:HB2	1:C:288:ARG:HD3	2.00	0.42
1:C:37:ALA:HB1	1:C:48:THR:HG22	2.00	0.42
1:B:119:HIS:HD2	4:B:2005:HOH:O	2.01	0.42
1:B:350:GLU:N	1:B:350:GLU:OE1	2.26	0.42
1:C:385:TRP:HA	1:C:386:SER:HA	1.77	0.42
1:B:148:VAL:HG13	1:B:152:LEU:HD12	2.00	0.42
1:A:36:PHE:CE1	1:A:180:PRO:O	2.73	0.42
1:C:184:ASN:HD21	1:C:186:GLU:CB	2.16	0.42
1:B:274:ARG:HG3	1:B:274:ARG:HH11	1.79	0.41
1:B:288:ARG:NH1	1:B:288:ARG:HG3	2.34	0.41
1:B:392:GLU:HG3	1:B:399:ARG:O	2.19	0.41
1:A:296:LEU:HA	1:A:297:PRO:HD3	1.77	0.41
1:B:227:ASP:HA	1:B:228:PRO:HD3	1.93	0.41
1:A:194:HIS:HE1	4:A:2084:HOH:O	2.02	0.41
1:B:74:TYR:CE2	1:B:76:PHE:HB3	2.55	0.41
1:B:119:HIS:O	1:B:120:TRP:HB2	2.20	0.41
1:B:186:GLU:OE1	1:B:260:PRO:HB2	2.21	0.41
1:C:242:PHE:O	1:C:246:ILE:HG12	2.20	0.41
1:B:132:TRP:O	1:B:194:HIS:HD2	2.03	0.41
1:B:36:PHE:CB	1:B:179:ALA:HB2	2.51	0.41
1:A:425:ARG:HA	1:A:425:ARG:HD2	1.84	0.41
1:C:85:PRO:HG2	1:C:90:ARG:NH1	2.36	0.41
1:A:180:PRO:HA	4:A:2024:HOH:O	2.20	0.41
1:A:242:PHE:O	1:A:246:ILE:HG12	2.21	0.41
1:A:385:TRP:HA	1:A:386:SER:HA	1.77	0.41
1:B:343:TYR:CZ	1:B:357:GLU:HB2	2.56	0.41
1:A:50:GLU:OE2	1:A:51:PRO:HB3	2.20	0.41
1:B:236:ARG:HD2	1:B:253:GLU:O	2.20	0.41
1:A:302:PRO:HA	1:A:303:PRO:HD2	1.86	0.40
1:A:132:TRP:O	1:A:194:HIS:CD2	2.73	0.40
1:C:106:LEU:HA	1:C:106:LEU:HD23	1.94	0.40
1:B:332:TRP:CB	1:B:333:PRO:HD2	2.51	0.40
1:B:92:ASN:HA	1:B:93:PRO:HD3	1.96	0.40
1:C:236:ARG:HD2	1:C:253:GLU:O	2.22	0.40
1:C:75:ARG:NH1	1:C:338:GLU:HG3	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	422/431 (98%)	402 (95%)	18 (4%)	2 (0%)	29	31
1	B	421/431 (98%)	405 (96%)	11 (3%)	5 (1%)	13	10
1	C	423/431 (98%)	401 (95%)	19 (4%)	3 (1%)	22	22
All	All	1266/1293 (98%)	1208 (95%)	48 (4%)	10 (1%)	19	19

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	52	ALA
1	B	275	PRO
1	C	309	ALA
1	A	180	PRO
1	A	181	GLY
1	B	180	PRO
1	B	294	GLY
1	C	263	PRO
1	C	428	ARG
1	B	181	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/339 (98%)	319 (96%)	14 (4%)	30	38
1	B	333/339 (98%)	314 (94%)	19 (6%)	20	24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	333/339 (98%)	315 (95%)	18 (5%)	22	26
All	All	999/1017 (98%)	948 (95%)	51 (5%)	24	29

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LYS
1	A	90	ARG
1	A	96	LEU
1	A	101	ARG
1	A	150	ARG
1	A	206	LEU
1	A	226	GLU
1	A	270	GLU
1	A	274	ARG
1	A	298	VAL
1	A	352	VAL
1	A	357	GLU
1	A	420	LEU
1	A	425	ARG
1	B	7	LYS
1	B	71	VAL
1	B	86	GLU
1	B	90	ARG
1	B	96	LEU
1	B	100	ASP
1	B	101	ARG
1	B	128	GLU
1	B	136	GLU
1	B	204	GLU
1	B	258	ASP
1	B	267	ARG
1	B	274	ARG
1	B	288	ARG
1	B	325	ARG
1	B	332	TRP
1	B	337	THR
1	B	357	GLU
1	B	425	ARG
1	C	61	GLU
1	C	86	GLU
1	C	88	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	90	ARG
1	C	96	LEU
1	C	105	ARG
1	C	128	GLU
1	C	133	ARG
1	C	184	ASN
1	C	258	ASP
1	C	267	ARG
1	C	271	LEU
1	C	310	MET
1	C	325	ARG
1	C	350	GLU
1	C	412	ARG
1	C	424	GLU
1	C	425	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	HIS
1	A	119	HIS
1	A	194	HIS
1	A	238	HIS
1	A	320	HIS
1	B	18	GLN
1	B	55	HIS
1	B	119	HIS
1	B	194	HIS
1	B	238	HIS
1	C	55	HIS
1	C	119	HIS
1	C	184	ASN
1	C	194	HIS
1	C	238	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	C	904	-	5,5,5	0.40	0	5,5,5	1.32	0
2	GOL	B	903	-	5,5,5	0.61	0	5,5,5	1.38	1 (20%)
2	GOL	A	902	-	5,5,5	0.56	0	5,5,5	1.12	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	C	904	-	-	2/4/4/4	-
2	GOL	B	903	-	-	3/4/4/4	-
2	GOL	A	902	-	-	0/4/4/4	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	902	GOL	C3-C2-C1	-2.31	102.70	111.70
2	B	903	GOL	O2-C2-C1	2.21	118.85	109.12

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	904	GOL	C1-C2-C3-O3
2	B	903	GOL	O1-C1-C2-O2
2	B	903	GOL	O2-C2-C3-O3
2	C	904	GOL	O2-C2-C3-O3
2	B	903	GOL	O1-C1-C2-C3

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	904	GOL	7	0
2	B	903	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	424/431 (98%)	-0.52	2 (0%) 91 90	12, 23, 44, 63	0
1	B	423/431 (98%)	-0.40	5 (1%) 79 77	11, 24, 55, 86	0
1	C	425/431 (98%)	0.03	21 (4%) 29 28	16, 46, 82, 94	0
All	All	1272/1293 (98%)	-0.30	28 (2%) 62 59	11, 29, 69, 94	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	5	ALA	7.9
1	B	180	PRO	5.3
1	A	429	ALA	4.4
1	C	376	GLY	3.9
1	C	224	TYR	3.7
1	C	6	GLU	3.7
1	C	180	PRO	3.1
1	C	321	HIS	3.1
1	C	266	SER	3.0
1	A	180	PRO	3.0
1	C	49	GLY	2.7
1	C	369	ALA	2.7
1	C	69	LEU	2.6
1	C	428	ARG	2.5
1	C	304	GLU	2.4
1	B	302	PRO	2.4
1	C	421	TRP	2.4
1	C	429	ALA	2.3
1	C	426	ILE	2.3
1	B	304	GLU	2.2
1	C	377	VAL	2.2
1	B	49	GLY	2.2
1	C	305	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	363	GLU	2.2
1	C	379	LEU	2.2
1	C	422	TYR	2.1
1	B	90	ARG	2.1
1	C	370	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	GOL	C	904	6/6	0.89	0.17	50,52,53,55	0
2	GOL	B	903	6/6	0.97	0.13	20,25,32,34	0
2	GOL	A	902	6/6	0.98	0.10	17,18,21,26	0
3	CL	C	1430	1/1	0.99	0.05	31,31,31,31	0
3	CL	A	1430	1/1	0.99	0.10	18,18,18,18	0
3	CL	B	1429	1/1	0.99	0.09	22,22,22,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.