



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2021 – 10:39 AM EDT

PDB ID : 1ZKW  
Title : Crystal structure of Arg347Ala mutant of botulinum neurotoxin E catalytic domain  
Authors : Agarwal, R.; Binz, T.; Swaminathan, S.  
Deposited on : 2005-05-04  
Resolution : 2.17 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.17 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6864 (2.20-2.16)
Clashscore	141614	7689 (2.20-2.16)
Ramachandran outliers	138981	7564 (2.20-2.16)
Sidechain outliers	138945	7564 (2.20-2.16)
RSRZ outliers	127900	6738 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	420	<div> <div>4%</div> <div>73%</div> <div>23%</div> <div>..</div> </div>
1	B	420	<div> <div>11%</div> <div>67%</div> <div>27%</div> <div>..</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6841 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called botulinum neurotoxin type E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	411	Total	C	N	O	S	0	0	0
			3293	2106	549	630	8			
1	B	409	Total	C	N	O	S	0	0	0
			3276	2094	547	628	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	347	ALA	ARG	engineered mutation	UNP Q00496
B	347	ALA	ARG	engineered mutation	UNP Q00496

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	6	Total	Cl	0	0
			6	6		
3	B	1	Total	Cl	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	165	Total	O	0	0
			165	165		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	98	Total	O	0	0
			98	98		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: botulinum neurotoxin type E



- Molecule 1: botulinum neurotoxin type E



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	88.58Å 144.46Å 82.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.35 – 2.17 42.34 – 1.93	Depositor EDS
% Data completeness (in resolution range)	87.4 (42.35-2.17) 75.5 (42.34-1.93)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.77 (at 1.94Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.238 , 0.280 0.238 , 0.281	Depositor DCC
$R_{free}$ test set	721 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	24.7	Xtriage
Anisotropy	0.409	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 47.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6841	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.65% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.37	0/3367	0.62	0/4562
1	B	0.36	0/3349	0.60	0/4538
All	All	0.37	0/6716	0.61	0/9100

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3293	0	3252	92	0
1	B	3276	0	3238	122	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	6	0	0	0	0
3	B	1	0	0	0	0
4	A	165	0	0	5	0
4	B	98	0	0	7	0
All	All	6841	0	6490	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:SER:HB3	1:B:78:GLU:HG3	1.54	0.89
1:B:351:ILE:HD13	1:B:351:ILE:H	1.41	0.85
1:B:196:ASN:HA	4:B:915:HOH:O	1.77	0.84
1:B:263:THR:H	1:B:266:GLN:HE21	1.21	0.83
1:B:345:LYS:H	1:B:386:GLN:HE22	1.27	0.83
1:B:263:THR:H	1:B:266:GLN:NE2	1.79	0.79
1:A:243:ILE:HA	4:A:686:HOH:O	1.82	0.78
1:A:238:PRO:C	1:A:240:ILE:H	1.86	0.78
1:A:234:GLN:NE2	1:A:243:ILE:H	1.83	0.75
1:B:234:GLN:HG3	1:B:243:ILE:HG12	1.68	0.74
1:B:381:VAL:O	1:B:384:ARG:HG3	1.88	0.73
1:A:289:GLN:HG3	1:A:291:SER:H	1.52	0.73
1:A:238:PRO:O	1:A:240:ILE:HG12	1.88	0.72
1:B:65:SER:HB2	4:B:904:HOH:O	1.88	0.71
1:B:54:PHE:O	1:B:70:PRO:HG3	1.91	0.71
1:A:234:GLN:HA	1:A:238:PRO:HG2	1.73	0.70
1:A:295:LEU:HD13	1:A:299:LYS:HE3	1.73	0.70
1:B:310:LYS:HE2	1:B:314:GLY:HA2	1.73	0.70
1:B:263:THR:OG1	1:B:266:GLN:HG3	1.91	0.70
1:A:409:ARG:HE	1:A:409:ARG:HA	1.57	0.69
1:B:233:THR:HA	1:B:245:GLY:HA2	1.75	0.69
1:B:334:THR:OG1	1:B:337:ASP:HB3	1.92	0.68
1:B:233:THR:HG22	1:B:234:GLN:N	2.08	0.68
1:B:389:ASN:O	1:B:390:LEU:HB2	1.93	0.68
1:B:92:ARG:HA	1:B:370:ILE:HG23	1.76	0.67
1:B:231:THR:HG22	1:B:247:ASN:OD1	1.95	0.67
1:B:55:HIS:ND1	1:B:70:PRO:HG2	2.10	0.65
1:A:238:PRO:HG2	1:A:239:LEU:H	1.60	0.65
1:B:351:ILE:HD13	1:B:351:ILE:N	2.10	0.64
1:B:351:ILE:H	1:B:351:ILE:CD1	2.11	0.64
1:A:405:LYS:O	1:A:408:ILE:HG12	1.97	0.64
1:A:130:ALA:HB2	1:A:144:LEU:HD23	1.81	0.63
1:B:118:THR:HG21	1:B:124:HIS:CD2	2.33	0.63
1:B:345:LYS:H	1:B:386:GLN:NE2	1.96	0.62
1:A:407:ILE:O	1:A:409:ARG:N	2.30	0.62
1:B:248:ILE:HA	1:B:251:PHE:HD1	1.65	0.62
1:A:125:ILE:HD11	1:B:294:LEU:CD1	2.29	0.62
1:A:232:ILE:HG23	1:A:236:GLN:HB2	1.82	0.62
1:A:130:ALA:HB2	1:A:144:LEU:CD2	2.30	0.62
1:A:406:LYS:O	1:A:410:PHE:HB2	1.99	0.62

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:57:PRO:HG2	1:B:58:THR:H	1.64	0.61
1:B:153:GLU:HB2	1:B:154:PRO:CD	2.30	0.61
1:B:50:THR:HG22	1:B:53:ASP:OD2	2.00	0.61
1:B:44:ARG:NH1	1:B:72:TYR:HB3	2.16	0.61
1:B:375:ASN:HB3	1:B:380:LYS:HA	1.83	0.60
1:A:153:GLU:HB2	1:A:154:PRO:CD	2.31	0.60
1:B:233:THR:HB	4:B:901:HOH:O	2.01	0.60
1:B:234:GLN:HA	1:B:241:THR:HB	1.82	0.60
1:A:71:ASN:O	1:A:74:GLN:HG2	2.02	0.60
1:B:337:ASP:OD1	1:B:341:LYS:HE2	2.03	0.59
1:A:410:PHE:N	4:A:689:HOH:O	2.35	0.59
1:B:80:ASP:OD2	1:B:84:LYS:HE2	2.02	0.59
1:B:58:THR:HG21	1:B:61:LYS:HD3	1.84	0.59
1:B:128:ALA:HB2	1:B:166:LEU:HD11	1.84	0.58
1:A:289:GLN:NE2	1:A:290:VAL:HG22	2.18	0.58
1:A:326:ILE:HA	1:A:329:LYS:HD3	1.85	0.58
1:A:233:THR:OG1	1:A:236:GLN:HG3	2.03	0.58
1:B:233:THR:HA	1:B:245:GLY:CA	2.32	0.58
1:A:243:ILE:C	1:A:245:GLY:H	2.07	0.58
1:A:255:GLY:HA2	1:A:259:LEU:HD13	1.85	0.58
1:B:50:THR:HG22	1:B:53:ASP:CG	2.24	0.58
1:A:88:LYS:HG3	1:A:370:ILE:HD11	1.85	0.57
1:A:409:ARG:HE	1:A:409:ARG:CA	2.18	0.56
1:B:234:GLN:HE22	1:B:239:LEU:C	2.08	0.56
1:A:61:LYS:NZ	1:A:404:VAL:HG22	2.21	0.56
1:B:328:LYS:HB3	1:B:328:LYS:NZ	2.21	0.56
1:A:251:PHE:CZ	1:A:351:ILE:HD11	2.41	0.56
1:B:345:LYS:N	1:B:386:GLN:HE22	1.99	0.56
1:B:381:VAL:HB	1:B:384:ARG:NE	2.21	0.56
1:A:121:ASN:C	1:A:121:ASN:HD22	2.10	0.54
1:A:396:THR:HG22	1:A:397:PRO:HD2	1.88	0.54
1:A:295:LEU:CD1	1:A:299:LYS:HE3	2.38	0.54
1:B:129:SER:O	1:B:144:LEU:HD13	2.07	0.54
1:A:171:MET:O	1:A:175:HIS:HD2	1.91	0.54
1:A:125:ILE:HD11	1:B:294:LEU:HD11	1.89	0.54
1:A:238:PRO:O	1:A:240:ILE:N	2.41	0.53
1:B:387:ASN:HB3	1:B:390:LEU:HB3	1.89	0.53
1:A:121:ASN:HD22	1:A:122:GLN:N	2.06	0.53
1:B:292:ASN:ND2	1:B:293:PRO:HD2	2.23	0.53
1:A:236:GLN:C	1:A:238:PRO:CD	2.77	0.53
1:B:201:PHE:CG	1:B:345:LYS:HG2	2.44	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:233:THR:CG2	1:B:234:GLN:N	2.72	0.53
1:B:112:TYR:HA	1:B:302:PHE:CE1	2.44	0.52
1:B:195:ASP:CG	1:B:199:ASN:HB2	2.30	0.52
1:B:393:ARG:HB2	4:B:912:HOH:O	2.07	0.52
1:B:45:ASN:HD21	1:B:47:ILE:HB	1.74	0.52
1:B:153:GLU:HB2	1:B:154:PRO:HD2	1.90	0.52
1:B:190:SER:HB2	1:B:359:LEU:HD11	1.90	0.52
1:A:232:ILE:HG13	1:A:236:GLN:NE2	2.26	0.51
1:A:243:ILE:O	1:A:244:ARG:HG2	2.10	0.51
1:B:375:ASN:HD21	1:B:386:GLN:HG3	1.76	0.51
1:A:171:MET:O	1:A:175:HIS:CD2	2.63	0.51
1:B:234:GLN:HG2	1:B:243:ILE:H	1.75	0.51
1:A:238:PRO:C	1:A:240:ILE:N	2.56	0.51
1:B:237:ASN:HB3	1:B:238:PRO:HD3	1.93	0.51
1:A:153:GLU:HB2	1:A:154:PRO:HD2	1.94	0.50
1:B:237:ASN:CB	1:B:238:PRO:CD	2.89	0.50
1:B:381:VAL:HG21	1:B:384:ARG:NH2	2.25	0.50
1:B:234:GLN:HB2	1:B:243:ILE:HA	1.92	0.50
1:B:45:ASN:ND2	1:B:47:ILE:H	2.10	0.49
1:B:244:ARG:HH11	1:B:244:ARG:HB2	1.77	0.49
1:B:243:ILE:HG22	1:B:243:ILE:O	2.12	0.49
1:A:243:ILE:O	1:A:245:GLY:N	2.44	0.49
1:B:251:PHE:CD1	1:B:261:ILE:HD11	2.47	0.49
1:A:125:ILE:HD11	1:B:294:LEU:HD13	1.95	0.49
1:B:66:SER:HA	1:B:157:PHE:CD2	2.47	0.49
1:B:408:ILE:O	1:B:409:ARG:HB2	2.13	0.49
1:B:233:THR:HG22	1:B:234:GLN:H	1.74	0.48
1:B:236:GLN:O	1:B:238:PRO:HD2	2.14	0.48
1:B:95:ASN:N	1:B:95:ASN:HD22	2.10	0.48
1:A:238:PRO:HG2	1:A:239:LEU:N	2.25	0.48
1:A:241:THR:HG22	1:A:242:ASN:N	2.29	0.48
1:B:248:ILE:HA	1:B:251:PHE:CD1	2.45	0.48
1:B:263:THR:N	1:B:266:GLN:HE21	2.00	0.48
1:B:376:ILE:O	1:B:379:LEU:HB2	2.14	0.48
1:A:234:GLN:O	1:A:239:LEU:HD23	2.13	0.47
1:A:234:GLN:NE2	1:A:243:ILE:N	2.58	0.47
1:B:91:ASN:HB3	1:B:370:ILE:HD13	1.95	0.47
1:B:292:ASN:HD22	1:B:293:PRO:CD	2.26	0.47
1:B:339:ALA:CB	1:B:346:CYS:HB2	2.44	0.47
1:A:92:ARG:HA	1:A:370:ILE:HG23	1.96	0.47
1:A:370:ILE:HG12	4:A:585:HOH:O	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:GLN:NE2	1:A:290:VAL:H	2.12	0.47
1:B:75:SER:HB3	1:B:78:GLU:CG	2.36	0.47
1:A:329:LYS:CB	1:A:329:LYS:NZ	2.78	0.47
1:B:121:ASN:HA	1:B:287:LYS:O	2.14	0.47
1:A:263:THR:H	1:A:266:GLN:NE2	2.13	0.46
1:B:45:ASN:C	1:B:45:ASN:HD22	2.17	0.46
1:A:296:ASN:HB2	1:A:297:PRO:HD3	1.98	0.46
1:B:233:THR:CG2	1:B:234:GLN:H	2.28	0.46
1:B:234:GLN:N	1:B:241:THR:HG21	2.30	0.46
1:A:167:ARG:HG2	1:A:168:ASN:ND2	2.30	0.46
1:A:264:SER:O	1:A:268:ASN:HB2	2.15	0.46
1:B:92:ARG:CA	1:B:370:ILE:HG23	2.45	0.46
1:A:75:SER:OG	1:A:78:GLU:HG3	2.16	0.46
1:A:237:ASN:HD22	1:A:237:ASN:HA	1.57	0.45
1:B:14:ASP:OD1	1:B:135:PHE:HB3	2.16	0.45
1:B:391:ASN:N	1:B:392:PRO:HD3	2.32	0.45
1:A:19:TYR:HA	1:A:29:TYR:O	2.17	0.45
1:B:232:ILE:HD12	1:B:251:PHE:CE1	2.52	0.45
1:A:112:TYR:HA	1:A:302:PHE:CE1	2.52	0.45
1:B:237:ASN:CB	1:B:238:PRO:HD3	2.46	0.45
1:B:346:CYS:SG	1:B:347:ALA:N	2.90	0.45
1:B:34:ILE:HD12	1:B:40:ILE:HD11	1.97	0.45
1:B:392:PRO:HD2	4:B:912:HOH:O	2.15	0.45
1:B:400:GLY:O	1:B:404:VAL:HG23	2.16	0.45
1:A:142:ILE:HG13	1:B:293:PRO:HG3	1.99	0.45
1:A:173:SER:HA	1:A:178:GLY:HA2	1.99	0.45
1:A:192:ARG:HD2	1:A:200:GLU:HB3	1.98	0.45
1:A:230:TYR:N	1:A:230:TYR:CD1	2.84	0.45
1:B:309:ASP:OD2	1:B:319:ASN:HB2	2.17	0.45
1:B:58:THR:C	1:B:60:LEU:H	2.21	0.44
1:A:61:LYS:HZ2	1:A:404:VAL:HG22	1.81	0.44
1:B:393:ARG:HG3	1:B:393:ARG:HH11	1.83	0.44
1:B:337:ASP:O	1:B:341:LYS:HG2	2.18	0.44
1:B:401:ARG:O	1:B:405:LYS:HG2	2.18	0.44
1:A:6:PHE:CD2	1:A:32:PHE:HB3	2.53	0.44
1:B:364:ASN:HB3	1:B:367:ILE:HD12	2.00	0.44
1:B:395:ILE:HG22	1:B:396:THR:N	2.32	0.44
1:B:29:TYR:CG	1:B:43:GLU:HG3	2.53	0.44
1:A:121:ASN:C	1:A:121:ASN:ND2	2.70	0.44
1:B:409:ARG:HE	1:B:409:ARG:HA	1.83	0.43
1:A:146:ASN:O	1:A:220:LEU:HD21	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:58:THR:HG21	1:B:61:LYS:CD	2.48	0.43
1:B:242:ASN:O	1:B:244:ARG:HG3	2.17	0.43
1:A:375:ASN:HB3	1:A:380:LYS:HA	1.99	0.43
1:B:364:ASN:OD1	1:B:366:SER:HB2	2.18	0.43
1:A:60:LEU:HB2	4:A:590:HOH:O	2.17	0.43
1:A:211:HIS:ND1	1:A:335:GLU:OE1	2.52	0.43
1:A:31:SER:OG	1:A:41:ILE:HG12	2.18	0.43
1:A:97:LEU:O	1:A:101:ILE:HG12	2.19	0.43
1:B:275:LEU:HG	1:B:279:LYS:HE3	1.99	0.43
1:A:230:TYR:N	1:A:230:TYR:HD1	2.17	0.43
1:A:92:ARG:HG3	1:A:92:ARG:HH11	1.84	0.43
1:B:106:LEU:HD11	1:B:213:LEU:HB3	2.01	0.43
1:B:163:ASN:HB3	1:B:179:SER:OG	2.19	0.43
1:A:329:LYS:HG3	4:A:669:HOH:O	2.17	0.43
1:B:232:ILE:CD1	1:B:261:ILE:HD12	2.49	0.43
1:B:258:ASP:O	1:B:261:ILE:HG12	2.19	0.42
1:B:232:ILE:O	1:B:245:GLY:HA2	2.19	0.42
1:A:275:LEU:O	1:A:279:LYS:HG3	2.19	0.42
1:B:292:ASN:HD22	1:B:293:PRO:N	2.18	0.42
1:A:227:THR:HB	1:A:249:GLU:HB2	2.02	0.42
1:B:45:ASN:HD21	1:B:47:ILE:CB	2.32	0.42
1:B:45:ASN:HD22	1:B:47:ILE:H	1.66	0.42
1:A:58:THR:HG21	1:A:61:LYS:O	2.19	0.42
1:B:118:THR:HG21	1:B:124:HIS:CG	2.55	0.42
1:B:234:GLN:HE22	1:B:239:LEU:CA	2.33	0.42
1:B:292:ASN:HD22	1:B:293:PRO:HD2	1.82	0.42
1:B:240:ILE:HB	1:B:351:ILE:HG13	2.02	0.41
1:A:15:ARG:NH1	1:B:313:SER:O	2.53	0.41
1:A:19:TYR:HB3	1:A:28:PHE:HB3	2.03	0.41
1:A:55:HIS:HA	1:A:56:PRO:HD3	1.93	0.41
1:A:400:GLY:O	1:A:403:LEU:HB2	2.20	0.41
1:B:380:LYS:HG3	4:B:871:HOH:O	2.20	0.41
1:A:19:TYR:HB2	1:A:134:LYS:HB3	2.02	0.41
1:A:405:LYS:O	1:A:408:ILE:CG1	2.67	0.41
1:A:167:ARG:O	1:A:168:ASN:HB2	2.20	0.41
1:A:194:ASN:N	1:A:194:ASN:HD22	2.17	0.41
1:A:232:ILE:CD1	1:A:248:ILE:HG22	2.50	0.41
1:B:44:ARG:HD3	1:B:73:LEU:HB2	2.02	0.41
1:B:58:THR:HG21	1:B:61:LYS:CG	2.51	0.41
1:B:200:GLU:HG3	4:B:895:HOH:O	2.20	0.41
1:B:210:MET:O	1:B:214:ILE:HG13	2.21	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:THR:HA	1:A:184:THR:O	2.21	0.40
1:A:237:ASN:N	1:A:238:PRO:HD2	2.36	0.40
1:A:153:GLU:CB	1:A:154:PRO:CD	2.97	0.40
1:A:310:LYS:HD2	1:A:316:TYR:CZ	2.56	0.40
1:A:311:ASP:OD2	1:A:315:ILE:HB	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/420 (97%)	384 (94%)	18 (4%)	7 (2%)	9	5
1	B	407/420 (97%)	367 (90%)	33 (8%)	7 (2%)	9	5
All	All	816/840 (97%)	751 (92%)	51 (6%)	14 (2%)	9	5

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	237	ASN
1	A	243	ILE
1	B	237	ASN
1	B	390	LEU
1	A	236	GLN
1	B	238	PRO
1	B	348	GLN
1	A	244	ARG
1	A	361	ASN
1	B	361	ASN
1	B	57	PRO
1	A	408	ILE
1	B	153	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	51	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	371/379 (98%)	362 (98%)	9 (2%)	49	59
1	B	369/379 (97%)	356 (96%)	13 (4%)	36	43
All	All	740/758 (98%)	718 (97%)	22 (3%)	41	49

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	73	LEU
1	A	121	ASN
1	A	237	ASN
1	A	243	ILE
1	A	259	LEU
1	A	295	LEU
1	A	298	TYR
1	A	409	ARG
1	A	410	PHE
1	B	45	ASN
1	B	76	ASP
1	B	144	LEU
1	B	145	PRO
1	B	195	ASP
1	B	196	ASN
1	B	280	LYS
1	B	292	ASN
1	B	298	TYR
1	B	351	ILE
1	B	390	LEU
1	B	399	THR
1	B	409	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	117	ASN
1	A	121	ASN
1	A	124	HIS
1	A	168	ASN
1	A	174	ASN
1	A	175	HIS
1	A	194	ASN
1	A	234	GLN
1	A	236	GLN
1	A	237	ASN
1	A	260	ASN
1	A	266	GLN
1	A	289	GLN
1	A	296	ASN
1	A	375	ASN
1	A	377	ASN
1	A	378	ASN
1	B	45	ASN
1	B	71	ASN
1	B	95	ASN
1	B	121	ASN
1	B	122	GLN
1	B	124	HIS
1	B	174	ASN
1	B	199	ASN
1	B	234	GLN
1	B	236	GLN
1	B	266	GLN
1	B	292	ASN
1	B	296	ASN
1	B	353	GLN
1	B	375	ASN
1	B	386	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 9 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	411/420 (97%)	0.12	16 (3%) 39 40	12, 28, 48, 64	0
1	B	409/420 (97%)	0.74	47 (11%) 4 5	20, 36, 63, 71	0
All	All	820/840 (97%)	0.43	63 (7%) 13 14	12, 32, 57, 71	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	243	ILE	12.6
1	B	60	LEU	11.4
1	B	239	LEU	11.2
1	B	233	THR	9.0
1	B	59	SER	8.2
1	B	240	ILE	7.9
1	B	234	GLN	7.7
1	B	242	ASN	7.2
1	B	238	PRO	7.1
1	B	237	ASN	7.1
1	B	235	LYS	6.5
1	B	244	ARG	6.0
1	A	243	ILE	5.9
1	B	241	THR	5.9
1	B	232	ILE	5.8
1	B	58	THR	5.7
1	A	237	ASN	5.6
1	B	57	PRO	5.4
1	B	245	GLY	5.3
1	B	351	ILE	5.2
1	B	236	GLN	4.9
1	B	230	TYR	4.8
1	A	239	LEU	4.3
1	A	235	LYS	4.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	353	GLN	4.2
1	B	246	THR	4.0
1	B	261	ILE	3.7
1	B	61	LYS	3.7
1	B	62	ASN	3.5
1	A	238	PRO	3.4
1	B	348	GLN	3.3
1	B	349	THR	3.2
1	B	354	TYR	3.1
1	A	167	ARG	3.0
1	B	409	ARG	3.0
1	A	244	ARG	3.0
1	B	64	ASP	3.0
1	B	56	PRO	2.9
1	B	381	VAL	2.9
1	B	251	PHE	2.8
1	B	231	THR	2.8
1	A	240	ILE	2.6
1	B	350	TYR	2.6
1	A	61	LYS	2.6
1	A	122	GLN	2.5
1	B	77	GLU	2.5
1	A	410	PHE	2.5
1	A	411	CYS	2.4
1	B	169	ASN	2.4
1	B	346	CYS	2.4
1	B	247	ASN	2.3
1	B	398	ILE	2.3
1	A	409	ARG	2.3
1	B	289	GLN	2.3
1	A	234	GLN	2.2
1	A	242	ASN	2.2
1	B	382	ASN	2.1
1	A	408	ILE	2.1
1	B	405	LYS	2.1
1	B	52	GLN	2.1
1	B	262	ILE	2.0
1	B	265	ALA	2.0
1	B	63	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CL	A	578	1/1	0.89	0.16	52,52,52,52	0
3	CL	A	579	1/1	0.90	0.16	47,47,47,47	0
3	CL	A	576	1/1	0.93	0.20	46,46,46,46	0
3	CL	B	577	1/1	0.94	0.16	53,53,53,53	0
3	CL	A	580	1/1	0.95	0.18	46,46,46,46	0
3	CL	A	575	1/1	0.96	0.19	32,32,32,32	0
2	ZN	B	822	1/1	0.96	0.07	49,49,49,49	0
3	CL	A	581	1/1	0.97	0.12	43,43,43,43	0
2	ZN	A	422	1/1	0.99	0.05	34,34,34,34	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.