



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 1, 2020 – 10:12 AM JST

PDB ID : 5ZKX
Title : The postfusion structure of human-infecting Bourbon virus envelope glycoprotein
Authors : Qi, J.X.; Wu, Y.; Peng, R.C.; Gao, F.
Deposited on : 2018-03-26
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.14.6
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.14.6


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	467	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 1%, orange 1%, orange 14%, yellow 14%, yellow 69%, green 69%, green 100%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 2px;"> % 69% 14% 17% </div> </div>
1	B	467	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 5%, orange 5%, orange 71%, yellow 71%, yellow 86%, green 86%, green 100%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 2px;"> 5% 71% 11% 17% </div> </div>
1	C	467	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 3%, orange 3%, orange 66%, yellow 66%, yellow 81%, green 81%, green 100%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 2px;"> 3% 66% 15% 18% </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9641 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	0	0	0
			3089	1960	528	580	21			
1	B	388	Total	C	N	O	S	0	0	0
			3089	1960	528	580	21			
1	C	382	Total	C	N	O	S	0	0	0
			3039	1929	518	571	21			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	165	Total	O	0	0
			165	165		
2	B	121	Total	O	0	0
			121	121		
2	C	138	Total	O	0	0
			138	138		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Envelope glycoprotein




- Molecule 1: Envelope glycoprotein



- Molecule 1: Envelope glycoprotein





4 Data and refinement statistics

Property	Value	Source
Space group	P 3	Depositor
Cell constants a, b, c, α , β , γ	101.95Å 101.95Å 134.51Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.67 – 2.30 47.67 – 2.30	Depositor EDS
% Data completeness (in resolution range)	83.9 (47.67-2.30) 83.9 (47.67-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.60 (at 2.29Å)	Xtriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
R, R_{free}	0.174 , 0.201 0.174 , 0.195	Depositor DCC
R_{free} test set	2963 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	32.1	Xtriage
Anisotropy	0.194	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 17.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	0.107 for -h,-k,l 0.326 for h,-h-k,-l 0.106 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9641	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/3165	0.45	0/4284
1	B	0.27	0/3165	0.45	0/4284
1	C	0.27	0/3114	0.46	0/4214
All	All	0.27	0/9444	0.46	0/12782

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
1	C	0	2
All	All	0	6

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	101	TRP	Peptide
1	A	262	LYS	Peptide
1	B	101	TRP	Peptide
1	B	261	GLU	Peptide
1	C	101	TRP	Peptide
1	C	111	ASP	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3089	0	2996	53	1
1	B	3089	0	2996	35	1
1	C	3039	0	2940	53	1
2	A	165	0	0	17	2
2	B	121	0	0	9	0
2	C	138	0	0	10	1
All	All	9641	0	8932	141	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:LEU:HD22	1:A:25:VAL:H	1.14	1.04
1:C:91:CYS:SG	2:C:596:HOH:O	2.37	0.81
1:C:197:PHE:HD1	1:C:200:ARG:HH22	1.29	0.81
1:B:261:GLU:HA	1:B:264:LYS:HB2	1.65	0.77
1:C:175:VAL:HG23	1:C:181:THR:HG21	1.66	0.76
1:A:357:CYS:SG	2:A:506:HOH:O	2.45	0.73
1:A:23:LEU:HD22	1:A:25:VAL:N	1.99	0.72
1:C:155:VAL:HG23	1:C:162:GLN:HB3	1.72	0.71
1:B:159:THR:O	2:B:501:HOH:O	2.09	0.70
1:A:255:ASP:OD1	2:A:502:HOH:O	2.08	0.70
1:A:156:ALA:O	2:A:501:HOH:O	2.08	0.70
1:B:255:ASP:OD2	1:B:413:LYS:NZ	2.24	0.69
1:B:156:ALA:O	2:B:502:HOH:O	2.11	0.69
1:B:261:GLU:HG2	1:B:264:LYS:HD2	1.74	0.69
1:A:23:LEU:CD2	1:A:25:VAL:H	2.00	0.68
1:B:10:GLN:O	2:B:503:HOH:O	2.12	0.68
1:C:155:VAL:HG21	1:C:164:VAL:HG21	1.76	0.67
1:A:160:GLN:O	2:A:501:HOH:O	2.12	0.67
1:A:255:ASP:OD2	1:A:413:LYS:NZ	2.28	0.67
1:C:159:THR:O	2:C:501:HOH:O	2.14	0.66
1:B:180:GLU:OE1	2:B:504:HOH:O	2.15	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:255:ASP:OD2	2:C:502:HOH:O	2.15	0.63
1:A:162:GLN:NE2	2:A:513:HOH:O	2.28	0.63
1:A:169:ASN:ND2	2:A:516:HOH:O	2.30	0.63
1:A:23:LEU:HD21	1:A:25:VAL:HG23	1.80	0.62
1:A:156:ALA:O	2:A:503:HOH:O	2.16	0.61
1:A:90:VAL:HG11	1:A:117:LYS:HG3	1.83	0.61
1:C:156:ALA:C	1:C:158:GLY:H	2.04	0.61
1:A:96:GLU:HG3	1:A:126:ARG:HH22	1.65	0.60
1:C:128:ASN:HD22	1:C:136:THR:HG21	1.65	0.60
1:B:156:ALA:O	2:B:501:HOH:O	2.16	0.60
1:C:36:THR:HG21	1:C:38:GLN:HE22	1.66	0.60
1:B:96:GLU:HG3	1:B:126:ARG:HH22	1.67	0.60
1:A:204:LYS:NZ	2:A:529:HOH:O	2.35	0.60
1:C:36:THR:CG2	1:C:38:GLN:HE22	2.16	0.58
1:A:242:PHE:CZ	1:A:410:VAL:HG13	2.39	0.58
1:C:197:PHE:HD1	1:C:200:ARG:NH2	1.98	0.57
1:B:342:MET:HE3	1:B:354:VAL:HG21	1.86	0.56
1:A:7:GLN:HB3	1:A:8:GLN:HG2	1.87	0.56
1:C:36:THR:HG22	1:C:200:ARG:HB2	1.87	0.56
1:A:58:ASN:O	1:A:133:ALA:N	2.40	0.55
1:B:400:ASN:N	2:B:515:HOH:O	2.38	0.55
1:A:181:THR:HG23	1:A:192:TYR:HB3	1.89	0.55
1:C:200:ARG:HA	1:C:200:ARG:NE	2.20	0.55
1:C:177:MET:HG2	2:C:521:HOH:O	2.05	0.55
1:C:31:LYS:HG3	1:C:205:PHE:CE1	2.42	0.55
1:B:88:GLU:HB2	1:B:90:VAL:HG12	1.88	0.54
1:B:403:THR:O	2:B:505:HOH:O	2.18	0.54
1:C:36:THR:OG1	1:C:38:GLN:NE2	2.40	0.54
1:A:23:LEU:HD23	1:A:24:ASN:H	1.71	0.54
1:B:24:ASN:ND2	2:B:518:HOH:O	2.40	0.54
1:A:23:LEU:HD23	1:A:24:ASN:N	2.23	0.54
1:A:3:LEU:N	2:A:541:HOH:O	2.41	0.54
1:A:262:LYS:O	1:A:263:GLN:HB2	2.09	0.53
1:C:128:ASN:ND2	1:C:136:THR:HG21	2.23	0.53
1:C:204:LYS:HG3	1:C:205:PHE:N	2.24	0.53
1:A:50:ALA:HB2	1:A:187:GLU:HG2	1.91	0.53
1:B:158:GLY:O	1:B:270:PRO:HD2	2.10	0.52
1:A:346:PHE:HA	1:A:352:PHE:HA	1.92	0.52
1:B:45:ILE:HD12	1:B:191:LEU:HD23	1.90	0.52
1:A:37:VAL:HG11	1:A:163:ALA:HB2	1.91	0.52
1:B:324:SER:O	1:B:328:LYS:NZ	2.39	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:261:GLU:HG3	1:C:262:LYS:N	2.25	0.52
1:C:269:HIS:N	2:C:525:HOH:O	2.42	0.52
1:A:157:SER:O	1:A:157:SER:OG	2.26	0.51
1:A:431:LYS:NZ	2:A:538:HOH:O	2.39	0.51
1:C:200:ARG:HE	1:C:200:ARG:HA	1.76	0.51
1:A:248:SER:OG	2:A:504:HOH:O	2.19	0.51
1:B:113:LYS:O	1:B:115:ASP:N	2.44	0.51
1:C:156:ALA:O	2:C:501:HOH:O	2.19	0.51
1:A:23:LEU:CD2	1:A:25:VAL:HG23	2.41	0.50
1:C:151:GLU:HB3	1:C:153:ARG:HH21	1.76	0.50
1:A:266:ASN:ND2	2:A:543:HOH:O	2.43	0.49
1:C:211:GLU:O	2:C:503:HOH:O	2.20	0.49
1:A:261:GLU:O	1:A:262:LYS:HB2	2.12	0.49
1:C:161:PRO:HB3	1:C:257:CYS:SG	2.52	0.49
1:A:25:VAL:HA	1:A:210:LYS:O	2.13	0.49
1:C:121:LYS:NZ	1:C:122:GLU:O	2.37	0.49
1:B:82:LEU:HD22	1:B:189:SER:HB3	1.95	0.48
1:C:102:SER:HB3	1:C:134:HIS:CG	2.48	0.48
1:A:248:SER:HB2	1:A:268:LEU:HD22	1.94	0.48
1:B:250:PHE:CG	1:B:270:PRO:HB3	2.49	0.48
1:A:162:GLN:NE2	2:A:531:HOH:O	2.47	0.47
1:A:107:ILE:HD12	1:A:110:VAL:HG21	1.96	0.47
1:C:37:VAL:HA	1:C:199:THR:HA	1.96	0.47
1:B:332:ARG:NE	1:B:342:MET:O	2.48	0.47
1:C:102:SER:HB3	1:C:134:HIS:ND1	2.29	0.47
1:C:181:THR:HG23	1:C:192:TYR:HB3	1.96	0.47
1:B:159:THR:O	2:B:502:HOH:O	2.20	0.47
1:B:262:LYS:O	1:B:263:GLN:HB2	2.14	0.47
1:A:28:LEU:HD12	1:A:210:LYS:HB2	1.97	0.46
1:B:242:PHE:HE1	1:B:412:ALA:HA	1.80	0.46
1:B:346:PHE:HA	1:B:352:PHE:HA	1.97	0.46
1:C:36:THR:CG2	1:C:38:GLN:NE2	2.78	0.46
1:C:58:ASN:O	1:C:133:ALA:N	2.47	0.46
1:A:402:LYS:NZ	2:A:550:HOH:O	2.49	0.46
1:C:38:GLN:HB3	1:C:40:ARG:NH1	2.31	0.46
1:A:85:TRP:O	1:A:89:GLU:N	2.49	0.46
1:B:267:LEU:N	1:B:267:LEU:HD22	2.30	0.46
1:B:58:ASN:O	1:B:133:ALA:N	2.47	0.46
1:C:48:TYR:HB3	1:C:188:PHE:CD1	2.51	0.46
1:B:343:ALA:O	1:B:354:VAL:HA	2.17	0.45
1:A:97:VAL:HB	1:A:139:LEU:HB3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:139:LEU:HD13	1:C:141:TRP:HE1	1.81	0.45
1:C:233:LYS:NZ	2:C:522:HOH:O	2.41	0.45
1:B:170:GLY:HA2	1:B:279:LEU:HD11	1.99	0.45
1:A:90:VAL:CG1	1:A:117:LYS:HG3	2.46	0.45
1:B:11:GLY:HA3	1:B:12:PRO:HA	1.75	0.45
1:A:335:GLY:HA2	2:A:507:HOH:O	2.17	0.45
1:B:113:LYS:HA	1:B:113:LYS:HD3	1.80	0.45
1:A:102:SER:HB3	1:A:134:HIS:CG	2.51	0.44
1:A:123:LEU:HD23	1:A:142:ARG:HD2	1.99	0.44
1:C:169:ASN:ND2	2:C:533:HOH:O	2.49	0.44
1:A:237:LYS:HD2	1:A:242:PHE:CE2	2.53	0.44
1:B:161:PRO:HD3	1:B:250:PHE:HZ	1.82	0.44
1:A:343:ALA:N	2:A:506:HOH:O	2.51	0.44
1:B:83:LYS:HB2	1:B:83:LYS:HE3	1.80	0.43
1:C:252:CYS:O	1:C:273:TRP:HD1	2.02	0.43
1:C:40:ARG:HA	1:C:149:HIS:HE1	1.84	0.43
1:C:38:GLN:N	1:C:198:GLY:O	2.43	0.43
1:C:242:PHE:CZ	1:C:410:VAL:HG13	2.53	0.43
1:C:427:VAL:O	1:C:431:LYS:HG3	2.18	0.43
1:C:346:PHE:HA	1:C:352:PHE:HA	2.00	0.42
1:A:273:TRP:CZ3	1:A:275:ILE:HA	2.55	0.42
1:C:250:PHE:CD2	1:C:270:PRO:HB3	2.55	0.42
1:C:161:PRO:HD3	1:C:250:PHE:HZ	1.85	0.42
1:C:202:GLU:OE1	1:C:204:LYS:HE2	2.19	0.42
1:C:38:GLN:HB3	1:C:40:ARG:HH11	1.85	0.42
1:C:128:ASN:HB3	1:C:138:ASN:HD21	1.85	0.41
1:A:23:LEU:CD2	1:A:24:ASN:N	2.83	0.41
1:C:190:TYR:OH	2:C:504:HOH:O	2.22	0.41
1:A:261:GLU:HA	1:A:264:LYS:HB2	2.02	0.41
1:A:92:TYR:CE1	1:A:117:LYS:HB2	2.56	0.41
1:C:250:PHE:CG	1:C:270:PRO:HB3	2.56	0.41
1:A:93:THR:OG1	1:A:118:HIS:NE2	2.52	0.41
1:B:101:TRP:O	1:B:104:ASP:N	2.54	0.41
1:C:23:LEU:HG	1:C:25:VAL:HG23	2.02	0.41
1:A:97:VAL:HG11	1:A:107:ILE:HG21	2.03	0.41
1:C:312:PHE:O	1:C:316:THR:HG23	2.21	0.40
1:B:351:LYS:HB2	1:B:351:LYS:HE2	1.82	0.40
1:A:110:VAL:N	2:A:518:HOH:O	2.42	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:502:HOH:O	2:A:533:HOH:O[3_855]	2.06	0.14
1:B:18:TYR:O	1:B:313:SER:OG[3_955]	2.11	0.09
1:A:316:THR:OG1	2:A:536:HOH:O[2_525]	2.12	0.08
1:C:69:TYR:OH	2:C:517:HOH:O[2_625]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	382/467 (82%)	366 (96%)	15 (4%)	1 (0%)	41	50
1	B	382/467 (82%)	368 (96%)	12 (3%)	2 (0%)	29	35
1	C	374/467 (80%)	354 (95%)	20 (5%)	0	100	100
All	All	1138/1401 (81%)	1088 (96%)	47 (4%)	3 (0%)	41	50

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	263	GLN
1	B	114	MET
1	B	263	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	344/414 (83%)	340 (99%)	4 (1%)	71	84

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	344/414 (83%)	339 (98%)	5 (2%)	65	79
1	C	338/414 (82%)	327 (97%)	11 (3%)	38	53
All	All	1026/1242 (83%)	1006 (98%)	20 (2%)	57	73

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	113	LYS
1	A	153	ARG
1	A	172	THR
1	A	430	SER
1	B	40	ARG
1	B	111	ASP
1	B	113	LYS
1	B	200	ARG
1	B	339	GLU
1	C	3	LEU
1	C	24	ASN
1	C	33	THR
1	C	40	ARG
1	C	44	PHE
1	C	87	GLN
1	C	139	LEU
1	C	140	SER
1	C	195	LYS
1	C	200	ARG
1	C	204	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	38	GLN
1	C	128	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/467 (83%)	-0.15	5 (1%) 77 81	13, 29, 53, 90	0
1	B	388/467 (83%)	0.26	23 (5%) 22 28	15, 35, 91, 192	0
1	C	382/467 (81%)	0.08	14 (3%) 41 48	18, 33, 72, 131	0
All	All	1158/1401 (82%)	0.07	42 (3%) 42 49	13, 32, 72, 192	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	269	HIS	11.6
1	B	9	GLN	10.8
1	B	157	SER	10.5
1	C	178	VAL	10.2
1	B	268	LEU	8.5
1	B	7	GLN	7.9
1	B	12	PRO	6.9
1	B	269	HIS	6.2
1	B	6	LYS	6.2
1	C	157	SER	5.9
1	C	393	SER	5.3
1	C	177	MET	5.2
1	B	8	GLN	5.2
1	B	267	LEU	4.7
1	B	3	LEU	4.6
1	B	395	THR	4.5
1	B	341	PRO	4.4
1	B	4	CYS	4.4
1	B	265	ASN	4.2
1	B	264	LYS	4.1
1	B	10	GLN	3.8
1	A	69	TYR	3.8
1	C	394	GLN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	393	SER	3.1
1	C	270	PRO	3.0
1	B	270	PRO	3.0
1	A	179	ALA	2.8
1	C	179	ALA	2.7
1	C	156	ALA	2.6
1	B	15	PHE	2.6
1	B	158	GLY	2.5
1	C	158	GLY	2.5
1	A	393	SER	2.4
1	B	261	GLU	2.4
1	C	155	VAL	2.3
1	B	22	PRO	2.3
1	B	356	PRO	2.2
1	A	113	LYS	2.2
1	A	8	GLN	2.2
1	C	3	LEU	2.1
1	C	37	VAL	2.0
1	C	200	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.