



# wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 20, 2020 – 08:59 PM BST

PDB ID : 3ZLP  
Title : Crystal structure of Schistosoma mansoni Peroxiredoxin 1 C48P mutant form with four decamers in the asymmetric unit  
Authors : Saccoccia, F.; Angelucci, F.; Ardini, M.; Boumis, G.; Brunori, M.; DiLeandro, L.; Ippoliti, R.; Miele, A.E.; Natoli, G.; Scotti, S.; Bellelli, A.  
Deposited on : 2013-02-04  
Resolution : 3.52 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.13
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.52 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1161 (3.60-3.44)
Ramachandran outliers	138981	1206 (3.60-3.44)
Sidechain outliers	138945	1207 (3.60-3.44)
RSRZ outliers	127900	1080 (3.60-3.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	186	<div> <div>73%</div> <div>14%</div> <div>•</div> <div>12%</div> </div>
1	B	186	<div> <div>76%</div> <div>13%</div> <div></div> <div>11%</div> </div>
1	C	186	<div> <div>76%</div> <div>12%</div> <div>•</div> <div>11%</div> </div>
1	D	186	<div> <div>75%</div> <div>13%</div> <div></div> <div>12%</div> </div>
1	E	186	<div> <div>78%</div> <div>7%</div> <div>•</div> <div>13%</div> </div>
1	F	186	<div> <div>74%</div> <div>14%</div> <div>•</div> <div>11%</div> </div>
1	G	186	<div> <div>72%</div> <div>16%</div> <div></div> <div>13%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	H	186	% 
1	I	186	
1	J	186	
1	K	186	
1	L	186	% 
1	M	186	
1	N	186	
1	O	186	% 
1	P	186	
1	Q	186	2% 
1	R	186	
1	S	186	
1	T	186	
1	U	186	
1	V	186	
1	W	186	
1	X	186	
1	Y	186	% 
1	Z	186	
1	a	186	% 
1	b	186	
1	c	186	% 
1	d	186	% 
1	e	186	
1	f	186	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	g	186	<div><div></div><div>73%15%11%</div></div>
1	h	186	<div><div>%</div><div></div><div>72%15%12%</div></div>
1	i	186	<div><div>%</div><div></div><div>65%19%15%</div></div>
1	j	186	<div><div>%</div><div></div><div>72%15%11%</div></div>
1	k	186	<div><div>3%</div><div></div><div>72%15%12%</div></div>
1	l	186	<div><div></div><div>69%19%11%</div></div>
1	m	186	<div><div>%</div><div></div><div>72%13%16%</div></div>
1	n	186	<div><div>%</div><div></div><div>74%14%11%</div></div>

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 52692 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THIOREDOXIN PEROXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	163	Total	C	N	O	S	0	0	0
			1310	840	222	244	4			
1	B	165	Total	C	N	O	S	0	2	0
			1337	860	226	246	5			
1	C	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			
1	D	164	Total	C	N	O	S	0	2	0
			1331	854	227	246	4			
1	E	162	Total	C	N	O	S	0	0	0
			1300	834	219	243	4			
1	F	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			
1	G	162	Total	C	N	O	S	0	1	0
			1306	838	219	245	4			
1	H	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			
1	I	163	Total	C	N	O	S	0	1	0
			1316	844	222	246	4			
1	J	166	Total	C	N	O	S	0	0	0
			1332	854	225	248	5			
1	K	161	Total	C	N	O	S	0	0	0
			1291	828	217	242	4			
1	L	164	Total	C	N	O	S	0	2	0
			1327	854	223	245	5			
1	M	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			
1	N	164	Total	C	N	O	S	0	2	0
			1331	854	227	246	4			
1	O	163	Total	C	N	O	S	0	0	0
			1310	840	222	244	4			
1	P	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	157	Total	C	N	O	S	0	1	0
			1267	810	214	239	4			
1	R	164	Total	C	N	O	S	0	0	0
			1315	844	221	245	5			
1	S	163	Total	C	N	O	S	0	1	0
			1316	844	222	246	4			
1	T	166	Total	C	N	O	S	0	0	0
			1332	854	225	248	5			
1	U	163	Total	C	N	O	S	0	0	0
			1310	840	222	244	4			
1	V	165	Total	C	N	O	S	0	2	0
			1337	860	226	246	5			
1	W	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			
1	X	164	Total	C	N	O	S	0	2	0
			1331	854	227	246	4			
1	Y	163	Total	C	N	O	S	0	0	0
			1310	840	222	244	4			
1	Z	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			
1	a	163	Total	C	N	O	S	0	1	0
			1316	844	222	246	4			
1	b	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			
1	c	163	Total	C	N	O	S	0	1	0
			1316	844	222	246	4			
1	d	166	Total	C	N	O	S	0	0	0
			1332	854	225	248	5			
1	e	162	Total	C	N	O	S	0	0	0
			1300	834	219	243	4			
1	f	165	Total	C	N	O	S	0	2	0
			1337	860	226	246	5			
1	g	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			
1	h	163	Total	C	N	O	S	0	2	0
			1321	848	224	245	4			
1	i	158	Total	C	N	O	S	0	0	0
			1271	812	217	238	4			
1	j	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			
1	k	163	Total	C	N	O	S	0	1	0
			1316	844	222	246	4			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	l	165	Total	C	N	O	S	0	0	0
			1325	850	224	246	5			
1	m	157	Total	C	N	O	S	0	1	0
			1267	810	214	239	4			
1	n	166	Total	C	N	O	S	0	0	0
			1332	854	225	248	5			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	THR	-	expression tag	UNP O97161
A	48	PRO	CYS	engineered mutation	UNP O97161
B	0	THR	-	expression tag	UNP O97161
B	48	PRO	CYS	engineered mutation	UNP O97161
C	0	THR	-	expression tag	UNP O97161
C	48	PRO	CYS	engineered mutation	UNP O97161
D	0	THR	-	expression tag	UNP O97161
D	48	PRO	CYS	engineered mutation	UNP O97161
E	0	THR	-	expression tag	UNP O97161
E	48	PRO	CYS	engineered mutation	UNP O97161
F	0	THR	-	expression tag	UNP O97161
F	48	PRO	CYS	engineered mutation	UNP O97161
G	0	THR	-	expression tag	UNP O97161
G	48	PRO	CYS	engineered mutation	UNP O97161
H	0	THR	-	expression tag	UNP O97161
H	48	PRO	CYS	engineered mutation	UNP O97161
I	0	THR	-	expression tag	UNP O97161
I	48	PRO	CYS	engineered mutation	UNP O97161
J	0	THR	-	expression tag	UNP O97161
J	48	PRO	CYS	engineered mutation	UNP O97161
K	0	THR	-	expression tag	UNP O97161
K	48	PRO	CYS	engineered mutation	UNP O97161
L	0	THR	-	expression tag	UNP O97161
L	48	PRO	CYS	engineered mutation	UNP O97161
M	0	THR	-	expression tag	UNP O97161
M	48	PRO	CYS	engineered mutation	UNP O97161
N	0	THR	-	expression tag	UNP O97161
N	48	PRO	CYS	engineered mutation	UNP O97161
O	0	THR	-	expression tag	UNP O97161
O	48	PRO	CYS	engineered mutation	UNP O97161
P	0	THR	-	expression tag	UNP O97161
P	48	PRO	CYS	engineered mutation	UNP O97161

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
Q	0	THR	-	expression tag	UNP 097161
Q	48	PRO	CYS	engineered mutation	UNP 097161
R	0	THR	-	expression tag	UNP 097161
R	48	PRO	CYS	engineered mutation	UNP 097161
S	0	THR	-	expression tag	UNP 097161
S	48	PRO	CYS	engineered mutation	UNP 097161
T	0	THR	-	expression tag	UNP 097161
T	48	PRO	CYS	engineered mutation	UNP 097161
U	0	THR	-	expression tag	UNP 097161
U	48	PRO	CYS	engineered mutation	UNP 097161
V	0	THR	-	expression tag	UNP 097161
V	48	PRO	CYS	engineered mutation	UNP 097161
W	0	THR	-	expression tag	UNP 097161
W	48	PRO	CYS	engineered mutation	UNP 097161
X	0	THR	-	expression tag	UNP 097161
X	48	PRO	CYS	engineered mutation	UNP 097161
Y	0	THR	-	expression tag	UNP 097161
Y	48	PRO	CYS	engineered mutation	UNP 097161
Z	0	THR	-	expression tag	UNP 097161
Z	48	PRO	CYS	engineered mutation	UNP 097161
a	0	THR	-	expression tag	UNP 097161
a	48	PRO	CYS	engineered mutation	UNP 097161
b	0	THR	-	expression tag	UNP 097161
b	48	PRO	CYS	engineered mutation	UNP 097161
c	0	THR	-	expression tag	UNP 097161
c	48	PRO	CYS	engineered mutation	UNP 097161
d	0	THR	-	expression tag	UNP 097161
d	48	PRO	CYS	engineered mutation	UNP 097161
e	0	THR	-	expression tag	UNP 097161
e	48	PRO	CYS	engineered mutation	UNP 097161
f	0	THR	-	expression tag	UNP 097161
f	48	PRO	CYS	engineered mutation	UNP 097161
g	0	THR	-	expression tag	UNP 097161
g	48	PRO	CYS	engineered mutation	UNP 097161
h	0	THR	-	expression tag	UNP 097161
h	48	PRO	CYS	engineered mutation	UNP 097161
i	0	THR	-	expression tag	UNP 097161
i	48	PRO	CYS	engineered mutation	UNP 097161
j	0	THR	-	expression tag	UNP 097161
j	48	PRO	CYS	engineered mutation	UNP 097161
k	0	THR	-	expression tag	UNP 097161
k	48	PRO	CYS	engineered mutation	UNP 097161

*Continued on next page...*




*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
l	0	THR	-	expression tag	UNP O97161
l	48	PRO	CYS	engineered mutation	UNP O97161
m	0	THR	-	expression tag	UNP O97161
m	48	PRO	CYS	engineered mutation	UNP O97161
n	0	THR	-	expression tag	UNP O97161
n	48	PRO	CYS	engineered mutation	UNP O97161


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: THIOREDOXIN PEROXIDASE




#### • Molecule 1: THIOREDOXIN PEROXIDASE



#### • Molecule 1: THIOREDOXIN PEROXIDASE



#### • Molecule 1: THIOREDOXIN PEROXIDASE




- Molecule 1: THIOREDOXIN PEROXIDASE

Chain E:  78% 7% 13%




- Molecule 1: THIOREDOXIN PEROXIDASE

Chain F:  74% 14% 11%




- Molecule 1: THIOREDOXIN PEROXIDASE

Chain G:  72% 16% 13%



- Molecule 1: THIOREDOXIN PEROXIDASE

Chain H:  70% 17% 11%




- Molecule 1: THIOREDOXIN PEROXIDASE

Chain I:  74% 13% 12%




- Molecule 1: THIOREDOXIN PEROXIDASE

Chain J:  76% 13% 11%




• Molecule 1: THIOREDOXIN PEROXIDASE

Chain K: 70% 16% 13%




• Molecule 1: THIOREDOXIN PEROXIDASE

Chain L: 69% 18% 12%




• Molecule 1: THIOREDOXIN PEROXIDASE

Chain M: 75% 13% 11%



• Molecule 1: THIOREDOXIN PEROXIDASE

Chain N: 72% 15% 12%



• Molecule 1: THIOREDOXIN PEROXIDASE

Chain O: 76% 11% 12%



GLY  
GLN  
HIS  
GLY  
ILE  
LYS  
VAL  
ASN  
GLN  
LYS

• Molecule 1: THIOREDOXIN PEROXIDASE

Chain P:  73% 13% 11%

THR  
HI  
F22  
Y30  
Y34  
Y35  
V36  
L37  
F46  
I53  
Q58  
V59  
E60  
R65  
D75  
L81  
R82  
R83  
R84  
R85  
R104  
K105  
Q106  
V114  
D119  
F123  
F127  
D130  
G133  
Q137  
V145  
G146  
R147  
D150  
Q160  
K164  
H165  
GLY  
GLU

VAL  
CYS  
PRO  
VAL  
ASN  
TRP  
LYS  
ARG  
GLY  
GLN  
HIS  
GLY  
ILE  
LYS  
VAL  
ASN  
GLN  
LYS


• Molecule 1: THIOREDOXIN PEROXIDASE

Chain Q:  2% 66% 18% 16%

THR  
MET  
VAL  
I3  
R7  
G14  
E21  
F22  
K33  
Y34  
V35  
V36  
L37  
Y40  
T45  
PHE  
VAL  
PRO  
PRO  
THR  
E51  
I52  
F55  
V59  
E60  
E61  
F62  
Q68  
D75  
H80  
R83  
D87  
L93  
R96  
K97  
I98  
P99  
L100  
K105  
Y112  
G113  
V114

D119  
G120  
M121  
A122  
F123  
I129  
I134  
L135  
V145  
G146  
R147  
D150  
K164  
HIS  
GLY  
GLU  
VAL  
CYS  
CYS  
VAL  
VAL  
ASN  
TRP  
LYS  
ARG  
GLY  
GLN  
HIS  
GLY  
ILE  
LYS  
VAL  
ASN  
GLN  
LYS

• Molecule 1: THIOREDOXIN PEROXIDASE

Chain R:  77% 10% 12%

THR  
HI  
E21  
L27  
K33  
Y40  
T45  
F55  
E61  
T74  
K89  
I98  
I108  
V114  
F115  
D116  
E117  
E118  
F123  
N132  
L135  
K143  
L153  
K164  
HIS  
GLY  
GLU  
VAL  
CYS  
PRO  
VAL  
VAL  
ASN  
TRP  
LYS  
ARG  
GLY  
GLN  
HIS  
GLY  
ILE  
LYS  
VAL

ASN  
GLN  
LYS

• Molecule 1: THIOREDOXIN PEROXIDASE

Chain S:  73% 15% 12%

THR  
MET  
VAL  
I3  
E21  
F22  
F23  
E24  
I25  
C26  
L27  
R31  
L37  
F38  
T45  
F46  
V47  
E51  
I52  
I53  
T74  
R88  
G91  
P96  
L101  
R104  
K105  
R124  
I134  
L135  
R136  
R147  
D150  
V162  
E163  
K164  
H165  
GLY  
GLU  
VAL  
VAL  
CYS  
PRO  
VAL  
ASN

TRP  
LYS  
ARG  
GLY  
GLN  
HIS  
GLY  
ILE  
LYS  
VAL  
ASN  
GLN  
LYS

• Molecule 1: THIOREDOXIN PEROXIDASE


Chain T:  73% 16% 11%

TD  
I3  
N6  
E11  
E21  
I25  
D43  
F46  
V47  
P48  
P49  
T50  
T63  
A64  
P65  
I70  
D75  
S76  
Q77  
L86  
L93  
L100  
L101  
R104  
F123  
L126  
D130  
V145  
E151  
L155  
L156  
D157  
A158  
H165  
F159  
Q160  
F161  
H165  
GLY  
GLU

VAL  
CYS  
PRO  
VAL  
ASN  
TRP  
LYS  
ARG  
GLY  
GLN  
HIS  
GLY  
ILE  
LYS  
VAL  
ASN  
GLN  
LYS


- Molecule 1: THIOREDOXIN PEROXIDASE

Chain U: 




- Molecule 1: THIOREDOXIN PEROXIDASE

Chain V: 



- Molecule 1: THIOREDOXIN PEROXIDASE

Chain W: 




- Molecule 1: THIOREDOXIN PEROXIDASE

Chain X: 




- Molecule 1: THIOREDOXIN PEROXIDASE

Chain Y: 




- Molecule 1: THIOREDOXIN PEROXIDASE


Chain Z: 




• Molecule 1: THIOREDOXIN PEROXIDASE



• Molecule 1: THIOREDOXIN PEROXIDASE



• Molecule 1: THIOREDOXIN PEROXIDASE




• Molecule 1: THIOREDOXIN PEROXIDASE




• Molecule 1: THIOREDOXIN PEROXIDASE







• Molecule 1: THIOREDOXIN PEROXIDASE




• Molecule 1: THIOREDOXIN PEROXIDASE



• Molecule 1: THIOREDOXIN PEROXIDASE




• Molecule 1: THIOREDOXIN PEROXIDASE




• Molecule 1: THIOREDOXIN PEROXIDASE










• Molecule 1: THIOREDOXIN PEROXIDASE




• Molecule 1: THIOREDOXIN PEROXIDASE



• Molecule 1: THIOREDOXIN PEROXIDASE



• Molecule 1: THIOREDOXIN PEROXIDASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.18 Å   190.30 Å   212.00 Å 90.00°   90.09°   90.00°	Depositor
Resolution (Å)	48.76 – 3.52 48.76 – 3.51	Depositor EDS
% Data completeness (in resolution range)	98.1 (48.76-3.52) 97.7 (48.76-3.51)	Depositor EDS
$R_{merge}$	0.28	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.03 (at 3.48 Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, $R_{free}$	0.277 , 0.289 0.275 , 0.282	Depositor DCC
$R_{free}$ test set	4589 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	95.0	Xtriage
Anisotropy	0.536	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 66.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	0.327 for h,-k,-l	Xtriage
Reported twinning fraction	0.500 for -h,-k,l	Depositor
Outliers	2 of 91789 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	52692	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	111.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.81% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/1341	0.67	1/1813 (0.1%)
1	B	0.30	0/1374	0.63	1/1855 (0.1%)
1	C	0.30	0/1356	0.60	0/1833
1	D	0.30	0/1368	0.69	0/1849
1	E	0.30	0/1330	0.65	0/1798
1	F	0.27	0/1356	0.60	0/1833
1	G	0.29	0/1339	0.68	1/1810 (0.1%)
1	H	0.31	0/1356	0.69	0/1833
1	I	0.31	0/1350	0.69	0/1825
1	J	0.30	0/1363	0.64	0/1843
1	K	0.29	0/1321	0.66	0/1787
1	L	0.30	0/1363	0.68	3/1840 (0.2%)
1	M	0.30	0/1356	0.74	1/1833 (0.1%)
1	N	0.29	0/1368	0.72	1/1849 (0.1%)
1	O	0.29	0/1341	0.64	0/1813
1	P	0.28	0/1356	0.66	1/1833 (0.1%)
1	Q	0.29	0/1296	0.61	1/1747 (0.1%)
1	R	0.30	0/1345	0.63	0/1818
1	S	0.29	0/1350	0.74	1/1825 (0.1%)
1	T	0.28	0/1363	0.67	0/1843
1	U	0.31	0/1341	0.71	1/1813 (0.1%)
1	V	0.31	0/1374	0.74	2/1855 (0.1%)
1	W	0.29	0/1356	0.63	0/1833
1	X	0.29	0/1368	0.69	1/1849 (0.1%)
1	Y	0.31	0/1341	0.66	0/1813
1	Z	0.30	0/1356	0.69	1/1833 (0.1%)
1	a	0.33	0/1350	0.72	1/1825 (0.1%)
1	b	0.34	0/1356	0.74	1/1833 (0.1%)
1	c	0.29	0/1350	0.73	2/1825 (0.1%)
1	d	0.29	0/1363	0.67	2/1843 (0.1%)
1	e	0.30	0/1330	0.66	1/1798 (0.1%)
1	f	0.30	0/1374	0.70	3/1855 (0.2%)
1	g	0.31	0/1356	0.67	1/1833 (0.1%)
1	h	0.30	0/1357	0.72	0/1834

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	i	0.27	0/1298	0.55	0/1750
1	j	0.31	0/1356	0.68	1/1833 (0.1%)
1	k	0.31	0/1350	0.74	1/1825 (0.1%)
1	l	0.29	0/1356	0.68	0/1833
1	m	0.25	0/1296	0.53	0/1747
1	n	0.31	0/1363	0.66	0/1843
All	All	0.30	0/53983	0.67	29/72953 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
1	E	0	1
1	G	0	2
1	H	0	1
1	K	0	1
1	L	0	1
1	M	0	1
1	N	0	2
1	P	0	1
1	Q	0	2
1	R	0	1
1	S	0	2
1	T	0	1
1	U	0	1
1	V	0	4
1	W	0	1
1	X	0	1
1	Y	0	2
1	a	0	3
1	b	0	2
1	c	0	3
1	d	0	3
1	e	0	2
1	f	0	4
1	h	0	4
1	j	0	1
1	k	0	3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
1	l	0	2
1	m	0	1
1	n	0	1
All	All	0	59

There are no bond length outliers.

The worst 5 of 29 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	N	48	PRO	C-N-CD	6.71	142.49	128.40
1	f	46	PHE	N-CA-C	-6.41	93.70	111.00
1	U	72	CYS	N-CA-C	6.09	127.46	111.00
1	P	133	GLY	N-CA-C	6.09	128.32	113.10
1	f	48	PRO	C-N-CD	-6.05	107.29	120.60

There are no chirality outliers.

5 of 59 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	21	GLU	Peptide
1	A	94	GLY	Peptide
1	B	105	LYS	Peptide
1	B	31	ARG	Peptide
1	B	43	ASP	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	161/186 (87%)	132 (82%)	27 (17%)	2 (1%)	13	51
1	B	165/186 (89%)	145 (88%)	18 (11%)	2 (1%)	13	51
1	C	163/186 (88%)	141 (86%)	18 (11%)	4 (2%)	5	35
1	D	164/186 (88%)	148 (90%)	13 (8%)	3 (2%)	8	42
1	E	160/186 (86%)	134 (84%)	20 (12%)	6 (4%)	3	27
1	F	163/186 (88%)	140 (86%)	17 (10%)	6 (4%)	3	28
1	G	161/186 (87%)	135 (84%)	25 (16%)	1 (1%)	25	64
1	H	163/186 (88%)	131 (80%)	25 (15%)	7 (4%)	2	23
1	I	162/186 (87%)	131 (81%)	28 (17%)	3 (2%)	8	41
1	J	164/186 (88%)	144 (88%)	19 (12%)	1 (1%)	25	64
1	K	159/186 (86%)	133 (84%)	23 (14%)	3 (2%)	8	41
1	L	164/186 (88%)	140 (85%)	22 (13%)	2 (1%)	13	51
1	M	163/186 (88%)	137 (84%)	24 (15%)	2 (1%)	13	51
1	N	164/186 (88%)	143 (87%)	20 (12%)	1 (1%)	25	64
1	O	161/186 (87%)	139 (86%)	19 (12%)	3 (2%)	8	41
1	P	163/186 (88%)	134 (82%)	23 (14%)	6 (4%)	3	28
1	Q	154/186 (83%)	118 (77%)	29 (19%)	7 (4%)	2	22
1	R	162/186 (87%)	136 (84%)	25 (15%)	1 (1%)	25	64
1	S	162/186 (87%)	136 (84%)	23 (14%)	3 (2%)	8	41
1	T	164/186 (88%)	141 (86%)	20 (12%)	3 (2%)	8	42
1	U	161/186 (87%)	135 (84%)	21 (13%)	5 (3%)	4	32
1	V	165/186 (89%)	141 (86%)	21 (13%)	3 (2%)	8	42
1	W	163/186 (88%)	132 (81%)	28 (17%)	3 (2%)	8	42
1	X	164/186 (88%)	137 (84%)	23 (14%)	4 (2%)	6	36
1	Y	161/186 (87%)	133 (83%)	26 (16%)	2 (1%)	13	51
1	Z	163/186 (88%)	136 (83%)	25 (15%)	2 (1%)	13	51
1	a	162/186 (87%)	135 (83%)	24 (15%)	3 (2%)	8	41
1	b	163/186 (88%)	133 (82%)	28 (17%)	2 (1%)	13	51
1	c	162/186 (87%)	136 (84%)	23 (14%)	3 (2%)	8	41
1	d	164/186 (88%)	146 (89%)	17 (10%)	1 (1%)	25	64
1	e	160/186 (86%)	134 (84%)	21 (13%)	5 (3%)	4	32
1	f	165/186 (89%)	149 (90%)	14 (8%)	2 (1%)	13	51

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	g	163/186 (88%)	134 (82%)	25 (15%)	4 (2%)	5	35
1	h	163/186 (88%)	136 (83%)	25 (15%)	2 (1%)	13	51
1	i	154/186 (83%)	121 (79%)	31 (20%)	2 (1%)	12	49
1	j	163/186 (88%)	136 (83%)	24 (15%)	3 (2%)	8	42
1	k	162/186 (87%)	136 (84%)	23 (14%)	3 (2%)	8	41
1	l	163/186 (88%)	135 (83%)	23 (14%)	5 (3%)	4	32
1	m	154/186 (83%)	129 (84%)	24 (16%)	1 (1%)	25	64
1	n	164/186 (88%)	125 (76%)	32 (20%)	7 (4%)	2	23
All	All	6481/7440 (87%)	5437 (84%)	916 (14%)	128 (2%)	7	41

5 of 128 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	128	ILE
1	E	34	TYR
1	E	106	GLN
1	F	19	ASN
1	H	69	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	142/162 (88%)	119 (84%)	23 (16%)	2	14
1	B	146/162 (90%)	127 (87%)	19 (13%)	4	22
1	C	144/162 (89%)	124 (86%)	20 (14%)	3	21
1	D	145/162 (90%)	124 (86%)	21 (14%)	3	19
1	E	141/162 (87%)	127 (90%)	14 (10%)	8	34
1	F	144/162 (89%)	120 (83%)	24 (17%)	2	13
1	G	142/162 (88%)	117 (82%)	25 (18%)	2	11
1	H	144/162 (89%)	115 (80%)	29 (20%)	1	7

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	143/162 (88%)	121 (85%)	22 (15%)	2	17
1	J	145/162 (90%)	120 (83%)	25 (17%)	2	12
1	K	140/162 (86%)	113 (81%)	27 (19%)	1	8
1	L	145/162 (90%)	113 (78%)	32 (22%)	1	5
1	M	144/162 (89%)	120 (83%)	24 (17%)	2	13
1	N	145/162 (90%)	118 (81%)	27 (19%)	1	9
1	O	142/162 (88%)	121 (85%)	21 (15%)	3	18
1	P	144/162 (89%)	119 (83%)	25 (17%)	2	11
1	Q	137/162 (85%)	110 (80%)	27 (20%)	1	8
1	R	143/162 (88%)	125 (87%)	18 (13%)	4	23
1	S	143/162 (88%)	121 (85%)	22 (15%)	2	17
1	T	145/162 (90%)	119 (82%)	26 (18%)	2	10
1	U	142/162 (88%)	120 (84%)	22 (16%)	2	17
1	V	146/162 (90%)	121 (83%)	25 (17%)	2	12
1	W	144/162 (89%)	120 (83%)	24 (17%)	2	13
1	X	145/162 (90%)	124 (86%)	21 (14%)	3	19
1	Y	142/162 (88%)	117 (82%)	25 (18%)	2	11
1	Z	144/162 (89%)	119 (83%)	25 (17%)	2	11
1	a	143/162 (88%)	113 (79%)	30 (21%)	1	6
1	b	144/162 (89%)	124 (86%)	20 (14%)	3	21
1	c	143/162 (88%)	117 (82%)	26 (18%)	1	9
1	d	145/162 (90%)	119 (82%)	26 (18%)	2	10
1	e	141/162 (87%)	116 (82%)	25 (18%)	2	11
1	f	146/162 (90%)	115 (79%)	31 (21%)	1	6
1	g	144/162 (89%)	119 (83%)	25 (17%)	2	11
1	h	144/162 (89%)	117 (81%)	27 (19%)	1	8
1	i	137/162 (85%)	101 (74%)	36 (26%)	0	3
1	j	144/162 (89%)	115 (80%)	29 (20%)	1	7
1	k	143/162 (88%)	118 (82%)	25 (18%)	2	11
1	l	144/162 (89%)	112 (78%)	32 (22%)	1	5
1	m	137/162 (85%)	115 (84%)	22 (16%)	2	15

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	n	145/162 (90%)	123 (85%)	22 (15%)	3 17
All	All	5727/6480 (88%)	4738 (83%)	989 (17%)	2 11

5 of 989 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	T	25	ILE
1	X	86	LEU
1	l	7	ARG
1	T	104	ARG
1	V	65	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 49 such sidechains are listed below:

Mol	Chain	Res	Type
1	T	77	GLN
1	a	63	ASN
1	l	137	GLN
1	U	68	GLN
1	a	68	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	163/186 (87%)	-0.27	1 (0%) 89 81	110, 111, 112, 112	0
1	B	165/186 (88%)	-0.20	1 (0%) 89 81	110, 111, 112, 112	0
1	C	165/186 (88%)	-0.09	1 (0%) 89 81	110, 111, 111, 112	0
1	D	164/186 (88%)	-0.13	0 100 100	109, 111, 111, 112	0
1	E	162/186 (87%)	-0.14	0 100 100	110, 111, 111, 112	0
1	F	165/186 (88%)	-0.22	1 (0%) 89 81	110, 111, 112, 112	0
1	G	162/186 (87%)	-0.21	0 100 100	110, 111, 112, 112	0
1	H	165/186 (88%)	-0.21	1 (0%) 89 81	110, 111, 112, 112	0
1	I	163/186 (87%)	-0.12	0 100 100	110, 111, 112, 112	0
1	J	166/186 (89%)	-0.17	0 100 100	110, 111, 112, 112	0
1	K	161/186 (86%)	-0.21	0 100 100	110, 111, 112, 112	0
1	L	164/186 (88%)	-0.20	2 (1%) 79 67	110, 111, 112, 112	0
1	M	165/186 (88%)	-0.22	0 100 100	110, 111, 112, 112	0
1	N	164/186 (88%)	-0.18	0 100 100	110, 111, 112, 112	0
1	O	163/186 (87%)	-0.08	1 (0%) 89 81	110, 111, 112, 112	0
1	P	165/186 (88%)	-0.19	0 100 100	110, 111, 112, 112	0
1	Q	157/186 (84%)	-0.12	3 (1%) 66 53	110, 111, 112, 112	0
1	R	164/186 (88%)	-0.24	0 100 100	110, 111, 112, 112	0
1	S	163/186 (87%)	-0.22	0 100 100	109, 111, 111, 112	0
1	T	166/186 (89%)	-0.13	0 100 100	109, 111, 111, 112	0
1	U	163/186 (87%)	-0.22	0 100 100	110, 111, 112, 112	0
1	V	165/186 (88%)	-0.18	0 100 100	110, 111, 112, 112	0
1	W	165/186 (88%)	-0.18	0 100 100	109, 111, 111, 112	0
1	X	164/186 (88%)	-0.22	0 100 100	109, 111, 111, 112	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	Y	163/186 (87%)	-0.23	1 (0%) 89 81	110, 111, 112, 112	0
1	Z	165/186 (88%)	-0.23	0 100 100	103, 111, 112, 112	0
1	a	163/186 (87%)	-0.21	1 (0%) 89 81	110, 111, 112, 112	0
1	b	165/186 (88%)	-0.19	0 100 100	110, 111, 112, 112	0
1	c	163/186 (87%)	-0.19	1 (0%) 89 81	110, 111, 112, 113	0
1	d	166/186 (89%)	-0.23	1 (0%) 89 81	110, 111, 112, 112	0
1	e	162/186 (87%)	-0.13	0 100 100	110, 111, 111, 112	0
1	f	165/186 (88%)	-0.14	0 100 100	110, 111, 111, 112	0
1	g	165/186 (88%)	-0.17	0 100 100	110, 111, 112, 112	0
1	h	163/186 (87%)	-0.16	1 (0%) 89 81	110, 111, 112, 113	0
1	i	158/186 (84%)	-0.15	2 (1%) 77 65	110, 111, 112, 112	0
1	j	165/186 (88%)	-0.07	2 (1%) 79 67	109, 111, 112, 112	0
1	k	163/186 (87%)	0.01	5 (3%) 49 36	110, 111, 112, 112	0
1	l	165/186 (88%)	-0.26	0 100 100	110, 111, 112, 112	0
1	m	157/186 (84%)	-0.10	2 (1%) 77 65	110, 111, 112, 112	0
1	n	166/186 (89%)	-0.25	1 (0%) 89 81	110, 111, 112, 112	0
All	All	6543/7440 (87%)	-0.18	28 (0%) 92 87	103, 111, 112, 113	0

The worst 5 of 28 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	h	14	GLY	5.8
1	a	45	THR	4.4
1	k	35	VAL	3.7
1	O	16	ALA	3.2
1	Q	99	PRO	3.2

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 6.4 Ligands

There are no ligands in this entry.

## 6.5 Other polymers

There are no such residues in this entry.