



Full wwPDB EM Validation Report ⓘ

Dec 17, 2022 – 08:48 pm GMT

PDB ID : 6ZM5
EMDB ID : EMD-11278
Title : Human mitochondrial ribosome in complex with OXA1L, mRNA, A/A tRNA, P/P tRNA and nascent polypeptide
Authors : Itoh, Y.; Andrell, J.; Amunts, A.
Deposited on : 2020-07-01
Resolution : 2.89 Å(reported)
Based on initial models : 5OOL, 6RW4, 3J9M

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	1561	84% 14% .
2	B	72	81% 19%
3	D	305	78% 22%
4	E	348	88% 12%
5	F	311	81% 19%
6	H	267	36% 64%
7	I	261	81% 19%
8	J	192	91% 9%
9	K	177	100%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	L	145	
11	M	296	
12	N	251	
13	O	175	
14	P	180	
15	Q	292	
16	R	149	
17	S	205	
18	T	206	
19	U	152	
20	V	216	
21	W	148	
22	X	256	
23	Y	250	
24	Z	161	
25	0	188	
26	1	65	
27	2	92	
28	3	188	
29	4	103	
30	5	423	
31	6	380	
32	7	338	
33	8	206	
34	9	137	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
35	a	142	 70%30%
36	b	214	 70%30%
37	c	332	 86%14%
38	d	306	 79%21%
39	e	279	 82%18%
40	f	212	 74%26%
41	g	166	 81%19%
42	h	158	 70%30%
43	i	128	 76%24%
44	j	123	 76%24%
45	k	111	 91%9%
46	l	138	 59%41%
47	m	128	 68%32%
48	o	102	 92%8%
49	p	206	 71%29%
50	q	222	 73%27%
51	r	196	 82%17%
52	s	439	 88%12%
53	t1	198	 23%77%
53	t2	198	 16%84%
53	t3	198	 16%84%
53	t4	198	 16%84%
53	t5	198	 16%84%
53	t6	198	 16%84%
54	AA	954	 87%13%







Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
55	AB	296	
56	AC	167	
57	AD	430	
58	AE	125	
59	AF	242	
60	AG	396	
61	AH	201	
62	AI	194	
63	AJ	138	
64	AK	128	
65	AL	257	
66	AM	137	
67	AN	130	
68	AO	258	
69	AP	142	
70	AQ	86	
71	AR	360	
72	AS	190	
73	AT	173	
74	AU	205	
75	AV	414	
76	AW	187	
77	AX	398	
78	AY	395	
79	AZ	106	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
80	A0	218	 99%
81	A1	323	 85% 15%
82	A2	117	 100%
83	A3	199	 35% 65%
84	A4	689	 85% 15%
85	u	435	 12% 88%
86	v	32	 100%
87	w	68	 75% 25%
88	x	70	 87% 13%
89	y	19	 89% 11%

2 Entry composition

There are 97 unique types of molecules in this entry. The entry contains 326964 atoms, of which 149830 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S mitochondrial rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	1534	Total	C	H	N	O	P	0	0
			49092	14611	16532	5870	10545	1534		

- Molecule 2 is a RNA chain called mitochondrial tRNAVal.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	72	Total	C	H	N	O	P	0	0
			2298	683	776	269	498	72		

- Molecule 3 is a protein called 39S ribosomal protein L2, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	D	238	Total	C	H	N	O	S	0	0
			3780	1157	1921	376	317	9		

- Molecule 4 is a protein called 39S ribosomal protein L3, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	E	305	Total	C	H	N	O	S	0	0
			4823	1545	2417	418	432	11		

- Molecule 5 is a protein called 39S ribosomal protein L4, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	F	252	Total	C	H	N	O	S	0	0
			4097	1305	2066	370	350	6		

- Molecule 6 is a protein called 39S ribosomal protein L9, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
6	H	97	Total	C	H	N	O		0	0
			1649	508	847	155	139			

- Molecule 7 is a protein called 39S ribosomal protein L10, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
7	I	212	Total	C	H	N	O	S	0	0
			3481	1088	1786	304	292	11		

- Molecule 8 is a protein called 39S ribosomal protein L11, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
8	J	175	Total	C	H	N	O	S	0	0
			2739	847	1409	237	244	2		

- Molecule 9 is a protein called 39S ribosomal protein L13, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
9	K	177	Total	C	H	N	O	S	0	0
			2909	936	1454	259	253	7		

- Molecule 10 is a protein called 39S ribosomal protein L14, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
10	L	115	Total	C	H	N	O	S	0	0
			1832	559	942	171	155	5		

- Molecule 11 is a protein called 39S ribosomal protein L15, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
11	M	291	Total	C	H	N	O	S	0	0
			4723	1483	2396	430	408	6		

- Molecule 12 is a protein called 39S ribosomal protein L16, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
12	N	222	Total	C	H	N	O	S	0	0
			3605	1143	1819	326	307	10		

- Molecule 13 is a protein called 39S ribosomal protein L17, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
13	O	154	Total	C	H	N	O	S	0	0
			2554	792	1295	241	219	7		

- Molecule 14 is a protein called 39S ribosomal protein L18, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
14	P	144	Total	C	H	N	O	S	0	0
			2339	733	1166	224	211	5		

- Molecule 15 is a protein called 39S ribosomal protein L19, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
15	Q	238	Total	C	H	N	O	S	0	0
			4002	1268	2023	352	350	9		

- Molecule 16 is a protein called 39S ribosomal protein L20, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
16	R	140	Total	C	H	N	O	S	0	0
			2369	732	1215	231	187	4		

- Molecule 17 is a protein called 39S ribosomal protein L21, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
17	S	161	Total	C	H	N	O	S	0	0
			2659	835	1366	227	227	4		

- Molecule 18 is a protein called 39S ribosomal protein L22, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
18	T	166	Total	C	H	N	O	S	0	0
			2780	875	1411	254	233	7		

- Molecule 19 is a protein called 39S ribosomal protein L23, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
19	U	133	Total	C	H	N	O	S	0	0
			2215	702	1108	214	189	2		

- Molecule 20 is a protein called 39S ribosomal protein L24, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
20	V	205	Total	C	H	N	O	S	0	0
			3364	1068	1688	298	302	8		

- Molecule 21 is a protein called 39S ribosomal protein L27, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
21	W	116	Total	C	H	N	O	S	0	0
			1841	577	937	171	153	3		

- Molecule 22 is a protein called 39S ribosomal protein L28, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	X	244	Total	C	H	N	O	S	0	0
			4105	1322	2061	352	365	5		

- Molecule 23 is a protein called 39S ribosomal protein L47, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
23	Y	181	Total	C	H	N	O	S	0	0
			3154	995	1598	298	259	4		

- Molecule 24 is a protein called 39S ribosomal protein L30, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
24	Z	122	Total	C	H	N	O	S	0	0
			2041	636	1045	186	171	3		

- Molecule 25 is a protein called 39S ribosomal protein L32, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
25	0	110	Total	C	H	N	O	S	0	0
			1815	554	917	176	162	6		

- Molecule 26 is a protein called 39S ribosomal protein L33, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
26	1	55	Total	C	H	N	O	S	0	0
			954	290	499	87	76	2		

- Molecule 27 is a protein called 39S ribosomal protein L34, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
27	2	46	Total	C	H	N	O	S	0	0
			784	233	407	83	60	1		

- Molecule 28 is a protein called 39S ribosomal protein L35, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
28	3	95	Total	C	H	N	O	S	0	0
			1716	539	884	162	128	3		

- Molecule 29 is a protein called 39S ribosomal protein L36, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
29	4	38	Total	C	H	N	O	S	0	0
			704	217	362	72	49	4		

- Molecule 30 is a protein called 39S ribosomal protein L37, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
30	5	394	Total	C	H	N	O	S	0	0
			6418	2073	3208	560	566	11		

- Molecule 31 is a protein called 39S ribosomal protein L38, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
31	6	354	Total	C	H	N	O	S	0	0
			5792	1881	2844	525	533	9		

- Molecule 32 is a protein called 39S ribosomal protein L39, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
32	7	294	Total	C	H	N	O	S	0	0
			4789	1529	2399	405	438	18		

- Molecule 33 is a protein called 39S ribosomal protein L40, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
33	8	157	Total	C	H	N	O	S	0	0
			2696	844	1369	235	246	2		

- Molecule 34 is a protein called 39S ribosomal protein L41, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
34	9	124	Total	C	H	N	O	S	0	0
			1985	644	988	170	181	2		

- Molecule 35 is a protein called 39S ribosomal protein L42, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
35	a	100	Total	C	H	N	O	S	0	0
			1652	529	812	152	154	5		

- Molecule 36 is a protein called 39S ribosomal protein L43, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
36	b	150	Total	C	H	N	O	S	0	0
			2392	744	1196	231	218	3		

- Molecule 37 is a protein called 39S ribosomal protein L44, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
37	c	286	Total	C	H	N	O	S	0	0
			4621	1470	2322	397	423	9		

- Molecule 38 is a protein called 39S ribosomal protein L45, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
38	d	242	Total	C	H	N	O	S	0	0
			3970	1275	1982	343	358	12		

- Molecule 39 is a protein called 39S ribosomal protein L46, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
39	e	228	Total	C	H	N	O	S	0	0
			3699	1174	1851	326	342	6		

- Molecule 40 is a protein called 39S ribosomal protein L48, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
40	f	157	Total	C	H	N	O	S	0	0
			2523	799	1271	207	242	4		

- Molecule 41 is a protein called 39S ribosomal protein L49, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
41	g	134	Total	C	H	N	O	S	0	0
			2210	719	1097	193	199	2		

- Molecule 42 is a protein called 39S ribosomal protein L50, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
42	h	110	Total	C	H	N	O	S	0	0
			1777	568	882	156	168	3		

- Molecule 43 is a protein called 39S ribosomal protein L51, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
43	i	97	Total	C	H	N	O	S	0	0
			1687	532	859	165	127	4		

- Molecule 44 is a protein called 39S ribosomal protein L52, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
44	j	94	Total	C	H	N	O	S	0	0
			1492	463	747	144	136	2		

- Molecule 45 is a protein called 39S ribosomal protein L53, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
45	k	101	Total	C	H	N	O	S	0	0
			1558	479	784	148	142	5		

- Molecule 46 is a protein called 39S ribosomal protein L54, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
46	l	82	Total	C	H	N	O	S	0	0
			1363	437	675	120	128	3		

- Molecule 47 is a protein called 39S ribosomal protein L55, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
47	m	87	Total	C	H	N	O	S	0	0
			1515	466	761	152	134	2		

- Molecule 48 is a protein called Ribosomal protein 63, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
48	o	94	Total	C	H	N	O	S	0	0
			1605	501	807	165	129	3		

- Molecule 49 is a protein called Peptidyl-tRNA hydrolase ICT1, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
49	p	147	Total	C	H	N	O	S	0	0
			2431	748	1226	228	225	4		

- Molecule 50 is a protein called Growth arrest and DNA damage-inducible proteins-interacting protein 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
50	q	161	Total	C	H	N	O	S	0	0
			2678	841	1328	260	244	5		

- Molecule 51 is a protein called 39S ribosomal protein S18a, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
51	r	162	Total	C	H	N	O	S	0	0
			2671	839	1349	252	223	8		

- Molecule 52 is a protein called 39S ribosomal protein S30, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
52	s	386	Total	C	H	N	O	S	0	0
			6298	2023	3143	559	559	14		

- Molecule 53 is a protein called 39S ribosomal protein L12, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	t1	46	Total	C	H	N	O	0	0
			732	228	378	56	70		
53	t2	32	Total	C	H	N	O	0	0
			541	168	284	40	49		
53	t3	32	Total	C	H	N	O	0	0
			541	168	284	40	49		
53	t4	31	Total	C	H	N	O	0	0
			520	159	275	39	47		
53	t5	31	Total	C	H	N	O	0	0
			520	159	275	39	47		
53	t6	31	Total	C	H	N	O	0	0
			520	159	275	39	47		

- Molecule 54 is a RNA chain called 12S mitochondrial rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
54	AA	954	Total	C	H	N	O	P	0	0
			30542	9081	10289	3647	6571	954		

- Molecule 55 is a protein called 28S ribosomal protein S2, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
55	AB	225	Total	C	H	N	O	S	0	0
			3644	1164	1816	331	323	10		

- Molecule 56 is a protein called 28S ribosomal protein S24, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
56	AC	132	Total	C	H	N	O	S	0	0
			2172	699	1089	195	185	4		

- Molecule 57 is a protein called 28S ribosomal protein S5, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
57	AD	343	Total	C	H	N	O	S	0	0
			5536	1713	2805	518	487	13		

- Molecule 58 is a protein called 28S ribosomal protein S6, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
58	AE	122	Total	C	H	N	O	S	0	0
			1973	614	1001	177	177	4		

- Molecule 59 is a protein called 28S ribosomal protein S7, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
59	AF	208	Total	C	H	N	O	S	0	0
			3495	1104	1770	312	298	11		

- Molecule 60 is a protein called 28S ribosomal protein S9, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
60	AG	312	Total	C	H	N	O	S	0	0
			5126	1632	2558	455	467	14		

- Molecule 61 is a protein called 28S ribosomal protein S10, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
61	AH	140	Total	C	H	N	O	S	0	0
			2336	745	1184	194	210	3		

- Molecule 62 is a protein called 28S ribosomal protein S11, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
62	AI	137	Total	C	H	N	O	S	0	0
			2076	641	1058	192	181	4		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AI	184	IAS	ASN	conflict	UNP P82912

- Molecule 63 is a protein called 28S ribosomal protein S12, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
63	AJ	108	Total	C	H	N	O	S	0	0
			1727	521	888	169	143	6		

- Molecule 64 is a protein called 28S ribosomal protein S14, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
64	AK	101	Total	C	H	N	O	S	0	0
			1748	537	886	179	141	5		

- Molecule 65 is a protein called 28S ribosomal protein S15, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
65	AL	174	Total	C	H	N	O	S	0	0
			2994	925	1541	270	251	7		

- Molecule 66 is a protein called 28S ribosomal protein S16, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
66	AM	119	Total	C	H	N	O	S	0	0
			1908	594	966	185	157	6		

- Molecule 67 is a protein called 28S ribosomal protein S17, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
67	AN	110	Total	C	H	N	O	S	0	0
			1797	562	929	156	147	3		

- Molecule 68 is a protein called 28S ribosomal protein S18b, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
68	AO	193	Total	C	H	N	O	S	0	0
			3149	1014	1557	294	277	7		

- Molecule 69 is a protein called 28S ribosomal protein S18c, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
69	AP	97	Total	C	H	N	O	S	0	0
			1588	501	807	134	138	8		

- Molecule 70 is a protein called 28S ribosomal protein S21, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
70	AQ	86	Total	C	H	N	O	S	0	0
			1502	460	758	150	126	8		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AQ	50	ARG	CYS	variant	UNP P82921

- Molecule 71 is a protein called 28S ribosomal protein S22, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
71	AR	295	Total	C	H	N	O	S	0	0
			4838	1533	2429	413	455	8		

- Molecule 72 is a protein called 28S ribosomal protein S23, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
72	AS	135	Total	C	H	N	O	S	0	0
			2227	716	1116	198	196	1		

- Molecule 73 is a protein called 28S ribosomal protein S25, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
73	AT	168	Total	C	H	N	O	S	0	0
			2765	877	1394	239	244	11		

- Molecule 74 is a protein called 28S ribosomal protein S26, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
74	AU	176	Total	C	H	N	O	S	0	0
			2988	916	1500	301	267	4		

- Molecule 75 is a protein called 28S ribosomal protein S27, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
75	AV	362	Total	C	H	N	O	S	0	0
			5933	1904	2964	495	558	12		

- Molecule 76 is a protein called 28S ribosomal protein S28, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
76	AW	100	Total	C	H	N	O	S	0	0
			1592	498	803	141	146	4		

- Molecule 77 is a protein called 28S ribosomal protein S29, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
77	AX	352	Total	C	H	N	O	S	0	0
			5694	1822	2845	499	517	11		

- Molecule 78 is a protein called 28S ribosomal protein S31, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
78	AY	149	Total	C	H	N	O	S	0	0
			2444	801	1198	207	234	4		

- Molecule 79 is a protein called 28S ribosomal protein S33, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
79	AZ	100	Total	C	H	N	O	S	0	0
			1699	534	860	153	148	4		

- Molecule 80 is a protein called 28S ribosomal protein S34, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
80	A0	215	Total	C	H	N	O	S	0	0
			3584	1130	1797	339	313	5		

- Molecule 81 is a protein called 28S ribosomal protein S35, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
81	A1	276	Total	C	H	N	O	S	0	0
			4507	1419	2269	381	427	11		

- Molecule 82 is a protein called Coiled-coil-helix-coiled-coil-helix domain-containing protein 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
82	A2	117	Total	C	H	N	O	S	0	0
			1904	579	969	182	166	8		

- Molecule 83 is a protein called Aurora kinase A-interacting protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
83	A3	70	Total	C	H	N	O	S	0	0
			1325	401	700	134	89	1		

- Molecule 84 is a protein called Pentatricopeptide repeat domain-containing protein 3, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
84	A4	588	Total	C	H	N	O	S	0	0
			9536	3053	4768	808	879	28		

- Molecule 85 is a protein called Mitochondrial inner membrane protein OXA1L.

Mol	Chain	Residues	Atoms						AltConf	Trace
85	u	51	Total	C	H	N	O	S	0	0
			863	265	432	87	77	2		

- Molecule 86 is a protein called Nascent polypeptide.

Mol	Chain	Residues	Atoms						AltConf	Trace
86	v	32	Total	C	H	N	O		0	0
			320	96	160	32	32			

- Molecule 87 is a RNA chain called A-site tRNA with aminoacylation.

Mol	Chain	Residues	Atoms						AltConf	Trace
87	w	68	Total	C	H	N	O	P	0	0
			2163	647	725	251	472	68		

- Molecule 88 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
88	x	70	Total	C	H	N	O	P	0	0
			2234	665	751	261	487	70		

- Molecule 89 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
89	y	19	Total	C	H	N	O	P	0	0
			598	179	199	63	138	19		

- Molecule 90 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
90	A	128	Total	Mg	0
			128	128	
90	D	3	Total	Mg	0
			3	3	
90	E	1	Total	Mg	0
			1	1	
90	g	1	Total	Mg	0
			1	1	
90	AA	53	Total	Mg	0
			53	53	
90	AB	1	Total	Mg	0
			1	1	
90	AX	1	Total	Mg	0
			1	1	
90	A3	1	Total	Mg	0
			1	1	

- Molecule 91 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
91	A	30	Total	K	0
			30	30	
91	M	1	Total	K	0
			1	1	
91	N	1	Total	K	0
			1	1	
91	P	1	Total	K	0
			1	1	
91	i	1	Total	K	0
			1	1	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
91	o	1	Total	K	0
			1	1	
91	AA	9	Total	K	0
			9	9	

- Molecule 92 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
92	0	1	Total	Zn	0
			1	1	
92	4	1	Total	Zn	0
			1	1	
92	AO	1	Total	Zn	0
			1	1	

- Molecule 93 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			AltConf
93	r	1	Total	Fe	S	0
			4	2	2	
93	AP	1	Total	Fe	S	0
			4	2	2	
93	AT	1	Total	Fe	S	0
			4	2	2	

- Molecule 94 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:

$$\text{C}_{10}\text{H}_{16}\text{N}_5\text{O}_{13}\text{P}_3).$$



Mol	Chain	Residues	Atoms					AltConf	
94	AX	1	Total 43	C 10	H 12	N 5	O 13	P 3	0

- Molecule 95 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $\text{C}_{10}\text{H}_{16}\text{N}_5\text{O}_{14}\text{P}_3$).



Mol	Chain	Residues	Atoms						AltConf
95	AX	1	Total	C	H	N	O	P	0
			44	10	12	5	14	3	

- Molecule 96 is ALANINE (three-letter code: ALA) (formula: $C_3H_7NO_2$).



Mol	Chain	Residues	Atoms					AltConf
96	w	1	Total	C	H	N	O	0
			12	3	7	1	1	

- Molecule 97 is water.

Mol	Chain	Residues	Atoms		AltConf
97	A	340	Total	O	0
			340	340	
97	B	1	Total	O	0
			1	1	
97	D	5	Total	O	0
			5	5	
97	E	4	Total	O	0
			4	4	
97	F	6	Total	O	0
			6	6	
97	K	3	Total	O	0
			3	3	
97	L	1	Total	O	0
			1	1	
97	M	7	Total	O	0
			7	7	
97	N	1	Total	O	0
			1	1	
97	O	2	Total	O	0
			2	2	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
97	Q	1	Total 1	O 1	0
97	R	3	Total 3	O 3	0
97	S	1	Total 1	O 1	0
97	T	1	Total 1	O 1	0
97	U	1	Total 1	O 1	0
97	W	2	Total 2	O 2	0
97	6	1	Total 1	O 1	0
97	c	1	Total 1	O 1	0
97	f	1	Total 1	O 1	0
97	i	1	Total 1	O 1	0
97	o	2	Total 2	O 2	0
97	r	1	Total 1	O 1	0
97	s	2	Total 2	O 2	0
97	AA	69	Total 69	O 69	0
97	AC	1	Total 1	O 1	0
97	AG	1	Total 1	O 1	0
97	AH	3	Total 3	O 3	0
97	AK	2	Total 2	O 2	0
97	AX	2	Total 2	O 2	0
97	A0	1	Total 1	O 1	0
97	A3	3	Total 3	O 3	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S mitochondrial rRNA

Chain A:  84% 14%




• Molecule 2: mitochondrial tRNAVal

Chain B:  81% 19%




• Molecule 3: 39S ribosomal protein L2, mitochondrial

Chain D:  78% 22%

A61	L298	PRO
		SER
		ALA
		SER
		ALA
		GLN
		SER

- Molecule 4: 39S ribosomal protein L3, mitochondrial

Chain E:  88% 12%

MET	PRO	GLY	TRP	ARG	LEU	LEU	GLN	VAL	GLY	ALA	GLN	VAL	LEU	GLY	ARG	LEU	GLY	ASP	GLY	LEU	GLY	ALA	ALA	LEU	GLY	GLY	ASN	ARG	THR	HIS	ILE	TRP	LEU	PHE	VAL	ARG	GLY	LEU	HIS	GLY	K44	K34F
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

- Molecule 5: 39S ribosomal protein L4, mitochondrial

Chain F: 81% 19%

MET	LEU	GLN	PHE	VAL	ARG	ALA	ALA	GLY	ALA	ARG	ALA	TRP	LEU	ARG	ARG	THR	PRO	THR	GLY	SER	GLN	GLY	LEU	SER	SER	LEU	ALA	GLU	GLU	ALA	ALA	ARG	ALA	THR	THR	GLU	ASN	PRO	PRO	GLN	GLN	VAL	ALA	SER	GLY	GLY	LEU	P44	R295	PRO	LEU	PRO	HIS	ALA	ALA	THR	THR	GLN	GLY	PRO	ALA	ALA	ALA	THR	PRO	PRO
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

HIS
CYS

- Molecule 6: 39S ribosomal protein L9, mitochondrial

Chain H:  36% 64%

MET	ALA	PRO	VAL	THR	ALA	PRO	GLY	ARG	ALA	ARG	LEU	LEU	ARG	ALA	GLY	ALA	GLY	ARG	LEU	LEU	ARG	PRO	ASP	LEU	ALA	ALA	CYS	ASN	PHE	SER	LEU	SER	GLN	ASN	ARG	GLY	TFS	E169	LYS	LEU	GLI	YS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----	----

TLE	GIN	THR	LYS	ALA	GLY	GLU	ALA	THR	VAL	LYS	PHE	LEU	LYS	SER	CYS	ARG	LEU	GLU	VAL	GLY	GLY	LYS	ASN	ASN	VAL	VAL	LYS	TRP	GLU	LEU	ASN	ASN	PRO	GLU	TLE	VAL	VAL	ALA	ALA	PRO	HIS	PHE	GLY	LYS	ASN	LEU	GLY	VAL	VAL	VAL	THR	LYS	LEU	LEU	PRO	GLU	GLU	PRO	TLE	THR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ARG TRP GLY GLU TYR TRP THR VAL ASN GLY LEU ASP THR VAL ARG VAL PRO MET SER SER VAL VAL ASN PHE GLY GLU PRO PRO LYS LYS ARG ARG TYR LYS TYR TRP TRP LEU ALA GLN GLN ALA ALA LYS LYS MET MET PRO PRO THR SER PRO PRO THR

- Molecule 7: 39S ribosomal protein L10, mitochondrial

Chain I: 81% 19%

MET	ALA	ALA	ALA	VAL	VAL	MET	LEU	ARG	GLY	GLY	LEU	LEU	PRO	GLN	GLY	GLY	ARG	LEU	THR	THR	LEU	GLN	THR	THR	VAL	VAL	ARG	ARG	TYR	G29	G240	ARG	GLU	LYS	ASP	ASP	SER	SER	VAL	VAL	MET	SER	SER	ALA	ASN	GLY	LYS	PRO	PRO	PRO	ASP	THR	VAL	PRO	PRO	ASP	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 8: 39S ribosomal protein L11, mitochondrial

Chain J: 91% 9%


MET
SER
LYS
LEU
GLY
ARG
ALA
ALA
ARG
GLY
LEU
ARG
LYS
PRO
GLU
VAL
GLY


- Molecule 9: 39S ribosomal protein L13, mitochondrial

Chain K:  100%

There are no outlier residues recorded for this chain.

- Molecule 10: 39S ribosomal protein L14, mitochondrial

Chain L:  79% 21%





- Molecule 11: 39S ribosomal protein L15, mitochondrial

Chain M:  98%




- Molecule 12: 39S ribosomal protein L16, mitochondrial

Chain N:  88% 12%





- Molecule 13: 39S ribosomal protein L17, mitochondrial

Chain O:  88% 12%





- Molecule 14: 39S ribosomal protein L18, mitochondrial

Chain P:  80% 20%




- Molecule 15: 39S ribosomal protein L19, mitochondrial

Chain Q:  82% 18%




- Molecule 16: 39S ribosomal protein L20, mitochondrial

Chain R:  94% 6%




- Molecule 17: 39S ribosomal protein L21, mitochondrial

Chain S: 79% 21%




- Molecule 18: 39S ribosomal protein L22, mitochondrial

Chain T: 81% 19%




- Molecule 19: 39S ribosomal protein L23, mitochondrial

Chain U: 88% 12%




- Molecule 20: 39S ribosomal protein L24, mitochondrial

Chain V: 95% 5%




- Molecule 21: 39S ribosomal protein L27, mitochondrial

Chain W: 78% 22%



- Molecule 22: 39S ribosomal protein L28, mitochondrial

Chain X: 95% 5%




- Molecule 23: 39S ribosomal protein L47, mitochondrial

Chain Y: 72% 28%

MET ALA ALA GLY LEU ALA LEU LEU CYS ARG ARG VAL SER SER ALA ALA LEU LYS SER ARG ARG SER LEU THR PRO GLN VAL PRO ASP ALA CYS THR GLY PHE LEU SER LEU LEU PRO LYS LYS THR PRO ASN THR THR SER PHE HIS GLN TYR ARG LEU LEU HIS THR THR LEU SER

ARG LYS G63 E243 ALA GLN LYS SER SER LEU VAL

- Molecule 24: 39S ribosomal protein L30, mitochondrial

Chain Z:  76% 24%

MET ALA GLY ILE LEU ARG LEU VAL GLN TRP PRO PRO GLY ARG LEU LEU THR VAL THR LYS VAL GLU SER LEU ILE CYS THR ASP TRP ILE ARG HIS K35 Q156 LYS ALA HIS GLU SER


- Molecule 25: 39S ribosomal protein L32, mitochondrial

Chain 0:  58% 41%

MET ALA LEU LEU MET MET VAL VAL VAL SER TRP TRP SER ASP ALA ALA ARG GLY VAL LEU LEU TYR ASN GLU ARG LEU LYS LEU PRO GLN SER ARG ARG GLY PHE PRO SER PRO PRO TRP GLY PRO PRO ALA LEU VAL VAL GLN GLY PRO MET PHE THR GLU PRO ALA ASN

ASP THR SER GLY SER LYS GLU ASN SER SER TRP MET A79 F185 N188

- Molecule 26: 39S ribosomal protein L33, mitochondrial

Chain 1:  85% 15%

MET PHE LEU SER ALA VAL PHE PHE S11 L63

- Molecule 27: 39S ribosomal protein L34, mitochondrial

Chain 2:  50% 50%

MET ALA VAL LEU ALA GLY SER LEU LEU GLY PRO THR SER ARG SER ALA ALA LEU LEU GLY ARG TRP GLN PRO ARG ALA TRP LEU PHE PRO ASP ALA TRP GLY LEU PRO THR PRO GLN GLN ALA ARG K47 H92

- Molecule 28: 39S ribosomal protein L35, mitochondrial

Chain 3:  51% 49%

MET ALA ALA SER GLY PHE ALA GLY VAL VAL ARG ALA ALA SER SER GLY ILE LEU LEU ARG MET ALA PRO ASN LEU LEU VAL PRO SER SER THR TYR ARG ASN CYS VAL LYS ASN ALA SER LEU ILE SER ALA LEU LEU SER THR GLN ARG PHE SER HIS ILE GLN THR PRO VAL VAL SER THR PRO ARG LEU

THR THR SER GLU ARG ASN LEU THR CYS GLY HIS THR SER VAL ILE LEU ASN ARG MET ALA PRO VAL LEU LEU PRO VAL LEU LYS PRO VAL ARG SER L94 V188

- Molecule 29: 39S ribosomal protein L36, mitochondrial

Chain 4:  37% 63%

MET ALA ASN LEU PHE TLE ARG LYS MET VAL ASN PRO LEU LEU TYR SER ARG HIS THR VAL LYS PRO ARG ALA LEU SER THR PHE LEU PHE GLY SER SER ILE ARG GLY ALA ALA PRO VAL ALA VAL GLU PRO GLY ALA ALA VAL ARG SER SER LEU SER PRO GLY LEU LEU HIS LEU

LEU PRO ALA LEU LEU P66 H103

- Molecule 30: 39S ribosomal protein L37, mitochondrial

Chain 5:  93% 7%

MET ALA LEU LEU SER GLY PRO ARG ALA ARG ALA ALA LEU LEU ALA GLY SER GLY GLN LEU LEU GLY GLY PHE GLY GLY ALA PRO ARG ARG A30 H423

- Molecule 31: 39S ribosomal protein L38, mitochondrial

Chain 6:  93% 7%

MET ALA PRO TRP TRP ARG ALA ALA LEU CYS GLU CYS ARG ARG TRP TRP ARG GLY PHE SER THR SER VAL ALA LEU GLY R27 H Y390

- Molecule 32: 39S ribosomal protein L39, mitochondrial

Chain 7:  87% 13%

MET GLU ALA LEU MET GLY SER ARG ALA LEU LEU ARG TRP LEU VAL TRP ALA ALA GLY GLY ILE THR LYS TRP ARG PHE ILE THR THR SER SER ALA Q34 H M143 H3377 GLN SER LYS ALA THR GLU CYS THR THR THR

- Molecule 33: 39S ribosomal protein L40, mitochondrial

Chain 8:  76% 24%

MET THR SER VAL LEU ARG SER ILE SER LEU LEU ALA ARG PRO THR SER GLY LEU LEU LEU LEU ARG THR VAL THR ALA ARG VAL ARG G14 H R137

- Molecule 34: 39S ribosomal protein L41, mitochondrial

Chain 9:  91% 9%


MET GLY VAL LEU ALA ALA LYS TRP VAL MET SER LYS ARG THR ILE LEU LYS HIS LEU PHE VAL GLN ASN GLY ALA LEU TYR CYS VAL CYS HIS LYS T35 H D79 PRO VAL HIS ASN ASN GLU GLU THR H68 H R142

- Molecule 35: 39S ribosomal protein L42, mitochondrial


Chain a:  70% 30%

MET VAL ALA ALA VAL LYS TRP VAL MET SER LYS ARG THR ILE LEU LYS HIS LEU PHE VAL GLN ASN GLY ALA LEU TYR CYS VAL CYS HIS LYS T35 H D79 PRO VAL HIS ASN ASN GLU GLU THR H68 H R142


- Molecule 36: 39S ribosomal protein L43, mitochondrial




- Molecule 37: 39S ribosomal protein L44, mitochondrial




- Molecule 38: 39S ribosomal protein L45, mitochondrial




- Molecule 39: 39S ribosomal protein L46, mitochondrial



- Molecule 40: 39S ribosomal protein L48, mitochondrial



- Molecule 41: 39S ribosomal protein L49, mitochondrial



- Molecule 42: 39S ribosomal protein L50, mitochondrial

MET	ALA	ARG	SER	VAL	SER	GLY	ILE	THR	ARG	ARG	VAL	PHE	MET	TRP	THR	VAL	GLY	THR	CYS	ARG	GLU	PHE	TRP	SER	PHE	ARG	LYS	GLY	LYS	GLU	PRO	VAL	VAL	VAL	GLU	THR	VAL	GLU	LYS	LYS	GLU	PRO	149	150
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| MET | ALA | GLY | ASN | LEU | LEU | SSR | GLY | ALA | GLY | ARG | ARG | ARG | LEU | TRP | TRP | ASP | TRP | VAL | PRO | LEU | ALA | CYS | ARG | SSR | PHE | SSR | LEU | GLY | VAL | PRO | ARG | ARG | LEU | T32 | R128 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|
| MET | ALA | ALA | LEU | GLY | THR | VAL | LEU | PHE | THR | GLY | VAL | ARG | ARG | LEU | HIS | CYS | SER | SER | VAL | ALA | ALA | TRP | A23 | L116 | LYS | SER | PRO | LEU | PRO | PRO | SER | GLN |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|

- | | | |
|----|------|-----|
| A2 | S102 | GLY |
| | | ASP |
| | | LYS |
| | | PRO |
| | | GLY |
| | | ALA |
| | | ASP |
| | | THR |
| | | GLY |
| | | ARG |

- [illegible]

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|-----|-----|
| MET | ALA | ALA | VAL | GLY | SER | LEU | LEU | GLY | ARG | LEU | ARG | GLN | SER | SER | THR | VAL | LYS | ALA | THR | GLY | PRO | ALA | LEU | ARG | ARG | LEU | HTS | THR | SER | SER | TRP | ARG | ALA | D34 | E37 | ALA | GLN | LEU | GLN | SER | R103 | R125 | THR | LYS |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|-----|-----|

- | | | |
|-----|--|------|
| MET | | |
| PHE | | |
| LEU | | |
| THR | | |
| ALA | | |
| LEU | | |
| LEU | | |
| TRP | | |
| R9 | | S102 |

- 
- WORLD WIDE
PDB
PROTEIN DATA BANK

THR	SER	ARG	ARG	VAL	ASP	MET	ASP	MET	ALA	ALA	THR	ARG	CYS	LEU	ARG	TRP	GLY	LEU	SER	ARG	ALA	GLY	VAL	TRP	LEU	LEU	PRO	PRO	PRO	ALA	ARG	CYS	PRO	ARG	ARG	ALA	LEU	HIS	LYS	GLN	LYS	ASP	GLY	THR	E38	G64	ALA	LYS	GLN	ALA	ASP	S70	G86	PRO	GLY	GLY	GLN	ASN	VAL	N93	S195	ALA	VAL	...
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| ALA | PRO | SER | SER | MET | ALA | ALA | SER | SER | VAL | ARG | GLN | ALA | ARG | SER | LEU | LEU | GLY | VAL | ALA | ALA | THR | LEU | ALA | PRO | PRO | GLY | SER | ARG | GLY | TYS | K185 | GLU | ARG | LYS | ARG | LEU | LYS | GLU | GLU | LYS | GLN | LYS | ARG | ARG | LYS | LYS | GLU | ALA | ARG | ALA | ALA | ALA | LEU | ALA | ALA | ALA | VAL | ALA | GLN | ASP | PRO | PRO | ALA | ALA | SER |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|


- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| MET | ALA | ALA | LEU | LYS | ALA | LEU | VAL | SER | GLY | CYS | GLY | ARG | LEU | LEU | ARG | GLY | LEU | ALA | GLY | PRO | ALA | ALA | THR | SER | SER | TRP | SER | SER | ARG | LEU | PRO | ALA | ARG | GLY | F35 | C73 | H196 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|------|------|-----|-----|-----|-----|-----|-----|
| MET | ALA | ALA | ALA | ARG | CYS | TRP | ARG | PRO | LEU | LEU | ANG | GLY | PRO | ARG | LEU | SER | HIS | THR | ALA | ALA | ASN | ALA | ALA | ALA | ALA | ALA | THR | THR | THR | CYS | GLY | ASP | VAL | P125 | T99 | P135 | K433 | SER | GLN | LEU | LEU | GLU | ASN |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|------|------|-----|-----|-----|-----|-----|-----|


- [illegible]

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| MET | LEU | PRO | ALA | ALA | ALA | ARG | PRO | GLY | LEU | LEU | ARG | ALA | ALA | ALA | PHE | ARG | LEU | ALA | ARG | ARG | GLN | VAL | PRO | CYS | VAL | CYS | ALA | VAL | VAL | ARG | HIS | MET | HIS | ARG | ARG | SER | SER | GLY | HIS | GLN | ARG | ARG | CYS | GLU | ALA | ALA | LEU | ALA | GLY | LEU | PRO | ASP | ASN | ALA | ALA | PRO | LYS | GLU |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|


- Molecule 53: 39S ribosomal protein L12, mitochondrial




- Molecule 53: 39S ribosomal protein L12, mitochondrial




- Molecule 53: 39S ribosomal protein L12, mitochondrial




- Molecule 53: 39S ribosomal protein L12, mitochondrial





- Molecule 54: 12S mitochondrial rRNA

Chain AA:  87% 13%





- Molecule 55: 28S ribosomal protein S2, mitochondrial

Chain AB:  76% 24%





- Molecule 56: 28S ribosomal protein S24, mitochondrial

Chain AC:  79% 21%




- Molecule 57: 28S ribosomal protein S5, mitochondrial

Chain AD: 




- Molecule 58: 28S ribosomal protein S6, mitochondrial

Chain AE:  98%




- Molecule 59: 28S ribosomal protein S7, mitochondrial

Chain AF: 86% 14%




- Molecule 60: 28S ribosomal protein S9, mitochondrial

Chain AG: 79% 21%




- Molecule 61: 28S ribosomal protein S10, mitochondrial

Chain AH: 69% 30%




- Molecule 62: 28S ribosomal protein S11, mitochondrial

Chain AI: 70% 29%




- Molecule 63: 28S ribosomal protein S12, mitochondrial

Chain AJ: 78% 22%




- Molecule 64: 28S ribosomal protein S14, mitochondrial

Chain AK: 79% 21%




- Molecule 65: 28S ribosomal protein S15, mitochondrial

Chain AL: 68% 32%




- Molecule 66: 28S ribosomal protein S16, mitochondrial

Chain AM: 87% 13%





- Molecule 67: 28S ribosomal protein S17, mitochondrial

Chain AN: 85% 15%




- Molecule 68: 28S ribosomal protein S18b, mitochondrial

Chain AO: 75% 25%



- Molecule 69: 28S ribosomal protein S18c, mitochondrial

Chain AP: 68% 32%




- Molecule 70: 28S ribosomal protein S21, mitochondrial

Chain AQ: 100%

There are no outlier residues recorded for this chain.

- Molecule 71: 28S ribosomal protein S22, mitochondrial

Chain AR:  82% 18%

MET ALA PRO LEU GLY THR THR VAL LEU LEU TRP SER LEU ARG SER SER PRO GLY VAL GLU ARG VAL CYS PHE ARG ALA ARG ILE GLN LEU PRO THR HIS GLY GLY LEU LEU GLN PRO LEU PRO CYS SER PHE GLU MET GLY LEU PRO ARG ARG ARG PHE SER SER LEU GLU ALA GLU SER

GLY SER PRO E64 A358 ALA SER

- Molecule 72: 28S ribosomal protein S23, mitochondrial

Chain AS:  71% 29%

MET A2 G136 GLU ALA ARG THR GLN HIS GLY THR GLY HIS VAL SER ARG LYS SER GLU HIS LEU SER VAL ARG PRO GLN THR ALA LEU LEU GLU ASN GLU THR THR GLN LYS GLU VAL PRO GLN ASP ASP HIS LEU GLU ALA ALA PRO GLN ASP GLN SER LYS GLY LEU LEU PRO PRO

- Molecule 73: 28S ribosomal protein S25, mitochondrial

Chain AT:  97% .


MET P2 A169 ASP ALA GLN ASP

- Molecule 74: 28S ribosomal protein S26, mitochondrial

Chain AU:  86% 14%

MET LEU ARG ALA LEU SER ARG LEU GLY GLY THR PRO CYS ARG PRO ARG ALA PRO LEU VAL LEU PRO PRO ALA ARG GLY R27 R202 ARG ASP SER

- Molecule 75: 28S ribosomal protein S27, mitochondrial

Chain AV:  87% 13%

MET ALA ALA SER ILE VAL ARG ARG GLY MET LEU LEU ALA ARG GLN VAL VAL LEU PRO GLN LEU SER PRO PRO ALA GLY LYS TYR L29 Y226 A295 ASP GLY ALA SER GLU GLU GLN SER GLN ASN ASP GLU ASP ASP ASN GLN GLY SER E311 Q407 LYS ALA ALA LYS ALA

- Molecule 76: 28S ribosomal protein S28, mitochondrial

Chain AW:  53% 47%


MET ALA ALA LEU CYS ARG THR ARG ALA VAL ALA ALA GLU SER HIS PHE ARG VAL PHE VAL PHE LEU PHE ARG PRO PHE ARG GLY VAL GLY THR GLU SER GLY SER GLU GLY SER SER ASN ALA LYS GLU PRO LYS THR LYS ARG GLY PHE ALA

GLU LEU GLN LYS VAL GLU PRO GLN LYS GLY SER PRO LYS N76 S175 LYS ASP SER ARG SER LYS GLU HIS HIS LYS


- Molecule 77: 28S ribosomal protein S29, mitochondrial

Chain AX:  88% 12%


- Molecule 78: 28S ribosomal protein S31, mitochondrial




- Molecule 79: 28S ribosomal protein S33, mitochondrial



- Molecule 80: 28S ribosomal protein S34, mitochondrial



- Molecule 81: 28S ribosomal protein S35, mitochondrial




- Molecule 82: Coiled-coil-helix-coiled-coil-helix domain-containing protein 1





There are no outlier residues recorded for this chain.

- Molecule 83: Aurora kinase A-interacting protein






● Molecule 88: P-site tRNA



● Molecule 89: mRNA



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	30744	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	200	Depositor
Maximum defocus (nm)	3600	Depositor
Magnification	165000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, AYA, IAS, MG, ATP, FES, K, THC, ZN, SAC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	1/36431 (0.0%)	0.69	0/56711
2	B	0.36	1/1700 (0.1%)	0.67	0/2641
3	D	0.27	0/1896	0.44	0/2549
4	E	0.27	0/2475	0.42	0/3355
5	F	0.27	0/2090	0.41	0/2842
6	H	0.26	0/816	0.41	0/1097
7	I	0.28	0/1731	0.41	0/2345
8	J	0.28	0/1348	0.39	0/1813
9	K	0.29	0/1490	0.40	0/2021
10	L	0.27	0/905	0.45	0/1218
11	M	0.28	0/2381	0.43	0/3212
12	N	0.29	0/1833	0.43	0/2468
13	O	0.26	0/1283	0.40	0/1727
14	P	0.32	0/1199	0.42	0/1623
15	Q	0.26	0/2027	0.41	0/2734
16	R	0.28	0/1175	0.40	0/1572
17	S	0.27	0/1320	0.45	0/1789
18	T	0.29	0/1403	0.41	0/1886
19	U	0.28	0/1127	0.42	0/1523
20	V	0.25	0/1721	0.41	0/2333
21	W	0.36	0/926	0.44	0/1244
22	X	0.26	0/2099	0.38	0/2837
23	Y	0.26	0/1593	0.38	0/2136
24	Z	0.26	0/1021	0.42	0/1378
25	0	0.27	0/913	0.41	0/1224
26	1	0.26	0/460	0.45	0/610
27	2	0.27	0/383	0.41	0/507
28	3	0.29	0/853	0.43	0/1136
29	4	0.31	0/350	0.44	0/461
30	5	0.26	0/3305	0.41	0/4502
31	6	0.32	0/3043	0.43	0/4140
32	7	0.25	0/2447	0.38	0/3310

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	8	0.27	0/1354	0.37	0/1819
34	9	0.28	0/1025	0.40	0/1379
35	a	0.26	0/866	0.43	0/1174
36	b	0.28	0/1211	0.43	0/1639
37	c	0.26	0/2347	0.39	0/3171
38	d	0.25	0/2043	0.40	0/2764
39	e	0.26	0/1885	0.40	0/2542
40	f	0.32	0/1273	0.42	0/1716
41	g	0.28	0/1151	0.42	0/1569
42	h	0.24	0/918	0.37	0/1249
43	i	0.28	0/850	0.39	0/1135
44	j	0.26	0/760	0.38	0/1023
45	k	0.27	0/777	0.41	0/1048
46	l	0.26	0/707	0.39	0/960
47	m	0.26	0/767	0.41	0/1028
48	o	0.27	0/819	0.41	0/1097
49	p	0.24	0/1223	0.39	0/1641
50	q	0.24	0/1384	0.34	0/1869
51	r	0.30	0/1362	0.43	0/1846
52	s	0.27	0/3239	0.42	0/4400
53	t1	0.23	0/358	0.34	0/486
53	t2	0.22	0/259	0.33	0/350
53	t3	0.22	0/259	0.33	0/350
53	t4	0.21	0/246	0.34	0/331
53	t5	0.21	0/246	0.33	0/331
53	t6	0.22	0/246	0.34	0/331
54	AA	0.26	0/22655	0.67	0/35273
55	AB	0.27	0/1871	0.40	0/2531
56	AC	0.32	0/1113	0.42	0/1505
57	AD	0.27	0/2783	0.43	0/3724
58	AE	0.25	0/989	0.42	0/1335
59	AF	0.25	0/1767	0.38	0/2373
60	AG	0.27	0/2623	0.40	0/3515
61	AH	0.31	0/1178	0.44	0/1598
62	AI	0.26	0/1030	0.43	0/1386
63	AJ	0.26	0/855	0.45	0/1148
64	AK	0.28	0/880	0.42	0/1182
65	AL	0.25	0/1477	0.36	0/1974
66	AM	0.27	0/963	0.43	0/1295
67	AN	0.27	0/886	0.42	0/1199
68	AO	0.27	0/1648	0.40	0/2243
69	AP	0.27	0/798	0.40	0/1070
70	AQ	0.27	0/748	0.40	0/994

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
71	AR	0.26	0/2456	0.39	0/3317
72	AS	0.27	0/1138	0.40	0/1533
73	AT	0.27	0/1402	0.40	0/1883
74	AU	0.24	0/1510	0.38	0/2025
75	AV	0.24	0/3030	0.36	0/4093
76	AW	0.27	0/801	0.44	0/1079
77	AX	0.24	0/2921	0.38	0/3954
78	AY	0.27	0/1280	0.36	0/1725
79	AZ	0.28	0/857	0.39	0/1141
80	A0	0.25	0/1834	0.41	0/2484
81	A1	0.28	0/2285	0.39	0/3090
82	A2	0.24	0/941	0.39	0/1257
83	A3	0.26	0/636	0.42	0/839
84	A4	0.25	0/4877	0.36	0/6598
85	u	0.22	0/439	0.37	0/586
86	v	0.30	0/159	0.56	0/221
87	w	0.30	1/1608 (0.1%)	0.65	0/2497
88	x	0.30	1/1656 (0.1%)	0.66	0/2571
89	y	0.20	0/443	0.67	0/684
All	All	0.28	4/185856 (0.0%)	0.53	0/264114

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1671	G	OP3-P	-10.65	1.48	1.61
2	B	1602	C	OP3-P	-10.65	1.48	1.61
88	x	1	U	OP3-P	-10.58	1.48	1.61
87	w	1	U	OP3-P	-10.57	1.48	1.61

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	D	236/305 (77%)	233 (99%)	3 (1%)	0	100	100
4	E	303/348 (87%)	296 (98%)	7 (2%)	0	100	100
5	F	250/311 (80%)	248 (99%)	2 (1%)	0	100	100
6	H	95/267 (36%)	94 (99%)	1 (1%)	0	100	100
7	I	210/261 (80%)	205 (98%)	5 (2%)	0	100	100
8	J	173/192 (90%)	173 (100%)	0	0	100	100
9	K	175/177 (99%)	173 (99%)	2 (1%)	0	100	100
10	L	113/145 (78%)	111 (98%)	2 (2%)	0	100	100
11	M	289/296 (98%)	287 (99%)	2 (1%)	0	100	100
12	N	220/251 (88%)	218 (99%)	2 (1%)	0	100	100
13	O	152/175 (87%)	152 (100%)	0	0	100	100
14	P	142/180 (79%)	141 (99%)	1 (1%)	0	100	100
15	Q	236/292 (81%)	234 (99%)	2 (1%)	0	100	100
16	R	138/149 (93%)	137 (99%)	1 (1%)	0	100	100
17	S	159/205 (78%)	156 (98%)	3 (2%)	0	100	100
18	T	164/206 (80%)	164 (100%)	0	0	100	100
19	U	129/152 (85%)	128 (99%)	1 (1%)	0	100	100
20	V	203/216 (94%)	203 (100%)	0	0	100	100
21	W	114/148 (77%)	114 (100%)	0	0	100	100
22	X	242/256 (94%)	241 (100%)	1 (0%)	0	100	100
23	Y	179/250 (72%)	178 (99%)	1 (1%)	0	100	100
24	Z	120/161 (74%)	117 (98%)	3 (2%)	0	100	100
25	0	108/188 (57%)	108 (100%)	0	0	100	100
26	1	53/65 (82%)	53 (100%)	0	0	100	100
27	2	44/92 (48%)	43 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
28	3	93/188 (50%)	92 (99%)	1 (1%)	0	100	100
29	4	36/103 (35%)	36 (100%)	0	0	100	100
30	5	392/423 (93%)	388 (99%)	4 (1%)	0	100	100
31	6	352/380 (93%)	338 (96%)	14 (4%)	0	100	100
32	7	292/338 (86%)	287 (98%)	5 (2%)	0	100	100
33	8	155/206 (75%)	154 (99%)	1 (1%)	0	100	100
34	9	122/137 (89%)	121 (99%)	1 (1%)	0	100	100
35	a	96/142 (68%)	94 (98%)	2 (2%)	0	100	100
36	b	148/214 (69%)	143 (97%)	5 (3%)	0	100	100
37	c	282/332 (85%)	277 (98%)	5 (2%)	0	100	100
38	d	236/306 (77%)	232 (98%)	4 (2%)	0	100	100
39	e	224/279 (80%)	219 (98%)	5 (2%)	0	100	100
40	f	153/212 (72%)	151 (99%)	2 (1%)	0	100	100
41	g	132/166 (80%)	129 (98%)	3 (2%)	0	100	100
42	h	108/158 (68%)	105 (97%)	3 (3%)	0	100	100
43	i	95/128 (74%)	94 (99%)	1 (1%)	0	100	100
44	j	92/123 (75%)	91 (99%)	1 (1%)	0	100	100
45	k	99/111 (89%)	99 (100%)	0	0	100	100
46	l	80/138 (58%)	80 (100%)	0	0	100	100
47	m	83/128 (65%)	81 (98%)	2 (2%)	0	100	100
48	o	92/102 (90%)	92 (100%)	0	0	100	100
49	p	141/206 (68%)	140 (99%)	1 (1%)	0	100	100
50	q	159/222 (72%)	159 (100%)	0	0	100	100
51	r	160/196 (82%)	158 (99%)	2 (1%)	0	100	100
52	s	382/439 (87%)	378 (99%)	4 (1%)	0	100	100
53	t1	44/198 (22%)	43 (98%)	1 (2%)	0	100	100
53	t2	30/198 (15%)	30 (100%)	0	0	100	100
53	t3	30/198 (15%)	30 (100%)	0	0	100	100
53	t4	29/198 (15%)	29 (100%)	0	0	100	100
53	t5	29/198 (15%)	29 (100%)	0	0	100	100
53	t6	29/198 (15%)	29 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
55	AB	223/296 (75%)	221 (99%)	2 (1%)	0	100	100
56	AC	130/167 (78%)	128 (98%)	2 (2%)	0	100	100
57	AD	341/430 (79%)	335 (98%)	6 (2%)	0	100	100
58	AE	120/125 (96%)	118 (98%)	2 (2%)	0	100	100
59	AF	206/242 (85%)	206 (100%)	0	0	100	100
60	AG	308/396 (78%)	305 (99%)	3 (1%)	0	100	100
61	AH	138/201 (69%)	134 (97%)	3 (2%)	1 (1%)	22	54
62	AI	133/194 (69%)	130 (98%)	3 (2%)	0	100	100
63	AJ	106/138 (77%)	104 (98%)	2 (2%)	0	100	100
64	AK	99/128 (77%)	98 (99%)	1 (1%)	0	100	100
65	AL	172/257 (67%)	171 (99%)	1 (1%)	0	100	100
66	AM	117/137 (85%)	117 (100%)	0	0	100	100
67	AN	108/130 (83%)	107 (99%)	1 (1%)	0	100	100
68	AO	191/258 (74%)	187 (98%)	4 (2%)	0	100	100
69	AP	95/142 (67%)	95 (100%)	0	0	100	100
70	AQ	84/86 (98%)	84 (100%)	0	0	100	100
71	AR	293/360 (81%)	291 (99%)	2 (1%)	0	100	100
72	AS	133/190 (70%)	133 (100%)	0	0	100	100
73	AT	166/173 (96%)	166 (100%)	0	0	100	100
74	AU	174/205 (85%)	172 (99%)	2 (1%)	0	100	100
75	AV	358/414 (86%)	357 (100%)	1 (0%)	0	100	100
76	AW	98/187 (52%)	97 (99%)	1 (1%)	0	100	100
77	AX	350/398 (88%)	346 (99%)	4 (1%)	0	100	100
78	AY	147/395 (37%)	146 (99%)	1 (1%)	0	100	100
79	AZ	98/106 (92%)	98 (100%)	0	0	100	100
80	A0	213/218 (98%)	210 (99%)	3 (1%)	0	100	100
81	A1	274/323 (85%)	269 (98%)	5 (2%)	0	100	100
82	A2	115/117 (98%)	114 (99%)	1 (1%)	0	100	100
83	A3	68/199 (34%)	67 (98%)	1 (2%)	0	100	100
84	A4	584/689 (85%)	575 (98%)	9 (2%)	0	100	100
85	u	47/435 (11%)	47 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
86	v	30/32 (94%)	30 (100%)	0	0	100	100
All	All	14361/19621 (73%)	14193 (99%)	167 (1%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
61	AH	126	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	D	192/245 (78%)	192 (100%)	0	100	100
4	E	260/290 (90%)	260 (100%)	0	100	100
5	F	219/262 (84%)	219 (100%)	0	100	100
6	H	88/228 (39%)	88 (100%)	0	100	100
7	I	194/232 (84%)	194 (100%)	0	100	100
8	J	138/150 (92%)	138 (100%)	0	100	100
9	K	154/154 (100%)	154 (100%)	0	100	100
10	L	98/124 (79%)	97 (99%)	1 (1%)	76	92
11	M	246/249 (99%)	245 (100%)	1 (0%)	91	97
12	N	189/211 (90%)	189 (100%)	0	100	100
13	O	134/150 (89%)	134 (100%)	0	100	100
14	P	126/155 (81%)	126 (100%)	0	100	100
15	Q	220/256 (86%)	220 (100%)	0	100	100
16	R	118/126 (94%)	118 (100%)	0	100	100
17	S	146/180 (81%)	146 (100%)	0	100	100
18	T	146/176 (83%)	146 (100%)	0	100	100
19	U	118/134 (88%)	118 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
20	V	183/191 (96%)	183 (100%)	0	100	100
21	W	94/119 (79%)	94 (100%)	0	100	100
22	X	220/229 (96%)	220 (100%)	0	100	100
23	Y	163/223 (73%)	163 (100%)	0	100	100
24	Z	113/147 (77%)	113 (100%)	0	100	100
25	0	99/164 (60%)	98 (99%)	1 (1%)	76	92
26	1	52/60 (87%)	52 (100%)	0	100	100
27	2	40/72 (56%)	40 (100%)	0	100	100
28	3	88/166 (53%)	88 (100%)	0	100	100
29	4	37/89 (42%)	37 (100%)	0	100	100
30	5	353/368 (96%)	353 (100%)	0	100	100
31	6	313/332 (94%)	313 (100%)	0	100	100
32	7	270/303 (89%)	269 (100%)	1 (0%)	91	97
33	8	146/190 (77%)	146 (100%)	0	100	100
34	9	104/112 (93%)	104 (100%)	0	100	100
35	a	96/133 (72%)	96 (100%)	0	100	100
36	b	131/184 (71%)	131 (100%)	0	100	100
37	c	251/288 (87%)	251 (100%)	0	100	100
38	d	221/274 (81%)	220 (100%)	1 (0%)	88	96
39	e	198/236 (84%)	198 (100%)	0	100	100
40	f	139/188 (74%)	139 (100%)	0	100	100
41	g	124/148 (84%)	124 (100%)	0	100	100
42	h	104/148 (70%)	104 (100%)	0	100	100
43	i	86/110 (78%)	86 (100%)	0	100	100
44	j	74/97 (76%)	74 (100%)	0	100	100
45	k	83/89 (93%)	83 (100%)	0	100	100
46	l	76/116 (66%)	76 (100%)	0	100	100
47	m	81/113 (72%)	81 (100%)	0	100	100
48	o	80/87 (92%)	80 (100%)	0	100	100
49	p	135/181 (75%)	135 (100%)	0	100	100
50	q	138/178 (78%)	138 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
51	r	147/169 (87%)	146 (99%)	1 (1%)	84	95
52	s	340/381 (89%)	340 (100%)	0	100	100
53	t1	40/158 (25%)	40 (100%)	0	100	100
53	t2	31/158 (20%)	31 (100%)	0	100	100
53	t3	31/158 (20%)	31 (100%)	0	100	100
53	t4	30/158 (19%)	30 (100%)	0	100	100
53	t5	30/158 (19%)	30 (100%)	0	100	100
53	t6	30/158 (19%)	30 (100%)	0	100	100
55	AB	198/249 (80%)	198 (100%)	0	100	100
56	AC	115/143 (80%)	115 (100%)	0	100	100
57	AD	286/357 (80%)	286 (100%)	0	100	100
58	AE	104/107 (97%)	104 (100%)	0	100	100
59	AF	185/209 (88%)	185 (100%)	0	100	100
60	AG	271/342 (79%)	271 (100%)	0	100	100
61	AH	130/180 (72%)	130 (100%)	0	100	100
62	AI	104/146 (71%)	103 (99%)	1 (1%)	76	92
63	AJ	93/118 (79%)	93 (100%)	0	100	100
64	AK	91/113 (80%)	91 (100%)	0	100	100
65	AL	158/226 (70%)	158 (100%)	0	100	100
66	AM	97/113 (86%)	97 (100%)	0	100	100
67	AN	96/115 (84%)	96 (100%)	0	100	100
68	AO	174/230 (76%)	174 (100%)	0	100	100
69	AP	88/123 (72%)	88 (100%)	0	100	100
70	AQ	78/78 (100%)	78 (100%)	0	100	100
71	AR	264/318 (83%)	264 (100%)	0	100	100
72	AS	116/164 (71%)	116 (100%)	0	100	100
73	AT	153/157 (98%)	153 (100%)	0	100	100
74	AU	152/174 (87%)	152 (100%)	0	100	100
75	AV	325/364 (89%)	324 (100%)	1 (0%)	92	98
76	AW	87/158 (55%)	87 (100%)	0	100	100
77	AX	311/351 (89%)	310 (100%)	1 (0%)	92	98

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
78	AY	137/357 (38%)	137 (100%)	0	100	100
79	AZ	90/95 (95%)	90 (100%)	0	100	100
80	A0	188/190 (99%)	188 (100%)	0	100	100
81	A1	254/291 (87%)	254 (100%)	0	100	100
82	A2	100/100 (100%)	100 (100%)	0	100	100
83	A3	65/166 (39%)	65 (100%)	0	100	100
84	A4	526/609 (86%)	525 (100%)	1 (0%)	93	98
85	u	46/373 (12%)	46 (100%)	0	100	100
All	All	12839/16871 (76%)	12829 (100%)	10 (0%)	93	98

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
10	L	95	ARG
11	M	222	TYR
25	0	185	PHE
32	7	143	TRP
38	d	280	VAL
51	r	73	CYS
62	AI	73	LEU
75	AV	226	TYR
77	AX	81	HIS
84	A4	486	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
5	F	103	GLN
5	F	241	ASN
7	I	142	ASN
7	I	189	GLN
7	I	193	ASN
14	P	79	HIS
16	R	149	HIS
17	S	118	ASN
18	T	204	HIS
24	Z	64	HIS
30	5	165	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	7	255	HIS
35	a	46	ASN
35	a	90	GLN
40	f	111	HIS
42	h	110	HIS
46	l	82	GLN
48	o	94	HIS
52	s	240	GLN
52	s	358	GLN
57	AD	347	GLN
65	AL	162	GLN
75	AV	145	ASN
75	AV	179	GLN
75	AV	215	GLN
75	AV	380	GLN
75	AV	391	GLN
77	AX	159	HIS
78	AY	290	ASN
79	AZ	56	HIS
80	A0	111	HIS
84	A4	285	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1532/1561 (98%)	217 (14%)	1 (0%)
2	B	71/72 (98%)	13 (18%)	0
54	AA	953/954 (99%)	125 (13%)	0
87	w	67/68 (98%)	16 (23%)	0
88	x	68/70 (97%)	8 (11%)	0
89	y	17/19 (89%)	2 (11%)	0
All	All	2708/2744 (98%)	381 (14%)	1 (0%)

All (381) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	1689	C
1	A	1692	A
1	A	1700	U
1	A	1704	U
1	A	1707	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1708	A
1	A	1713	A
1	A	1715	C
1	A	1724	A
1	A	1727	A
1	A	1728	U
1	A	1748	G
1	A	1765	C
1	A	1777	A
1	A	1805	A
1	A	1807	U
1	A	1809	U
1	A	1821	A
1	A	1824	U
1	A	1827	C
1	A	1828	A
1	A	1829	A
1	A	1832	A
1	A	1836	A
1	A	1844	A
1	A	1854	U
1	A	1856	A
1	A	1868	G
1	A	1869	A
1	A	1882	A
1	A	1887	A
1	A	1893	A
1	A	1901	C
1	A	1903	C
1	A	1909	A
1	A	1918	G
1	A	1919	C
1	A	1937	A
1	A	1939	G
1	A	1940	A
1	A	1958	G
1	A	1984	A
1	A	1985	G
1	A	1992	C
1	A	1993	A
1	A	1994	A
1	A	2002	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2003	A
1	A	2015	G
1	A	2022	G
1	A	2030	U
1	A	2032	G
1	A	2036	C
1	A	2037	U
1	A	2039	A
1	A	2044	A
1	A	2059	C
1	A	2071	U
1	A	2079	C
1	A	2098	G
1	A	2099	U
1	A	2113	G
1	A	2125	C
1	A	2126	U
1	A	2132	A
1	A	2147	G
1	A	2159	U
1	A	2160	A
1	A	2163	A
1	A	2168	U
1	A	2181	A
1	A	2183	C
1	A	2192	A
1	A	2194	U
1	A	2198	A
1	A	2200	A
1	A	2214	A
1	A	2219	C
1	A	2220	A
1	A	2221	C
1	A	2223	A
1	A	2225	C
1	A	2228	A
1	A	2237	A
1	A	2241	A
1	A	2243	A
1	A	2245	A
1	A	2262	C
1	A	2263	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2283	C
1	A	2284	C
1	A	2285	U
1	A	2297	A
1	A	2300	G
1	A	2321	A
1	A	2322	C
1	A	2331	C
1	A	2332	C
1	A	2345	G
1	A	2351	U
1	A	2356	A
1	A	2357	C
1	A	2360	U
1	A	2363	A
1	A	2371	U
1	A	2372	U
1	A	2374	A
1	A	2390	A
1	A	2399	A
1	A	2401	A
1	A	2406	A
1	A	2407	U
1	A	2414	C
1	A	2415	C
1	A	2416	U
1	A	2417	C
1	A	2446	A
1	A	2451	A
1	A	2478	G
1	A	2493	C
1	A	2520	C
1	A	2521	A
1	A	2527	A
1	A	2540	C
1	A	2560	G
1	A	2570	C
1	A	2582	A
1	A	2592	G
1	A	2593	G
1	A	2599	U
1	A	2600	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2601	A
1	A	2625	C
1	A	2627	G
1	A	2628	U
1	A	2630	U
1	A	2633	A
1	A	2635	G
1	A	2654	U
1	A	2656	U
1	A	2683	C
1	A	2686	G
1	A	2693	A
1	A	2694	A
1	A	2695	G
1	A	2696	A
1	A	2706	A
1	A	2718	C
1	A	2719	G
1	A	2723	A
1	A	2724	G
1	A	2725	A
1	A	2732	G
1	A	2792	A
1	A	2810	G
1	A	2815	G
1	A	2832	A
1	A	2833	A
1	A	2847	C
1	A	2859	A
1	A	2864	U
1	A	2865	C
1	A	2887	U
1	A	2889	C
1	A	2893	A
1	A	2910	A
1	A	2917	G
1	A	2922	A
1	A	2928	C
1	A	2935	A
1	A	2946	A
1	A	2956	A
1	A	2961	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2985	C
1	A	2989	G
1	A	2990	A
1	A	2992	G
1	A	2993	U
1	A	3005	A
1	A	3006	U
1	A	3007	C
1	A	3016	G
1	A	3041	U
1	A	3053	A
1	A	3054	G
1	A	3086	U
1	A	3089	A
1	A	3090	G
1	A	3100	U
1	A	3101	A
1	A	3102	U
1	A	3108	U
1	A	3109	U
1	A	3110	C
1	A	3111	A
1	A	3112	A
1	A	3113	A
1	A	3157	C
1	A	3158	A
1	A	3162	C
1	A	3169	C
1	A	3172	C
1	A	3176	A
1	A	3183	U
1	A	3188	U
1	A	3189	C
1	A	3190	A
1	A	3199	U
1	A	3200	U
1	A	3207	A
1	A	3208	C
1	A	3209	A
1	A	3210	C
1	A	3212	C
1	A	3217	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	3218	A
1	A	3231	U
2	B	1603	A
2	B	1605	A
2	B	1609	U
2	B	1611	G
2	B	1617	C
2	B	1621	A
2	B	1646	U
2	B	1650	A
2	B	1652	C
2	B	1653	U
2	B	1654	U
2	B	1661	A
2	B	1664	G
54	AA	651	A
54	AA	680	U
54	AA	688	A
54	AA	689	U
54	AA	695	A
54	AA	704	U
54	AA	718	A
54	AA	721	U
54	AA	737	C
54	AA	745	A
54	AA	753	A
54	AA	761	A
54	AA	766	G
54	AA	777	G
54	AA	791	G
54	AA	796	G
54	AA	808	C
54	AA	814	A
54	AA	815	C
54	AA	830	U
54	AA	832	U
54	AA	835	C
54	AA	836	A
54	AA	860	A
54	AA	861	U
54	AA	868	C
54	AA	871	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
54	AA	890	C
54	AA	903	U
54	AA	907	A
54	AA	919	A
54	AA	929	A
54	AA	931	C
54	AA	932	C
54	AA	938	A
54	AA	939	A
54	AA	942	A
54	AA	954	C
54	AA	956	C
54	AA	960	C
54	AA	962	C
54	AA	965	C
54	AA	966	A
54	AA	967	A
54	AA	1001	C
54	AA	1011	C
54	AA	1015	A
54	AA	1028	G
54	AA	1042	U
54	AA	1048	C
54	AA	1049	A
54	AA	1065	C
54	AA	1069	A
54	AA	1081	U
54	AA	1082	A
54	AA	1103	A
54	AA	1105	C
54	AA	1107	U
54	AA	1109	A
54	AA	1118	A
54	AA	1119	U
54	AA	1121	A
54	AA	1126	A
54	AA	1137	A
54	AA	1138	G
54	AA	1144	U
54	AA	1151	C
54	AA	1153	C
54	AA	1160	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
54	AA	1167	A
54	AA	1187	U
54	AA	1189	U
54	AA	1200	G
54	AA	1215	U
54	AA	1220	A
54	AA	1223	C
54	AA	1225	C
54	AA	1237	A
54	AA	1246	U
54	AA	1247	G
54	AA	1248	C
54	AA	1251	A
54	AA	1271	C
54	AA	1273	G
54	AA	1284	U
54	AA	1285	G
54	AA	1290	C
54	AA	1291	U
54	AA	1292	A
54	AA	1295	A
54	AA	1312	C
54	AA	1326	A
54	AA	1327	G
54	AA	1343	A
54	AA	1353	A
54	AA	1354	A
54	AA	1378	C
54	AA	1387	A
54	AA	1390	A
54	AA	1392	A
54	AA	1405	C
54	AA	1420	U
54	AA	1430	A
54	AA	1447	G
54	AA	1478	A
54	AA	1481	C
54	AA	1514	A
54	AA	1519	A
54	AA	1520	U
54	AA	1522	U
54	AA	1525	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
54	AA	1527	A
54	AA	1533	C
54	AA	1536	A
54	AA	1537	C
54	AA	1539	C
54	AA	1557	A
54	AA	1562	G
54	AA	1568	U
54	AA	1571	U
54	AA	1582	G
54	AA	1584	A
54	AA	1594	G
54	AA	1595	G
54	AA	1599	A
87	w	3	G
87	w	7	A
87	w	9	A
87	w	16	A
87	w	21	A
87	w	22	A
87	w	30	G
87	w	46	A
87	w	49	U
87	w	50	A
87	w	55	A
87	w	56	A
87	w	61	U
87	w	65	A
87	w	68	U
87	w	71	C
88	x	25	C
88	x	44	A
88	x	45	G
88	x	46	A
88	x	48	U
88	x	49	G
88	x	59	U
88	x	75	C
89	y	24	U
89	y	25	U

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	2112	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

7 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
45	AYA	k	2	45	6,7,8	0.79	0	5,8,10	0.73	0
62	IAS	AI	184	62	5,6,8	0.79	0	3,6,10	1.21	0
36	THC	b	2	36	8,9,10	0.77	0	9,11,13	0.63	0
82	AYA	A2	2	82	6,7,8	0.80	0	5,8,10	0.68	0
70	AYA	AQ	2	70	6,7,8	0.78	0	5,8,10	0.57	0
19	AYA	U	2	19	6,7,8	0.78	0	5,8,10	0.52	0
9	SAC	K	2	9	7,8,9	0.88	0	8,9,11	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
45	AYA	k	2	45	-	0/4/6/8	-
62	IAS	AI	184	62	-	1/3/5/8	-
36	THC	b	2	36	-	0/8/10/12	-
82	AYA	A2	2	82	-	0/4/6/8	-
70	AYA	AQ	2	70	-	0/4/6/8	-
19	AYA	U	2	19	-	1/4/6/8	-
9	SAC	K	2	9	-	0/7/8/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
62	AI	184	IAS	O-C-CA-CB
19	U	2	AYA	C-CA-N-CT

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 242 ligands modelled in this entry, 236 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
95	GTP	AX	503	-	26,34,34	1.27	3 (11%)	32,54,54	1.52	4 (12%)
94	ATP	AX	501	90	26,33,33	0.76	0	31,52,52	0.94	0
93	FES	r	201	7,51	0,4,4	-	-	-		
93	FES	AT	201	73,66	0,4,4	-	-	-		
93	FES	AP	201	58,69	0,4,4	-	-	-		
96	ALA	w	101	87	3,4,5	0.69	0	2,4,6	0.88	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
95	GTP	AX	503	-	-	0/18/38/38	0/3/3/3
93	FES	AP	201	58,69	-	-	0/1/1/1
94	ATP	AX	501	90	-	0/18/38/38	0/3/3/3
93	FES	r	201	7,51	-	-	0/1/1/1
93	FES	AT	201	73,66	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
96	ALA	w	101	87	-	0/0/2/4	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
95	AX	503	GTP	C5-C6	-4.03	1.39	1.47
95	AX	503	GTP	C6-N1	-2.93	1.33	1.37
95	AX	503	GTP	C2-N3	2.25	1.38	1.33

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
95	AX	503	GTP	C2-N1-C6	-4.84	116.19	125.10
95	AX	503	GTP	C5-C6-N1	4.52	121.92	113.95
95	AX	503	GTP	C8-N7-C5	3.02	108.74	102.99
95	AX	503	GTP	O6-C6-C5	-2.83	118.84	124.37


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
89	y	1
88	x	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	y	26:A	O3'	46:U	P	66.64
1	x	15:A	O3'	21:A	P	9.86

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-11278. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

This section was not generated.

6.2 Central slices

This section was not generated.

6.3 Largest variance slices

This section was not generated.

6.4 Orthogonal surface views

This section was not generated.

6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis ⓘ

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution ⓘ

This section was not generated.

7.2 Volume estimate versus contour level ⓘ

This section was not generated.

7.3 Rotationally averaged power spectrum ⓘ

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit ⓘ

This section was not generated.