



wwPDB X-ray Structure Validation Summary Report ⓘ

May 22, 2020 – 10:02 pm BST

PDB ID : 4ZYP
Title : Crystal Structure of Motavizumab and Quaternary-Specific RSV-Neutralizing Human Antibody AM14 in Complex with Prefusion RSV F Glycoprotein
Authors : Gilman, M.S.A.; McLellan, J.S.
Deposited on : 2015-05-21
Resolution : 5.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 5.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1019 (7.12-3.82)
Clashscore	141614	1010 (7.10-3.90)
Ramachandran outliers	138981	1014 (7.12-3.82)
Sidechain outliers	138945	1191 (7.20-3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	498	61% 27% 10%
1	B	498	61% 26% 10%
1	C	498	59% 27% 10%
2	J	225	64% 29% 5%
2	K	225	62% 31% 5%
2	N	225	70% 24% 5%
3	L	213	73% 25%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	M	213	
3	O	213	
4	D	227	
4	F	227	
4	H	227	
5	E	215	
5	G	215	
5	I	215	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 29990 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion glycoprotein F0,Fibritin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	449	Total	C	N	O	S	0	0	0
			3482	2202	573	684	23			
1	B	449	Total	C	N	O	S	0	0	0
			3482	2202	573	684	23			
1	C	449	Total	C	N	O	S	0	0	0
			3482	2202	573	684	23			

There are 132 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	129	ALA	PRO	conflict	UNP P03420
A	?	-	ARG	deletion	UNP P03420
A	?	-	ARG	deletion	UNP P03420
A	?	-	GLU	deletion	UNP P03420
A	?	-	LEU	deletion	UNP P03420
A	?	-	PRO	deletion	UNP P03420
A	?	-	ARG	deletion	UNP P03420
A	?	-	PHE	deletion	UNP P03420
A	?	-	MET	deletion	UNP P03420
A	?	-	ASN	deletion	UNP P03420
A	?	-	TYR	deletion	UNP P03420
A	?	-	THR	deletion	UNP P03420
A	?	-	LEU	deletion	UNP P03420
A	?	-	ASN	deletion	UNP P03420
A	?	-	ASN	deletion	UNP P03420
A	?	-	ALA	deletion	UNP P03420
A	?	-	LYS	deletion	UNP P03420
A	?	-	LYS	deletion	UNP P03420
A	?	-	THR	deletion	UNP P03420
A	?	-	ASN	deletion	UNP P03420
A	?	-	VAL	deletion	UNP P03420
A	?	-	THR	deletion	UNP P03420
A	?	-	LEU	deletion	UNP P03420

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	SER	deletion	UNP P03420
A	?	-	LYS	deletion	UNP P03420
A	?	-	LYS	deletion	UNP P03420
A	?	-	ARG	deletion	UNP P03420
A	?	-	LYS	deletion	UNP P03420
A	155	CYS	SER	engineered mutation	UNP P03420
A	190	PHE	SER	engineered mutation	UNP P03420
A	207	LEU	VAL	engineered mutation	UNP P03420
A	290	CYS	SER	engineered mutation	UNP P03420
A	379	VAL	ILE	engineered mutation	UNP P03420
A	447	VAL	MET	engineered mutation	UNP P03420
A	514	SER	-	linker	UNP P03420
A	515	ALA	-	linker	UNP P03420
A	516	ILE	-	linker	UNP P03420
A	517	GLY	-	linker	UNP P03420
A	545	GLY	-	expression tag	UNP D9IEJ2
A	546	GLY	-	expression tag	UNP D9IEJ2
A	547	LEU	-	expression tag	UNP D9IEJ2
A	548	VAL	-	expression tag	UNP D9IEJ2
A	549	PRO	-	expression tag	UNP D9IEJ2
A	550	ARG	-	expression tag	UNP D9IEJ2
B	129	ALA	PRO	conflict	UNP P03420
B	?	-	ARG	deletion	UNP P03420
B	?	-	ARG	deletion	UNP P03420
B	?	-	GLU	deletion	UNP P03420
B	?	-	LEU	deletion	UNP P03420
B	?	-	PRO	deletion	UNP P03420
B	?	-	ARG	deletion	UNP P03420
B	?	-	PHE	deletion	UNP P03420
B	?	-	MET	deletion	UNP P03420
B	?	-	ASN	deletion	UNP P03420
B	?	-	TYR	deletion	UNP P03420
B	?	-	THR	deletion	UNP P03420
B	?	-	LEU	deletion	UNP P03420
B	?	-	ASN	deletion	UNP P03420
B	?	-	ASN	deletion	UNP P03420
B	?	-	ALA	deletion	UNP P03420
B	?	-	LYS	deletion	UNP P03420
B	?	-	LYS	deletion	UNP P03420
B	?	-	THR	deletion	UNP P03420
B	?	-	ASN	deletion	UNP P03420
B	?	-	VAL	deletion	UNP P03420

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	THR	deletion	UNP P03420
B	?	-	LEU	deletion	UNP P03420
B	?	-	SER	deletion	UNP P03420
B	?	-	LYS	deletion	UNP P03420
B	?	-	LYS	deletion	UNP P03420
B	?	-	ARG	deletion	UNP P03420
B	?	-	LYS	deletion	UNP P03420
B	155	CYS	SER	engineered mutation	UNP P03420
B	190	PHE	SER	engineered mutation	UNP P03420
B	207	LEU	VAL	engineered mutation	UNP P03420
B	290	CYS	SER	engineered mutation	UNP P03420
B	379	VAL	ILE	engineered mutation	UNP P03420
B	447	VAL	MET	engineered mutation	UNP P03420
B	514	SER	-	linker	UNP P03420
B	515	ALA	-	linker	UNP P03420
B	516	ILE	-	linker	UNP P03420
B	517	GLY	-	linker	UNP P03420
B	545	GLY	-	expression tag	UNP D9IEJ2
B	546	GLY	-	expression tag	UNP D9IEJ2
B	547	LEU	-	expression tag	UNP D9IEJ2
B	548	VAL	-	expression tag	UNP D9IEJ2
B	549	PRO	-	expression tag	UNP D9IEJ2
B	550	ARG	-	expression tag	UNP D9IEJ2
C	129	ALA	PRO	conflict	UNP P03420
C	?	-	ARG	deletion	UNP P03420
C	?	-	ARG	deletion	UNP P03420
C	?	-	GLU	deletion	UNP P03420
C	?	-	LEU	deletion	UNP P03420
C	?	-	PRO	deletion	UNP P03420
C	?	-	ARG	deletion	UNP P03420
C	?	-	PHE	deletion	UNP P03420
C	?	-	MET	deletion	UNP P03420
C	?	-	ASN	deletion	UNP P03420
C	?	-	TYR	deletion	UNP P03420
C	?	-	THR	deletion	UNP P03420
C	?	-	LEU	deletion	UNP P03420
C	?	-	ASN	deletion	UNP P03420
C	?	-	ASN	deletion	UNP P03420
C	?	-	ALA	deletion	UNP P03420
C	?	-	LYS	deletion	UNP P03420
C	?	-	LYS	deletion	UNP P03420
C	?	-	THR	deletion	UNP P03420

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	ASN	deletion	UNP P03420
C	?	-	VAL	deletion	UNP P03420
C	?	-	THR	deletion	UNP P03420
C	?	-	LEU	deletion	UNP P03420
C	?	-	SER	deletion	UNP P03420
C	?	-	LYS	deletion	UNP P03420
C	?	-	LYS	deletion	UNP P03420
C	?	-	ARG	deletion	UNP P03420
C	?	-	LYS	deletion	UNP P03420
C	155	CYS	SER	engineered mutation	UNP P03420
C	190	PHE	SER	engineered mutation	UNP P03420
C	207	LEU	VAL	engineered mutation	UNP P03420
C	290	CYS	SER	engineered mutation	UNP P03420
C	379	VAL	ILE	engineered mutation	UNP P03420
C	447	VAL	MET	engineered mutation	UNP P03420
C	514	SER	-	linker	UNP P03420
C	515	ALA	-	linker	UNP P03420
C	516	ILE	-	linker	UNP P03420
C	517	GLY	-	linker	UNP P03420
C	545	GLY	-	expression tag	UNP D9IEJ2
C	546	GLY	-	expression tag	UNP D9IEJ2
C	547	LEU	-	expression tag	UNP D9IEJ2
C	548	VAL	-	expression tag	UNP D9IEJ2
C	549	PRO	-	expression tag	UNP D9IEJ2
C	550	ARG	-	expression tag	UNP D9IEJ2

- Molecule 2 is a protein called Motavizumab antibody Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	J	213	Total	C	N	O	S	0	0	0
			1626	1039	266	314	7			
2	K	213	Total	C	N	O	S	0	0	0
			1626	1039	266	314	7			
2	N	213	Total	C	N	O	S	0	0	0
			1626	1039	266	314	7			

- Molecule 3 is a protein called Motavizumab antibody light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	211	Total	C	N	O	S	0	0	0
			1611	1012	268	325	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	M	211	Total	C	N	O	S	0	0	0
			1611	1012	268	325	6			
3	O	211	Total	C	N	O	S	0	0	0
			1611	1012	268	325	6			

- Molecule 4 is a protein called AM14 antibody Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	216	Total	C	N	O	S	0	0	0
			1636	1033	276	320	7			
4	H	216	Total	C	N	O	S	0	0	0
			1635	1033	276	319	7			
4	D	216	Total	C	N	O	S	0	0	0
			1636	1033	276	320	7			


- Molecule 5 is a protein called AM14 antibody light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	G	213	Total	C	N	O	S	0	0	0
			1642	1025	277	334	6			
5	I	213	Total	C	N	O	S	0	0	0
			1642	1025	277	334	6			
5	E	213	Total	C	N	O	S	0	0	0
			1642	1025	277	334	6			


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fusion glycoprotein F0,Fibrin




• Molecule 1: Fusion glycoprotein F0,Fibrin




- Molecule 1: Fusion glycoprotein F0,Fibrin



- Molecule 2: Motavizumab antibody Fab heavy chain




- Molecule 2: Motavizumab antibody Fab heavy chain




- Molecule 2: Motavizumab antibody Fab heavy chain

Chain N:  70% 24% 5%




- Molecule 3: Motavizumab antibody light chain

Chain L:  73% 25% 2%




- Molecule 3: Motavizumab antibody light chain

Chain M:  72% 25% 3%




- Molecule 3: Motavizumab antibody light chain

Chain O:  86% 12% 2%




- Molecule 4: AM14 antibody Fab heavy chain

Chain F:  74% 21% 5%




- Molecule 4: AM14 antibody Fab heavy chain

Chain H:  74% 21% 5%




• Molecule 4: AM14 antibody Fab heavy chain

Chain D: 77% 17% 5%




• Molecule 5: AM14 antibody light chain

Chain G: 84% 14% 2%




• Molecule 5: AM14 antibody light chain

Chain I: 78% 20% 2%



• Molecule 5: AM14 antibody light chain

Chain E: 80% 19% 1%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	114.38Å 210.29Å 118.20Å 90.00° 100.46° 90.00°	Depositor
Resolution (Å)	49.39 – 5.50 49.59 – 5.50	Depositor EDS
% Data completeness (in resolution range)	97.1 (49.39-5.50) 97.2 (49.59-5.50)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 5.39Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.210 , 0.277 0.214 , 0.277	Depositor DCC
R_{free} test set	857 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	154.0	Xtriage
Anisotropy	0.642	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 185.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.056 for l,-k,h	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	29990	wwPDB-VP
Average B, all atoms (Å ²)	217.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/3532	0.67	1/4784 (0.0%)
1	B	0.34	0/3532	0.68	2/4784 (0.0%)
1	C	0.35	0/3532	0.71	1/4784 (0.0%)
2	J	0.40	0/1669	0.83	2/2283 (0.1%)
2	K	0.33	0/1669	0.73	1/2283 (0.0%)
2	N	0.29	0/1669	0.51	0/2283
3	L	0.34	0/1648	0.69	1/2235 (0.0%)
3	M	0.33	0/1648	0.71	1/2235 (0.0%)
3	O	0.29	0/1648	0.52	0/2235
4	D	0.28	0/1677	0.51	0/2286
4	F	0.28	0/1677	0.49	0/2286
4	H	0.31	0/1676	0.64	0/2285
5	E	0.33	0/1677	0.64	0/2277
5	G	0.26	0/1677	0.50	0/2277
5	I	0.30	0/1677	0.57	0/2277
All	All	0.33	0/30608	0.65	9/41594 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	L	0	1

There are no bond length outliers.

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	107	LYS	N-CA-C	6.15	127.61	111.00
1	B	181	LEU	CA-CB-CG	-5.93	101.65	115.30
2	J	178	LEU	CA-CB-CG	5.85	128.75	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	329	GLY	N-CA-C	-5.50	99.34	113.10
1	B	188	LEU	CA-CB-CG	5.41	127.73	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	L	78	LEU	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3482	0	3526	107	0
1	B	3482	0	3526	96	0
1	C	3482	0	3526	114	0
2	J	1626	0	1610	55	0
2	K	1626	0	1610	62	0
2	N	1626	0	1610	37	0
3	L	1611	0	1564	45	1
3	M	1611	0	1564	52	0
3	O	1611	0	1564	19	1
4	D	1636	0	1579	28	0
4	F	1636	0	1579	30	0
4	H	1635	0	1576	34	0
5	E	1642	0	1597	35	0
5	G	1642	0	1597	20	0
5	I	1642	0	1597	31	0
All	All	29990	0	29625	686	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 686 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:374:THR:HG21	1:C:454:ASN:H	1.33	0.93
1:B:28:ILE:HA	1:B:43:GLY:HA3	1.53	0.90
5:E:106:ILE:O	5:E:166:GLN:NE2	2.04	0.89
3:L:12:SER:O	3:L:107:LYS:NZ	2.06	0.89
4:H:75:LYS:NZ	3:M:77:SER:OG	2.05	0.88

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:145:LYS:NZ	3:O:17:ASP:OD1[2_645]	2.18	0.02

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	445/498 (89%)	410 (92%)	29 (6%)	6 (1%)	12	47
1	B	445/498 (89%)	410 (92%)	29 (6%)	6 (1%)	12	47
1	C	445/498 (89%)	411 (92%)	28 (6%)	6 (1%)	12	47
2	J	209/225 (93%)	192 (92%)	16 (8%)	1 (0%)	29	69
2	K	209/225 (93%)	193 (92%)	14 (7%)	2 (1%)	15	53
2	N	209/225 (93%)	196 (94%)	13 (6%)	0	100	100
3	L	209/213 (98%)	195 (93%)	13 (6%)	1 (0%)	29	69
3	M	209/213 (98%)	198 (95%)	11 (5%)	0	100	100
3	O	209/213 (98%)	200 (96%)	9 (4%)	0	100	100
4	D	212/227 (93%)	208 (98%)	4 (2%)	0	100	100
4	F	212/227 (93%)	208 (98%)	4 (2%)	0	100	100
4	H	212/227 (93%)	205 (97%)	7 (3%)	0	100	100
5	E	211/215 (98%)	202 (96%)	9 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	G	211/215 (98%)	203 (96%)	8 (4%)	0	100	100
5	I	211/215 (98%)	202 (96%)	9 (4%)	0	100	100
All	All	3858/4134 (93%)	3633 (94%)	203 (5%)	22 (1%)	25	65

5 of 22 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	50	THR
1	A	161	GLU
1	B	50	THR
1	B	161	GLU
1	C	50	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	410/448 (92%)	396 (97%)	14 (3%)	37	60
1	B	410/448 (92%)	382 (93%)	28 (7%)	16	42
1	C	410/448 (92%)	381 (93%)	29 (7%)	14	41
2	J	187/197 (95%)	184 (98%)	3 (2%)	62	79
2	K	187/197 (95%)	184 (98%)	3 (2%)	62	79
2	N	187/197 (95%)	183 (98%)	4 (2%)	53	72
3	L	183/185 (99%)	182 (100%)	1 (0%)	88	93
3	M	183/185 (99%)	179 (98%)	4 (2%)	52	71
3	O	183/185 (99%)	179 (98%)	4 (2%)	52	71
4	D	182/192 (95%)	179 (98%)	3 (2%)	62	79
4	F	182/192 (95%)	179 (98%)	3 (2%)	62	79
4	H	181/192 (94%)	178 (98%)	3 (2%)	60	78
5	E	189/191 (99%)	187 (99%)	2 (1%)	73	84
5	G	189/191 (99%)	187 (99%)	2 (1%)	73	84

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	I	189/191 (99%)	188 (100%)	1 (0%)	88	93
All	All	3452/3639 (95%)	3348 (97%)	104 (3%)	41	63

5 of 104 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	137	PHE
1	C	260	LEU
2	N	29	LEU
1	C	155	CYS
1	C	169	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 44 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	354	GLN
1	C	262	ASN
5	E	210	ASN
1	B	363	ASN
1	C	70	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.