



Full wwPDB NMR Structure Validation Report ⓘ

May 12, 2021 – 08:06 pm BST

PDB ID : 6ZYC
Title : Solution structure of the C-terminal domain of the vaccinia virus DNA polymerase processivity factor component A20.
Authors : Bersch, B.; Iseni, F.; Burmeister, W.; Tarbouriech, N.
Deposited on : 2020-07-31

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	2.18
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.18


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 84%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	148	

2 Ensemble composition and analysis

This entry contains 20 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:11-A:123 (113)	0.16	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 4 single-model clusters were found.

Cluster number	Models
1	4, 7, 8, 10, 13, 18
2	1, 12, 14, 16, 17
3	3, 5, 15
4	6, 19
Single-model clusters	2; 9; 11; 20

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2324 atoms, of which 1153 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called DNA polymerase processivity factor component A20.

Mol	Chain	Residues	Atoms						Trace
1	A	148	Total	C	H	N	O	S	0
			2324	733	1153	203	230	5	

There are 25 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP P20995
A	125	ASN	-	linker	UNP P20995
A	126	ALA	-	linker	UNP P20995
A	127	SER	-	linker	UNP P20995
A	128	GLY	-	linker	UNP P20995
A	129	ASN	-	linker	UNP P20995
A	130	GLY	-	linker	UNP P20995
A	131	SER	-	linker	UNP P20995
A	132	GLY	-	linker	UNP P20995
A	133	GLY	-	linker	UNP P20995
A	134	GLY	-	linker	UNP P20995
A	135	LEU	-	expression tag	UNP P20995
A	136	ASN	-	expression tag	UNP P20995
A	137	ASP	-	expression tag	UNP P20995
A	138	ILE	-	expression tag	UNP P20995
A	139	PHE	-	expression tag	UNP P20995
A	140	GLU	-	expression tag	UNP P20995
A	141	ALA	-	expression tag	UNP P20995
A	142	GLN	-	expression tag	UNP P20995
A	143	LYS	-	expression tag	UNP P20995
A	144	ILE	-	expression tag	UNP P20995
A	145	GLU	-	expression tag	UNP P20995
A	146	TRP	-	expression tag	UNP P20995
A	147	HIS	-	expression tag	UNP P20995
A	148	GLU	-	expression tag	UNP P20995

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: DNA polymerase processivity factor component A20




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1 (medoid)


- Molecule 1: DNA polymerase processivity factor component A20



4.2.2 Score per residue for model 2


- Molecule 1: DNA polymerase processivity factor component A20






4.2.3 Score per residue for model 3

- Molecule 1: DNA polymerase processivity factor component A20




4.2.4 Score per residue for model 4

- Molecule 1: DNA polymerase processivity factor component A20




4.2.5 Score per residue for model 5

- Molecule 1: DNA polymerase processivity factor component A20




4.2.6 Score per residue for model 6

- Molecule 1: DNA polymerase processivity factor component A20




4.2.7 Score per residue for model 7

- Molecule 1: DNA polymerase processivity factor component A20




4.2.8 Score per residue for model 8

- Molecule 1: DNA polymerase processivity factor component A20




4.2.9 Score per residue for model 9

- Molecule 1: DNA polymerase processivity factor component A20




4.2.10 Score per residue for model 10

- Molecule 1: DNA polymerase processivity factor component A20




4.2.11 Score per residue for model 11

- Molecule 1: DNA polymerase processivity factor component A20




4.2.12 Score per residue for model 12

- Molecule 1: DNA polymerase processivity factor component A20




4.2.13 Score per residue for model 13

- Molecule 1: DNA polymerase processivity factor component A20




4.2.14 Score per residue for model 14

- Molecule 1: DNA polymerase processivity factor component A20




4.2.15 Score per residue for model 15

- Molecule 1: DNA polymerase processivity factor component A20




4.2.16 Score per residue for model 16

- Molecule 1: DNA polymerase processivity factor component A20




4.2.17 Score per residue for model 17

- Molecule 1: DNA polymerase processivity factor component A20




4.2.18 Score per residue for model 18

- Molecule 1: DNA polymerase processivity factor component A20




4.2.19 Score per residue for model 19

- Molecule 1: DNA polymerase processivity factor component A20



4.2.20 Score per residue for model 20

- Molecule 1: DNA polymerase processivity factor component A20



5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 1000 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
ARIA	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	1674
Number of shifts mapped to atoms	1674
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	84%

6 Model quality ⓘ

6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	909	916	916	31±4
All	All	18180	18320	18320	625

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:73:MET:HG2	1:A:87:ILE:HD12	0.86	1.44	19	18
1:A:87:ILE:HD13	1:A:93:LEU:HD23	0.81	1.50	19	19
1:A:90:THR:O	1:A:93:LEU:HG	0.74	1.83	16	20
1:A:69:LEU:HG	1:A:73:MET:SD	0.72	2.25	9	19
1:A:33:VAL:HG13	1:A:122:LEU:HD21	0.69	1.65	12	19
1:A:91:ASN:HA	1:A:94:ASN:ND2	0.69	2.03	8	3
1:A:72:ASN:OD1	1:A:87:ILE:HD11	0.68	1.87	5	2
1:A:26:CYS:SG	1:A:32:LEU:HA	0.68	2.29	8	20
1:A:73:MET:CG	1:A:87:ILE:HD12	0.67	2.18	19	1
1:A:69:LEU:O	1:A:73:MET:HG3	0.66	1.89	10	19
1:A:118:VAL:O	1:A:122:LEU:HG	0.64	1.92	2	20
1:A:17:LEU:O	1:A:21:LEU:HG	0.62	1.95	13	14
1:A:73:MET:SD	1:A:102:TYR:CE2	0.62	2.92	19	1
1:A:117:ASP:O	1:A:121:ARG:HG3	0.62	1.94	19	18

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:93:LEU:O	1:A:99:GLU:HG3	0.62	1.95	15	20
1:A:122:LEU:HB2	1:A:123:PHE:CD2	0.62	2.30	12	19
1:A:17:LEU:HD13	1:A:58:CYS:SG	0.61	2.35	11	18
1:A:73:MET:SD	1:A:102:TYR:HE2	0.59	2.19	19	1
1:A:17:LEU:HD23	1:A:58:CYS:SG	0.59	2.37	4	1
1:A:18:THR:HA	1:A:23:ILE:CG1	0.58	2.27	18	18
1:A:78:GLU:O	1:A:81:LYS:HG2	0.58	1.97	12	1
1:A:30:ASP:HA	1:A:121:ARG:NH1	0.56	2.15	4	2
1:A:117:ASP:OD1	1:A:121:ARG:HD2	0.56	2.01	5	2
1:A:95:ASN:HB3	1:A:98:ILE:CG1	0.54	2.33	9	11
1:A:115:VAL:HA	1:A:118:VAL:HG12	0.53	1.78	11	1
1:A:73:MET:HG2	1:A:87:ILE:CD1	0.53	2.28	19	1
1:A:18:THR:HA	1:A:23:ILE:HG12	0.52	1.82	2	20
1:A:122:LEU:HD12	1:A:123:PHE:CE2	0.52	2.39	15	10
1:A:63:GLU:O	1:A:67:ILE:HB	0.52	2.05	10	6
1:A:95:ASN:HB3	1:A:98:ILE:HG12	0.52	1.81	10	20
1:A:81:LYS:HB3	1:A:113:ASN:OD1	0.52	2.04	1	2
1:A:33:VAL:HG21	1:A:121:ARG:HD3	0.52	1.81	11	7
1:A:72:ASN:CG	1:A:92:CYS:HB2	0.51	2.25	5	2
1:A:73:MET:SD	1:A:87:ILE:HB	0.51	2.46	19	1
1:A:93:LEU:HA	1:A:98:ILE:HB	0.51	1.82	2	16
1:A:35:GLU:O	1:A:38:LYS:HG3	0.51	2.06	7	5
1:A:93:LEU:HA	1:A:98:ILE:CB	0.51	2.36	2	17
1:A:100:THR:O	1:A:104:ASN:HB3	0.50	2.06	18	2
1:A:87:ILE:CD1	1:A:93:LEU:HD23	0.50	2.30	19	3
1:A:12:ALA:O	1:A:15:LYS:HG2	0.50	2.05	17	2
1:A:69:LEU:HD11	1:A:102:TYR:CD2	0.49	2.42	4	19
1:A:116:THR:O	1:A:119:LYS:HG2	0.49	2.08	15	2
1:A:20:LYS:CG	1:A:58:CYS:HA	0.49	2.38	1	6
1:A:23:ILE:HD11	1:A:32:LEU:CD2	0.49	2.37	3	12
1:A:82:VAL:HG12	1:A:112:PHE:CD2	0.49	2.43	14	10
1:A:55:SER:OG	1:A:112:PHE:HA	0.48	2.08	19	3
1:A:97:SER:O	1:A:100:THR:HB	0.48	2.08	11	10
1:A:47:LYS:HB2	1:A:123:PHE:CE1	0.48	2.43	4	10
1:A:11:SER:O	1:A:15:LYS:HB3	0.48	2.08	9	3
1:A:59:LEU:HD21	1:A:108:PHE:HA	0.48	1.84	7	19
1:A:107:GLN:O	1:A:111:ILE:HG13	0.48	2.09	9	13
1:A:35:GLU:O	1:A:38:LYS:HG2	0.48	2.09	8	1
1:A:14:LEU:O	1:A:18:THR:HG23	0.47	2.09	4	10
1:A:103:ARG:HG3	1:A:104:ASN:N	0.47	2.25	12	9
1:A:73:MET:CG	1:A:87:ILE:HA	0.47	2.40	19	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:82:VAL:HG13	1:A:109:VAL:HB	0.46	1.85	7	9
1:A:23:ILE:HB	1:A:35:GLU:OE2	0.46	2.11	3	1
1:A:76:LYS:HB2	1:A:84:ASN:HB3	0.46	1.87	18	1
1:A:91:ASN:O	1:A:94:ASN:HB2	0.46	2.10	19	1
1:A:55:SER:O	1:A:59:LEU:HD22	0.46	2.11	4	9
1:A:61:TYR:CE1	1:A:101:ILE:HG23	0.45	2.46	9	1
1:A:105:PHE:O	1:A:109:VAL:HG13	0.45	2.11	8	13
1:A:73:MET:HB3	1:A:86:ASN:O	0.45	2.11	5	5
1:A:33:VAL:HG13	1:A:122:LEU:CD2	0.45	2.41	11	2
1:A:31:GLU:O	1:A:34:ASP:HB3	0.45	2.12	2	2
1:A:56:ARG:HG2	1:A:61:TYR:HB2	0.44	1.88	9	2
1:A:68:THR:O	1:A:71:ASN:HB3	0.44	2.13	10	2
1:A:52:PHE:CZ	1:A:66:PHE:CE2	0.44	3.06	19	3
1:A:20:LYS:HG2	1:A:58:CYS:HA	0.44	1.90	2	5
1:A:85:PHE:CD1	1:A:109:VAL:HG11	0.44	2.48	2	3
1:A:36:ILE:HD13	1:A:118:VAL:HG21	0.44	1.89	11	1
1:A:87:ILE:HG21	1:A:90:THR:HG22	0.43	1.90	1	1
1:A:122:LEU:HD12	1:A:123:PHE:HE2	0.43	1.74	7	1
1:A:116:THR:O	1:A:119:LYS:HG3	0.43	2.13	17	1
1:A:56:ARG:O	1:A:61:TYR:HB2	0.43	2.14	18	1
1:A:91:ASN:HA	1:A:94:ASN:OD1	0.42	2.14	2	1
1:A:59:LEU:HD21	1:A:111:ILE:CD1	0.42	2.44	9	1
1:A:69:LEU:HD22	1:A:101:ILE:HG22	0.42	1.91	9	2
1:A:116:THR:HA	1:A:119:LYS:CG	0.42	2.45	19	1
1:A:28:THR:OG1	1:A:31:GLU:HG2	0.42	2.15	3	1
1:A:56:ARG:CZ	1:A:63:GLU:HG2	0.42	2.45	9	1
1:A:115:VAL:O	1:A:118:VAL:HG12	0.42	2.15	11	1
1:A:33:VAL:CG1	1:A:122:LEU:HD21	0.42	2.43	17	1
1:A:74:ARG:HB2	1:A:88:GLU:CG	0.41	2.45	9	1
1:A:82:VAL:HG23	1:A:112:PHE:CD2	0.41	2.50	11	1
1:A:42:VAL:O	1:A:46:ILE:HG12	0.41	2.14	14	2
1:A:20:LYS:HE2	1:A:57:GLU:O	0.41	2.15	17	1
1:A:20:LYS:HE3	1:A:57:GLU:O	0.41	2.15	4	1
1:A:76:LYS:HB2	1:A:84:ASN:HB2	0.41	1.92	7	1
1:A:73:MET:HA	1:A:87:ILE:HA	0.41	1.92	5	3
1:A:81:LYS:HB2	1:A:81:LYS:NZ	0.41	2.31	5	1
1:A:56:ARG:HD2	1:A:56:ARG:C	0.41	2.36	10	1
1:A:26:CYS:SG	1:A:32:LEU:HD23	0.41	2.56	20	1
1:A:62:PRO:HB2	1:A:65:ASP:OD2	0.41	2.15	2	1
1:A:99:GLU:O	1:A:103:ARG:HG2	0.41	2.16	15	3
1:A:93:LEU:O	1:A:98:ILE:HB	0.41	2.16	11	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:69:LEU:HA	1:A:72:ASN:HD21	0.40	1.75	5	1
1:A:51:ALA:HA	1:A:54:LEU:HD12	0.40	1.94	9	1
1:A:82:VAL:CG1	1:A:109:VAL:HB	0.40	2.47	5	1
1:A:17:LEU:HD11	1:A:115:VAL:CG2	0.40	2.46	3	1
1:A:118:VAL:HG13	1:A:119:LYS:N	0.40	2.31	11	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	113/148 (76%)	110±1 (97±1%)	3±1 (3±1%)	0±0 (0±0%)	100	100
All	All	2260/2960 (76%)	2199 (97%)	61 (3%)	0 (0%)	100	100

There are no Ramachandran outliers.

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	106/131 (81%)	97±2 (91±2%)	9±2 (9±2%)	13	60
All	All	2120/2620 (81%)	1933 (91%)	187 (9%)	13	60

All 29 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	70	VAL	20
1	A	109	VAL	20
1	A	24	ASN	17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	87	ILE	16
1	A	15	LYS	13
1	A	19	ASN	13
1	A	98	ILE	13
1	A	38	LYS	11
1	A	59	LEU	10
1	A	117	ASP	8
1	A	43	LYS	6
1	A	82	VAL	6
1	A	119	LYS	5
1	A	72	ASN	4
1	A	56	ARG	4
1	A	86	ASN	3
1	A	97	SER	3
1	A	91	ASN	2
1	A	94	ASN	2
1	A	78	GLU	2
1	A	65	ASP	1
1	A	67	ILE	1
1	A	71	ASN	1
1	A	45	LYS	1
1	A	122	LEU	1
1	A	53	ASP	1
1	A	16	GLN	1
1	A	74	ARG	1
1	A	48	ASN	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.6 Ligand geometry

There are no ligands in this entry.

6.7 Other polymers

There are no such molecules in this entry.

6.8 Polymer linkage issues

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 84% for the well-defined parts and 82% for the entire structure.

7.1 Chemical shift list 1

File name: `working_cs.cif`

Chemical shift list name: *starch_output*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1674
Number of shifts mapped to atoms	1674
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	141	-0.63 ± 0.09	Should be applied
$^{13}\text{C}_\beta$	133	0.16 ± 0.06	None needed (< 0.5 ppm)
$^{13}\text{C}'$	144	-0.23 ± 0.07	None needed (< 0.5 ppm)
^{15}N	144	0.57 ± 0.22	Should be applied

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 84%, i.e. 1210 atoms were assigned a chemical shift out of a possible 1435. 0 out of 19 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	559/561 (100%)	224/224 (100%)	224/226 (99%)	111/111 (100%)
Sidechain	604/786 (77%)	371/456 (81%)	218/286 (76%)	15/44 (34%)

Continued on next page...

Continued from previous page...

	Total	^1H	^{13}C	^{15}N
Aromatic	47/88 (53%)	47/48 (98%)	0/40 (0%)	0/0 (—%)
Overall	1210/1435 (84%)	642/728 (88%)	442/552 (80%)	126/155 (81%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 82%, i.e. 1498 atoms were assigned a chemical shift out of a possible 1826. 0 out of 21 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	714/736 (97%)	285/294 (97%)	285/296 (96%)	144/146 (99%)
Sidechain	719/956 (75%)	443/556 (80%)	259/348 (74%)	17/52 (33%)
Aromatic	65/134 (49%)	64/72 (89%)	0/59 (0%)	1/3 (33%)
Overall	1498/1826 (82%)	792/922 (86%)	544/703 (77%)	162/201 (81%)

7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

