



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 28, 2024 – 05:47 pm BST

PDB ID : 4BBH
Title : Plasmodium vivax N-myristoyltransferase with a bound benzothiophene inhibitor
Authors : Rackham, M.D.; Brannigan, J.A.; Moss, D.K.; Yu, Z.; Wilkinson, A.J.; Holder, A.A.; Tate, E.W.; Leatherbarrow, R.J.
Deposited on : 2012-09-23
Resolution : 1.63 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3122 (1.66-1.62)
Clashscore	141614	3268 (1.66-1.62)
Ramachandran outliers	138981	3215 (1.66-1.62)
Sidechain outliers	138945	3215 (1.66-1.62)
RSRZ outliers	127900	3079 (1.66-1.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	 85% 13% .
1	B	384	 88% 11% .
1	C	384	 82% 12% .. .

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 10684 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	384	Total	C	N	O	S	0	8	0
			3219	2092	528	588	11			
1	B	384	Total	C	N	O	S	0	8	0
			3225	2099	527	588	11			
1	C	367	Total	C	N	O	S	0	19	0
			3153	2059	500	584	10			

- Molecule 2 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C_2H_6OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			4	2	1	1		
2	B	1	Total	C	O	S	0	0
			4	2	1	1		
2	C	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 3 is 2-oxopentadecyl-CoA (three-letter code: NHW) (formula: $C_{36}H_{64}N_7O_{17}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
3	A	1	Total 64	36	7	17	3	1	0	0
3	B	1	Total 64	36	7	17	3	1	0	0
3	C	1	Total 64	36	7	17	3	1	0	0

- Molecule 4 is 3-methoxybenzyl 3-(piperidin-4-yloxy)-1-benzothiophene-2-carboxylate (three-letter code: YBN) (formula: $C_{22}H_{23}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			28	22	1	4	1		
4	B	1	Total	C	N	O	S	0	0
			28	22	1	4	1		
4	C	1	Total	C	N	O	S	0	0
			28	22	1	4	1		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Cl	0	0
			1	1		
6	B	1	Total	Cl	0	0
			1	1		
6	C	1	Total	Cl	0	0
			1	1		

- Molecule 7 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Mg 1 1	0	0
7	B	1	Total Mg 1 1	0	0
7	C	1	Total Mg 1 1	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	283	Total O 283 283	0	0
8	B	259	Total O 259 259	0	0
8	C	246	Total O 246 246	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



• Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



• Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.47Å 121.87Å 178.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	72.07 – 1.63 71.96 – 1.63	Depositor EDS
% Data completeness (in resolution range)	83.3 (72.07-1.63) 83.4 (71.96-1.63)	Depositor EDS
R_{merge}	0.01	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 1.63Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.214 , 0.264 0.214 , 0.264	Depositor DCC
R_{free} test set	6560 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	12.9	Xtriage
Anisotropy	0.305	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.20$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	10684	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: YBN, MG, DMS, NHW, SO4, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.99	1/3322 (0.0%)	1.04	9/4497 (0.2%)
1	B	1.02	0/3330	1.10	11/4508 (0.2%)
1	C	0.98	0/3295	1.03	11/4461 (0.2%)
All	All	1.00	1/9947 (0.0%)	1.06	31/13466 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	273	GLU	CD-OE2	-5.00	1.20	1.25

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	104	ARG	NE-CZ-NH1	8.88	124.74	120.30
1	C	104	ARG	NE-CZ-NH1	7.96	124.28	120.30
1	B	104	ARG	NE-CZ-NH2	-7.94	116.33	120.30
1	C	63	ASP	CB-CG-OD1	7.63	125.17	118.30
1	A	93	ASP	CB-CG-OD2	-7.53	111.52	118.30
1	A	91	LEU	CB-CG-CD1	7.40	123.57	111.00
1	A	380	LYS	CD-CE-NZ	-6.41	96.95	111.70
1	B	122	LEU	CA-CB-CG	-6.16	101.13	115.30
1	C	317	LEU	CB-CG-CD1	6.09	121.35	111.00
1	B	63	ASP	CB-CG-OD1	5.90	123.61	118.30
1	A	104	ARG	NE-CZ-NH2	-5.90	117.35	120.30
1	C	104	ARG	NE-CZ-NH2	-5.89	117.36	120.30
1	B	77	ASP	CB-CG-OD2	-5.83	113.06	118.30
1	B	83	ASP	CB-CG-OD1	5.80	123.52	118.30
1	B	77	ASP	CB-CG-OD1	5.69	123.42	118.30
1	A	90	LEU	CB-CG-CD1	5.60	120.52	111.00
1	B	357	LYS	CD-CE-NZ	-5.60	98.83	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	172	LYS	CD-CE-NZ	-5.47	99.12	111.70
1	C	214[A]	ARG	NE-CZ-NH1	5.39	123.00	120.30
1	C	214[B]	ARG	NE-CZ-NH1	5.39	123.00	120.30
1	A	132	ASP	CB-CG-OD2	-5.39	113.45	118.30
1	C	385	ASP	CB-CG-OD1	-5.36	113.48	118.30
1	B	317	LEU	CB-CG-CD1	5.32	120.04	111.00
1	B	173	ARG	NE-CZ-NH1	5.18	122.89	120.30
1	A	336	PHE	CB-CG-CD1	5.12	124.39	120.80
1	B	410	LEU	CB-CG-CD1	-5.12	102.30	111.00
1	C	409	LEU	CA-CB-CG	5.08	126.98	115.30
1	A	358	ARG	NE-CZ-NH1	5.03	122.81	120.30
1	A	93	ASP	CB-CG-OD1	5.03	122.82	118.30
1	C	214[A]	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	C	214[B]	ARG	NE-CZ-NH2	-5.02	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3219	0	3231	34	0
1	B	3225	0	3234	29	0
1	C	3153	0	3159	35	0
2	A	4	0	6	0	0
2	B	4	0	6	0	0
2	C	4	0	6	0	0
3	A	64	0	60	0	0
3	B	64	0	60	0	0
3	C	64	0	60	0	0
4	A	28	0	23	3	0
4	B	28	0	23	6	0
4	C	28	0	23	1	0
5	A	5	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	C	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	283	0	0	4	0
8	B	259	0	0	4	0
8	C	246	0	0	4	0
All	All	10684	0	9891	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:1001:YBN:H21	4:B:1001:YBN:O2	1.51	1.10
1:C:262[A]:GLU:HG3	8:C:2178:HOH:O	1.65	0.94
1:C:86[A]:GLU:HG3	1:C:137:LEU:HD22	1.49	0.94
4:B:1001:YBN:H21	4:B:1001:YBN:C7	1.99	0.92
1:C:262[B]:GLU:HG3	8:C:2176:HOH:O	1.75	0.86
1:B:222:ILE:HD12	1:B:229:LEU:HG	1.60	0.82
1:A:156[A]:LYS:HE3	8:A:2110:HOH:O	1.80	0.82
4:B:1001:YBN:O2	4:B:1001:YBN:C21	2.28	0.82
1:B:30:PHE:O	1:B:33[A]:THR:HG22	1.82	0.77
1:C:30:PHE:O	1:C:33:THR:HG22	1.86	0.76
1:C:110[C]:GLU:HA	1:C:110[C]:GLU:OE1	1.86	0.74
1:A:217[A]:ASN:OD1	8:A:2166:HOH:O	2.09	0.70
1:C:210:ARG:NH2	1:C:373:LYS:HE3	2.07	0.69
1:B:45:GLU:CG	8:B:2016:HOH:O	2.41	0.68
4:A:1001:YBN:S	4:A:1001:YBN:H6	2.35	0.67
1:A:276:ASN:ND2	1:A:400:PHE:CE2	2.62	0.66
1:C:284[B]:GLU:HG3	8:C:2191:HOH:O	1.97	0.64
1:C:262[B]:GLU:HB2	8:C:2175:HOH:O	1.97	0.64
1:B:266:LYS:O	1:B:270:SER:HB2	1.99	0.62
1:A:134:SER:OG	1:A:136:LYS:HB3	1.98	0.62
4:A:1001:YBN:S	4:A:1001:YBN:C6	2.89	0.61
1:C:276[A]:ASN:ND2	1:C:400:PHE:CE2	2.70	0.59
1:A:213:HIS:HE1	4:A:1001:YBN:H4	1.66	0.59
1:A:138:ILE:C	1:A:138:ILE:HD12	2.23	0.58
1:B:45:GLU:HG3	8:B:2016:HOH:O	2.04	0.57
1:C:86[A]:GLU:CG	1:C:137:LEU:HD22	2.30	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:LEU:HD12	1:A:237[A]:ARG:HG2	1.87	0.57
1:B:45:GLU:HG2	8:B:2016:HOH:O	2.04	0.56
1:A:42:GLU:OE1	1:B:346:LYS:HE3	2.06	0.56
1:C:110[C]:GLU:HG3	1:C:296:VAL:HG21	1.88	0.55
1:A:218[B]:VAL:HG21	1:A:242:TYR:CD2	2.41	0.55
1:B:33[A]:THR:HG23	1:B:34:GLN:OE1	2.05	0.55
1:A:317:LEU:HB3	1:A:334:TYR:CE1	2.42	0.55
1:C:326:LYS:HD2	1:C:326:LYS:O	2.07	0.54
1:C:219:LYS:O	1:C:223:GLU:HG3	2.08	0.54
1:C:86[A]:GLU:HG2	1:C:87:ILE:N	2.22	0.54
1:A:230:ASN:HB2	1:A:232:ARG:CG	2.38	0.54
1:A:230:ASN:HB2	1:A:232:ARG:HG3	1.90	0.54
1:C:210:ARG:HH22	1:C:373:LYS:HE3	1.72	0.53
1:B:32[B]:TYR:OH	1:B:39:ILE:HB	2.09	0.52
1:A:215:SER:HB3	1:A:218[B]:VAL:HG22	1.92	0.52
1:B:78:VAL:HG11	1:B:117:THR:HG23	1.93	0.51
1:C:47:VAL:CG1	1:C:396:LYS:HG2	2.41	0.51
1:C:110[C]:GLU:OE1	1:C:110[C]:GLU:CA	2.55	0.51
1:A:379:LEU:O	1:A:380:LYS:HB2	2.10	0.51
1:C:317:LEU:HB3	1:C:334:TYR:CE1	2.46	0.50
1:B:78:VAL:HG11	1:B:117:THR:CG2	2.42	0.50
1:C:118:SER:HB3	1:C:289:TRP:CZ2	2.47	0.50
1:A:230:ASN:N	1:A:230:ASN:OD1	2.45	0.50
1:B:232:ARG:HB2	1:B:232:ARG:HH11	1.77	0.50
1:A:72:SER:HA	8:A:2048:HOH:O	2.12	0.49
1:A:141:ILE:HG22	1:A:178:LEU:HD22	1.94	0.49
1:A:118:SER:HB3	1:A:289:TRP:CZ2	2.47	0.49
1:B:234:THR:OG1	1:B:237[B]:ARG:HG3	2.12	0.49
1:A:47:VAL:CG1	1:A:396:LYS:HG2	2.43	0.49
1:A:42:GLU:OE2	1:B:346:LYS:NZ	2.40	0.48
1:A:97:GLU:OE1	1:A:101:ASN:HB3	2.14	0.48
1:A:110:GLU:HG3	8:A:2095:HOH:O	2.12	0.48
1:A:276:ASN:ND2	1:A:400:PHE:CD2	2.81	0.48
1:A:39:ILE:HD11	1:A:201:TYR:HE1	1.79	0.47
1:C:138:ILE:HD12	1:C:138:ILE:C	2.35	0.47
1:B:276[A]:ASN:ND2	1:B:400:PHE:CD2	2.83	0.47
1:B:39:ILE:HD11	1:B:201:TYR:HE1	1.80	0.47
1:B:303:GLU:OE2	1:B:306:GLY:HA2	2.14	0.47
1:B:156[A]:LYS:HE2	1:B:156[A]:LYS:HB2	1.77	0.46
1:C:304:GLU:O	1:C:305:ASN:HB2	2.15	0.46
1:C:214[A]:ARG:HD3	1:C:215:SER:N	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:136:LYS:HB3	1:B:136:LYS:HE2	1.35	0.46
4:C:1001:YBN:H13	4:C:1001:YBN:H16	1.99	0.45
1:A:219:LYS:O	1:A:223:GLU:HG3	2.16	0.45
1:A:145:PRO:CB	1:A:156[A]:LYS:HE2	2.46	0.45
1:C:122[A]:LEU:HD13	1:C:125:TRP:CE2	2.52	0.45
1:A:222:ILE:HD13	1:A:227:SER:C	2.37	0.44
1:A:237[A]:ARG:HE	1:A:237[A]:ARG:HB2	1.37	0.44
1:A:92:THR:O	1:A:104:ARG:HD2	2.17	0.44
1:C:92:THR:O	1:C:104:ARG:HD2	2.17	0.44
1:B:139:GLY:HA2	1:B:164:CYS:O	2.17	0.44
1:C:212:TYR:CD2	1:C:383:GLU:HA	2.52	0.44
1:C:214[B]:ARG:NE	1:C:379:LEU:O	2.47	0.44
1:A:134:SER:OG	1:A:136:LYS:HE2	2.18	0.44
1:B:96:VAL:HB	1:B:105:PHE:CD2	2.53	0.44
4:B:1001:YBN:C7	4:B:1001:YBN:C21	2.77	0.44
4:B:1001:YBN:C13	4:B:1001:YBN:H16	2.47	0.43
1:B:229:LEU:HB3	1:B:233:LEU:O	2.19	0.43
1:A:39:ILE:HD13	1:A:39:ILE:HA	1.73	0.43
1:B:39:ILE:HD11	1:B:201:TYR:CE1	2.53	0.43
1:A:141:ILE:HD12	1:A:163:LEU:HD13	2.01	0.43
1:B:276[A]:ASN:ND2	1:B:400:PHE:CE2	2.80	0.43
1:B:203:PRO:HA	1:B:204:LYS:HA	1.91	0.43
1:B:39:ILE:HD13	1:B:39:ILE:HA	1.60	0.42
1:C:226:PHE:HD1	1:C:226:PHE:C	2.23	0.42
4:B:1001:YBN:H16	4:B:1001:YBN:H13	2.01	0.42
1:C:359:ASN:O	1:C:360:ASN:HB3	2.19	0.42
1:C:226:PHE:C	1:C:226:PHE:CD1	2.93	0.41
1:A:210:ARG:NH2	1:A:373:LYS:HE3	2.35	0.41
1:B:156[B]:LYS:HG3	8:B:2115:HOH:O	2.20	0.41
1:C:289:TRP:CZ3	1:C:410:LEU:HD11	2.55	0.41
1:C:149:CYS:O	1:C:277:LEU:HA	2.21	0.40
1:C:202:LEU:O	1:C:204:LYS:HA	2.20	0.40
1:A:230:ASN:HB2	1:A:232:ARG:HG2	2.03	0.40
1:B:78:VAL:CG1	1:B:117:THR:CG2	2.98	0.40
1:B:340:THR:HB	1:B:348:LEU:HD22	2.03	0.40
1:C:151[B]:HIS:CD2	1:C:397:CYS:HB2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/384 (102%)	377 (97%)	13 (3%)	0	100	100
1	B	390/384 (102%)	380 (97%)	10 (3%)	0	100	100
1	C	384/384 (100%)	368 (96%)	16 (4%)	0	100	100
All	All	1164/1152 (101%)	1125 (97%)	39 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	358/350 (102%)	346 (97%)	12 (3%)	37	11
1	B	358/350 (102%)	341 (95%)	17 (5%)	26	5
1	C	355/350 (101%)	340 (96%)	15 (4%)	30	7
All	All	1071/1050 (102%)	1027 (96%)	44 (4%)	35	7

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	ASP
1	A	39	ILE
1	A	56	LYS
1	A	58	GLU
1	A	91	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	99	ASP
1	A	100	ASP
1	A	101	ASN
1	A	136	LYS
1	A	211	TYR
1	A	230	ASN
1	A	231	SER
1	B	27	ASP
1	B	33[A]	THR
1	B	33[B]	THR
1	B	39	ILE
1	B	53	SER
1	B	81	GLU
1	B	91	LEU
1	B	100	ASP
1	B	102	ILE
1	B	156[A]	LYS
1	B	156[B]	LYS
1	B	226	PHE
1	B	232	ARG
1	B	237[A]	ARG
1	B	237[B]	ARG
1	B	270	SER
1	B	317	LEU
1	C	33	THR
1	C	91	LEU
1	C	110[A]	GLU
1	C	110[B]	GLU
1	C	110[C]	GLU
1	C	136[A]	LYS
1	C	136[B]	LYS
1	C	147	ASP
1	C	214[A]	ARG
1	C	214[B]	ARG
1	C	226	PHE
1	C	283	LYS
1	C	294	GLU
1	C	304	GLU
1	C	317	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	A	106	ASN
1	A	249	ASN
1	A	295	ASN
1	A	331	ASN
1	A	350	GLN
1	B	106	ASN
1	B	305	ASN
1	B	371	GLN
1	C	249	ASN
1	C	350	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 16 ligands modelled in this entry, 6 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	YBN	A	1001	-	25,31,31	1.70	4 (16%)	26,42,42	2.20	6 (23%)
3	NHW	C	1000	-	58,66,66	1.51	9 (15%)	70,92,92	1.63	11 (15%)
5	SO4	A	1411	-	4,4,4	0.24	0	6,6,6	1.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DMS	A	999	-	3,3,3	0.35	0	3,3,3	1.57	1 (33%)
4	YBN	B	1001	-	25,31,31	1.72	3 (12%)	26,42,42	2.88	9 (34%)
3	NHW	B	1000	7	58,66,66	1.53	12 (20%)	70,92,92	1.32	5 (7%)
2	DMS	C	999	-	3,3,3	0.24	0	3,3,3	1.08	0
2	DMS	B	999	-	3,3,3	0.35	0	3,3,3	1.15	0
3	NHW	A	1000	7	58,66,66	1.31	6 (10%)	70,92,92	1.66	16 (22%)
4	YBN	C	1001	-	25,31,31	1.75	3 (12%)	26,42,42	2.12	8 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	YBN	A	1001	-	-	4/9/23/23	0/4/4/4
3	NHW	C	1000	-	-	2/61/81/81	0/3/3/3
4	YBN	B	1001	-	-	3/9/23/23	0/4/4/4
3	NHW	B	1000	7	-	5/61/81/81	0/3/3/3
3	NHW	A	1000	7	-	3/61/81/81	0/3/3/3
4	YBN	C	1001	-	-	4/9/23/23	0/4/4/4

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1001	YBN	O1-C7	6.61	1.50	1.33
3	C	1000	NHW	P3X-O3X	6.19	1.71	1.59
4	C	1001	YBN	O1-C7	5.89	1.48	1.33
4	A	1001	YBN	O1-C7	5.28	1.46	1.33
3	B	1000	NHW	P3X-O3X	5.01	1.68	1.59
3	A	1000	NHW	CP-C1M	4.03	1.58	1.51
3	C	1000	NHW	CP-C1M	3.57	1.57	1.51
4	C	1001	YBN	C15-C14	3.46	1.45	1.40
3	B	1000	NHW	CP-C1M	3.30	1.57	1.51
3	B	1000	NHW	O10-C10	3.26	1.48	1.42
3	B	1000	NHW	CP-S1	3.25	1.90	1.81
4	A	1001	YBN	C15-C14	3.16	1.44	1.40
3	B	1000	NHW	O4X-C1X	3.02	1.45	1.41
4	A	1001	YBN	C11-C10	3.00	1.43	1.36
3	A	1000	NHW	O4X-C1X	2.92	1.45	1.41
3	A	1000	NHW	C2X-C1X	-2.86	1.49	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1000	NHW	C5X-C4X	2.80	1.60	1.51
3	C	1000	NHW	C6-C5	2.55	1.56	1.51
3	A	1000	NHW	P3X-O9A	-2.53	1.42	1.50
3	A	1000	NHW	C3M-C2M	2.52	1.61	1.52
4	B	1001	YBN	C11-C10	2.52	1.42	1.36
3	C	1000	NHW	C14-C11	-2.52	1.48	1.53
3	B	1000	NHW	O6A-C12	2.46	1.51	1.43
3	C	1000	NHW	O4X-C4X	2.39	1.50	1.45
3	A	1000	NHW	P3X-O8A	2.37	1.64	1.54
3	B	1000	NHW	C6-C5	2.37	1.55	1.51
3	C	1000	NHW	CP-S1	2.36	1.87	1.81
3	C	1000	NHW	O5X-C5X	-2.28	1.36	1.44
3	B	1000	NHW	C13-C11	2.28	1.58	1.53
3	C	1000	NHW	O4X-C1X	2.27	1.44	1.41
3	B	1000	NHW	C14-C11	2.25	1.58	1.53
3	B	1000	NHW	P3X-O8A	2.21	1.63	1.54
4	A	1001	YBN	C21-C1	2.18	1.42	1.38
3	C	1000	NHW	P2A-O6A	2.17	1.68	1.59
4	B	1001	YBN	C15-C14	2.14	1.43	1.40
3	B	1000	NHW	C2M-C1M	2.04	1.56	1.50
4	C	1001	YBN	C12-C13	2.02	1.41	1.36

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1001	YBN	C6-O1-C7	10.33	134.17	115.91
3	C	1000	NHW	N3A-C2A-N1A	-7.93	116.28	128.68
4	A	1001	YBN	C6-O1-C7	6.73	127.81	115.91
4	B	1001	YBN	C-O-C1	5.18	128.75	117.51
3	A	1000	NHW	N3A-C2A-N1A	-5.09	120.72	128.68
4	B	1001	YBN	C1-C21-C5	4.71	124.92	119.73
4	C	1001	YBN	O1-C6-C5	4.29	119.71	109.39
4	C	1001	YBN	C20-C16-C17	4.23	119.91	111.74
3	B	1000	NHW	N3A-C2A-N1A	-3.99	122.44	128.68
4	A	1001	YBN	O1-C7-C8	3.99	120.78	111.78
4	C	1001	YBN	C6-O1-C7	3.90	122.81	115.91
4	C	1001	YBN	C19-N-C18	3.90	121.55	110.34
4	A	1001	YBN	O1-C6-C5	3.87	118.70	109.39
3	B	1000	NHW	C4A-C5A-N7A	-3.70	105.55	109.40
3	A	1000	NHW	C2-S1-CP	-3.69	95.54	101.71
4	A	1001	YBN	C19-N-C18	3.66	120.85	110.34
3	A	1000	NHW	C1X-N9A-C4A	-3.61	120.29	126.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1001	YBN	C15-O3-C16	3.43	125.82	117.16
3	A	1000	NHW	C3-N4-C5	-3.32	116.66	122.84
3	B	1000	NHW	O1M-C1M-CP	-3.32	117.44	122.17
4	B	1001	YBN	C12-C11-C10	3.31	125.08	120.44
3	A	1000	NHW	C4A-C5A-N7A	-3.26	106.00	109.40
3	A	1000	NHW	C2-C3-N4	-3.19	105.71	112.42
3	A	1000	NHW	O4X-C1X-C2X	-3.18	102.28	106.93
4	B	1001	YBN	C2-C1-C21	-3.09	116.28	120.53
3	B	1000	NHW	C14-C11-C13	3.05	115.38	109.17
4	C	1001	YBN	C-O-C1	2.95	123.91	117.51
3	C	1000	NHW	O4X-C1X-C2X	-2.86	102.74	106.93
3	C	1000	NHW	C2A-N1A-C6A	2.84	123.62	118.75
3	C	1000	NHW	C2-C3-N4	-2.80	106.54	112.42
3	A	1000	NHW	C13-C11-C12	-2.80	103.67	108.23
4	C	1001	YBN	O1-C7-C8	2.71	117.89	111.78
4	A	1001	YBN	C-O-C1	2.67	123.31	117.51
3	B	1000	NHW	C5A-C6A-N6A	2.63	124.34	120.35
3	C	1000	NHW	O7A-P3X-O9A	2.61	120.90	110.68
4	B	1001	YBN	C12-C13-C14	-2.60	117.29	120.89
3	A	1000	NHW	P2A-O3A-P1A	-2.59	123.92	132.83
3	C	1000	NHW	C2-S1-CP	-2.58	97.39	101.71
3	C	1000	NHW	O8A-P3X-O7A	2.58	117.48	107.64
3	C	1000	NHW	O1M-C1M-CP	-2.56	118.53	122.17
3	C	1000	NHW	C13-C11-C10	2.51	113.17	108.82
3	A	1000	NHW	C1M-CP-S1	-2.48	104.37	113.75
3	C	1000	NHW	CP-C1M-C2M	2.37	120.60	115.52
3	A	1000	NHW	O2X-C2X-C3X	2.31	117.73	111.17
3	A	1000	NHW	C14-C11-C10	2.31	112.83	108.82
4	C	1001	YBN	O3-C16-C20	-2.31	103.21	108.31
4	B	1001	YBN	C19-N-C18	2.30	116.96	110.34
2	A	999	DMS	C2-S-C1	2.26	110.08	98.44
4	B	1001	YBN	O1-C6-C5	2.17	114.61	109.39
4	B	1001	YBN	C11-C10-C9	-2.13	115.02	119.19
3	A	1000	NHW	CP-C1M-C2M	2.12	120.08	115.52
4	A	1001	YBN	C20-C19-N	2.08	114.86	110.64
3	A	1000	NHW	O4X-C4X-C5X	-2.08	102.53	109.37
3	A	1000	NHW	O7A-P3X-O9A	2.08	118.81	110.68
3	A	1000	NHW	C14-C11-C12	2.06	111.60	108.23
3	C	1000	NHW	C3M-C2M-C1M	-2.06	109.30	114.60

There are no chirality outliers.

All (21) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	1000	NHW	C12-O6A-P2A-O5A
3	C	1000	NHW	C12-O6A-P2A-O5A
4	A	1001	YBN	C8-C7-O1-C6
4	B	1001	YBN	C5-C6-O1-C7
4	C	1001	YBN	C8-C7-O1-C6
4	C	1001	YBN	O2-C7-O1-C6
4	A	1001	YBN	O2-C7-O1-C6
4	A	1001	YBN	C2-C1-O-C
4	A	1001	YBN	C21-C1-O-C
4	C	1001	YBN	C2-C1-O-C
4	C	1001	YBN	C21-C1-O-C
4	B	1001	YBN	C2-C1-O-C
4	B	1001	YBN	C21-C1-O-C
3	A	1000	NHW	C9M-CAM-CBM-CCM
3	A	1000	NHW	C6-C7-N8-C9
3	B	1000	NHW	C12-O6A-P2A-O3A
3	B	1000	NHW	C4M-C5M-C6M-C7M
3	B	1000	NHW	P2A-O3A-P1A-O1A
3	C	1000	NHW	C6-C7-N8-C9
3	B	1000	NHW	C12-O6A-P2A-O4A
3	A	1000	NHW	C3-C2-S1-CP


There are no ring outliers.


3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1001	YBN	3	0
4	B	1001	YBN	6	0
4	C	1001	YBN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand NHW B 1000







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	384/384 (100%)	-0.30	2 (0%) 91 91	6, 12, 26, 51	16 (4%)
1	B	384/384 (100%)	-0.33	2 (0%) 91 91	5, 11, 25, 50	16 (4%)
1	C	367/384 (95%)	-0.27	3 (0%) 86 87	5, 12, 26, 44	11 (2%)
All	All	1135/1152 (98%)	-0.30	7 (0%) 89 89	5, 11, 26, 51	43 (3%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	232	ARG	3.2
1	A	232	ARG	3.1
1	A	226	PHE	2.7
1	C	323	GLY	2.5
1	C	226	PHE	2.3
1	B	231	SER	2.1
1	C	32[A]	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	YBN	A	1001	28/28	0.90	0.13	13,18,47,50	0
4	YBN	C	1001	28/28	0.90	0.14	14,19,44,46	0
4	YBN	B	1001	28/28	0.93	0.13	13,19,54,57	0
2	DMS	B	999	4/4	0.93	0.13	24,25,26,29	0
2	DMS	C	999	4/4	0.94	0.19	24,26,26,27	0
2	DMS	A	999	4/4	0.96	0.11	30,30,33,33	0
3	NHW	B	1000	64/64	0.97	0.07	4,9,12,14	0
3	NHW	A	1000	64/64	0.97	0.07	6,9,11,13	0
5	SO4	A	1411	5/5	0.97	0.09	30,30,32,35	0
7	MG	B	1412	1/1	0.97	0.10	22,22,22,22	0
7	MG	A	1413	1/1	0.98	0.06	19,19,19,19	0
3	NHW	C	1000	64/64	0.98	0.07	5,9,12,15	0
7	MG	C	1412	1/1	0.99	0.07	16,16,16,16	0
6	CL	A	1412	1/1	1.00	0.05	13,13,13,13	0
6	CL	B	1411	1/1	1.00	0.07	11,11,11,11	0
6	CL	C	1411	1/1	1.00	0.04	12,12,12,12	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around YBN A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around YBN C 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around YBN B 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NHW B 1000:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NHW A 1000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.