



Full wwPDB X-ray Structure Validation Report i

Oct 12, 2024 – 09:17 PM EDT

PDB ID : 1I7O
Title : CRYSTAL STRUCTURE OF HPCE
Authors : Tame, J.R.H.; Namba, K.; Dodson, E.J.; Roper, D.I.
Deposited on : 2001-03-10
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5161 (1.70-1.70)
Clashscore	180529	5671 (1.70-1.70)
Ramachandran outliers	177936	5594 (1.70-1.70)
Sidechain outliers	177891	5594 (1.70-1.70)
RSRZ outliers	164620	5159 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 13619 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-HYDROXYPHENYLACETATE DEGRADATION BI-FUNCTIONAL ISOMERASE/DECARBOXYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	421	Total	C 3237	N 2053	O 554	S 619	11	11	1	0
1	B	421	Total	C 3237	N 2053	O 554	S 619	11	21	1	0
1	C	421	Total	C 3237	N 2053	O 554	S 619	11	15	1	0
1	D	421	Total	C 3236	N 2053	O 554	S 618	11	16	1	0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca 1	0	0
2	B	1	Total	Ca 1	0	0
2	C	1	Total	Ca 1	0	0
2	D	1	Total	Ca 1	0	0



- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	214	Total	O 214	0	0
3	B	174	Total	O 174	0	0
3	C	165	Total	O 165	0	0
3	D	115	Total	O 115	0	0



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4-HYDROXYPHENYLACETATE DEGRADATION BIFUNCTIONAL ISOMER ASE/DECARBOXYLASE




- Molecule 1: 4-HYDROXYPHENYLACETATE DEGRADATION BIFUNCTIONAL ISOMER ASE/DECARBOXYLASE



- Molecule 1: 4-HYDROXYPHENYLACETATE DEGRADATION BIFUNCTIONAL ISOMER ASE/DECARBOXYLASE





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	126.08Å 138.20Å 103.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 1.70 15.00 – 1.70	Depositor EDS
% Data completeness (in resolution range)	98.8 (15.00-1.70) 98.6 (15.00-1.70)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.64 (at 1.70Å)	Xtriage
Refinement program	REFMAC	Depositor
R , R_{free}	0.251 , 0.278 0.234 , 0.265	Depositor DCC
R_{free} test set	9927 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	30.4	Xtriage
Anisotropy	0.140	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 41.5	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13619	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.47 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6190e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.98	3/3316 (0.1%)	1.01	9/4525 (0.2%)
1	B	0.94	5/3316 (0.2%)	0.99	16/4525 (0.4%)
1	C	0.91	3/3316 (0.1%)	1.02	13/4525 (0.3%)
1	D	0.86	2/3315 (0.1%)	1.02	13/4523 (0.3%)
All	All	0.92	13/13263 (0.1%)	1.01	51/18098 (0.3%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	139	ARG	CG-CD	17.47	1.95	1.51
1	A	212	ARG	CG-CD	-17.25	1.08	1.51
1	C	212	ARG	CG-CD	16.94	1.94	1.51
1	D	139	ARG	CB-CG	-16.49	1.08	1.52
1	C	188	ARG	CG-CD	-11.17	1.24	1.51
1	B	188	ARG	CG-CD	7.75	1.71	1.51
1	D	413	GLU	CD-OE2	7.35	1.33	1.25
1	A	333	MET	CG-SD	-6.35	1.64	1.81
1	C	308	TYR	CB-CG	5.82	1.60	1.51
1	A	277	ALA	CA-CB	5.42	1.63	1.52
1	B	358	GLU	CD-OE1	5.35	1.31	1.25
1	B	212	ARG	CG-CD	5.29	1.65	1.51
1	B	190	ARG	CG-CD	5.05	1.64	1.51

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	212	ARG	CG-CD-NE	-11.84	86.94	111.80
1	C	205	ASP	CB-CG-OD2	10.66	127.90	118.30
1	C	188	ARG	CB-CG-CD	10.29	138.36	111.60
1	C	212	ARG	CB-CG-CD	-9.09	87.97	111.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	139	ARG	CA-CB-CG	8.60	132.33	113.40
1	B	188	ARG	CG-CD-NE	8.43	129.50	111.80
1	D	307	ASP	CB-CG-OD2	7.98	125.48	118.30
1	D	234	ASP	CB-CG-OD2	7.65	125.18	118.30
1	A	212	ARG	CB-CG-CD	7.62	131.40	111.60
1	D	160	LEU	CB-CG-CD2	-7.59	98.09	111.00
1	A	260	ASP	CB-CG-OD2	7.39	124.95	118.30
1	A	406	ASP	CB-CG-OD1	6.96	124.56	118.30
1	B	33	LYS	CB-CG-CD	6.71	129.06	111.60
1	A	139	ARG	NE-CZ-NH1	-6.69	116.95	120.30
1	B	139	ARG	CB-CG-CD	-6.65	94.31	111.60
1	C	188	ARG	CG-CD-NE	6.63	125.72	111.80
1	C	148	ASP	CB-CG-OD2	6.56	124.21	118.30
1	D	212	ARG	CG-CD-NE	-6.53	98.09	111.80
1	D	190	ARG	NE-CZ-NH1	6.52	123.56	120.30
1	B	142	ASP	CB-CG-OD2	6.37	124.03	118.30
1	B	212	ARG	CG-CD-NE	-6.33	98.51	111.80
1	C	307	ASP	CB-CG-OD2	6.19	123.87	118.30
1	D	190	ARG	NE-CZ-NH2	-6.07	117.27	120.30
1	D	142	ASP	CB-CG-OD2	5.97	123.67	118.30
1	C	234	ASP	CB-CG-OD2	5.93	123.64	118.30
1	C	81	ASP	CB-CG-OD2	5.84	123.56	118.30
1	B	148	ASP	CB-CG-OD2	5.78	123.50	118.30
1	A	288	ARG	NE-CZ-NH1	-5.63	117.49	120.30
1	C	94	ASP	CB-CG-OD2	5.59	123.33	118.30
1	B	13	ARG	NE-CZ-NH1	-5.57	117.52	120.30
1	C	139	ARG	CB-CG-CD	-5.55	97.18	111.60
1	A	234	ASP	CB-CG-OD2	5.43	123.19	118.30
1	B	94	ASP	CB-CG-OD2	5.43	123.19	118.30
1	B	351	LEU	CA-CB-CG	5.38	127.68	115.30
1	A	142	ASP	CB-CG-OD2	5.34	123.11	118.30
1	C	170	ASP	CB-CG-OD2	5.33	123.10	118.30
1	D	297	ASP	CB-CG-OD2	5.26	123.04	118.30
1	B	234	ASP	CB-CG-OD2	5.26	123.03	118.30
1	C	174	LEU	CB-CG-CD1	-5.24	102.09	111.00
1	D	81	ASP	CB-CG-OD2	5.24	123.02	118.30
1	D	330	LEU	CB-CG-CD2	-5.21	102.14	111.00
1	B	210	THR	N-CA-C	5.18	124.98	111.00
1	A	94	ASP	CB-CG-OD2	5.15	122.94	118.30
1	D	174	LEU	CA-CB-CG	-5.14	103.48	115.30
1	D	210	THR	N-CA-C	5.14	124.87	111.00
1	B	187	ASP	CB-CG-OD2	5.10	122.89	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	128	ASP	CB-CG-OD1	5.09	122.88	118.30
1	B	33	LYS	CD-CE-NZ	5.06	123.35	111.70
1	B	212	ARG	CB-CG-CD	-5.05	98.48	111.60
1	B	17	ASP	CB-CG-OD2	5.04	122.83	118.30
1	B	401	ASP	CB-CG-OD2	5.03	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3237	0	3193	32	3
1	B	3237	0	3195	41	16
1	C	3237	0	3195	43	5
1	D	3236	0	3193	63	22
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	214	0	0	3	0
3	B	174	0	0	1	0
3	C	165	0	0	3	0
3	D	115	0	0	2	0
All	All	13619	0	12776	178	23

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:MET:CE	1:B:1:MET:SD	2.02	1.45
1:B:57:GLY:HA3	1:B:58:GLU:HB2	1.25	1.18
1:D:205:ASP:OD2	1:D:207:ARG:NH2	1.89	1.06

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:57:GLY:HA3	1:C:58:GLU:HB2	1.10	1.05
1:A:57:GLY:HA3	1:A:58:GLU:HB2	1.38	1.03
1:D:57:GLY:HA3	1:D:58:GLU:HB2	1.38	1.00
1:C:57:GLY:CA	1:C:58:GLU:HB2	1.92	0.99
1:B:57:GLY:CA	1:B:58:GLU:HB2	1.92	0.98
1:D:1:MET:N	1:D:1:MET:HE3	1.80	0.96
1:C:308:TYR:OH	1:C:420:ASN:ND2	2.05	0.89
1:D:157:LEU:CD1	1:D:166:LEU:HD13	2.04	0.88
1:A:57:GLY:CA	1:A:58:GLU:HB2	2.05	0.85
1:D:57:GLY:CA	1:D:58:GLU:HB2	2.08	0.82
1:D:74:ALA:HB3	1:D:166:LEU:HB2	1.59	0.82
1:B:122:VAL:HG21	1:B:197:PRO:HD3	1.63	0.80
1:D:13:ARG:HH11	1:D:13:ARG:HG3	1.46	0.78
1:A:56:GLN:HG3	1:A:57:GLY:H	1.47	0.78
1:A:56:GLN:HG3	1:A:57:GLY:N	1.99	0.77
1:D:1:MET:HE3	1:D:1:MET:H2	1.49	0.77
1:A:352:ARG:NE	1:A:362:GLN:OE1	2.11	0.77
1:B:233:ALA:O	1:B:235:HIS:N	2.17	0.77
1:D:13:ARG:HH11	1:D:13:ARG:CG	1.98	0.77
1:B:211:THR:O	1:B:212:ARG:HB2	1.84	0.76
1:C:122:VAL:HG21	1:C:197:PRO:HD3	1.67	0.75
1:B:347:HIS:NE2	1:B:372:VAL:HG23	2.01	0.75
1:D:1:MET:N	1:D:1:MET:CE	2.50	0.74
1:B:372:VAL:HB	1:B:373:PRO:HD3	1.68	0.74
1:D:157:LEU:HD11	1:D:166:LEU:HD13	1.68	0.74
1:C:56:GLN:HE21	1:C:57:GLY:H	1.33	0.73
1:B:252:LYS:NZ	1:B:331:THR:OG1	2.14	0.73
1:A:211:THR:O	1:A:212:ARG:HB2	1.90	0.72
1:B:122:VAL:HG21	1:B:197:PRO:CD	2.21	0.70
1:C:410:VAL:CG2	1:C:418:LEU:HB3	2.21	0.70
1:D:210:THR:HB	1:D:211:THR:HG23	1.74	0.70
1:D:410:VAL:HG23	1:D:418:LEU:HB3	1.74	0.69
1:D:13:ARG:HG3	1:D:13:ARG:NH1	2.04	0.68
1:D:72:LYS:HG3	1:D:85:TYR:CD2	2.29	0.68
1:C:13:ARG:HG2	1:C:13:ARG:HH11	1.59	0.67
1:D:1:MET:HE3	1:D:1:MET:H1	1.57	0.67
1:A:278:GLU:HB2	1:A:305:CYS:SG	2.35	0.67
1:B:205:ASP:OD2	1:B:207:ARG:NH2	2.24	0.65
1:C:410:VAL:HG23	1:C:418:LEU:HB3	1.80	0.64
1:C:57:GLY:HA3	1:C:58:GLU:CB	2.05	0.64
1:D:1:MET:H2	1:D:1:MET:CE	2.10	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:156:LEU:HD12	1:D:174:LEU:HD22	1.80	0.62
1:C:234:ASP:HB3	1:C:397:LYS:CG	2.30	0.61
1:A:183:ILE:HG21	1:A:189:VAL:HG21	1.83	0.61
1:D:308:TYR:OH	1:D:420:ASN:ND2	2.33	0.61
1:C:161:SER:HA	1:C:164:ALA:O	2.00	0.60
1:C:1:MET:HE3	1:C:119:GLY:O	2.01	0.59
1:C:56:GLN:NE2	1:C:57:GLY:H	2.00	0.59
1:D:1:MET:HE2	1:D:1:MET:HA	1.83	0.59
1:D:234:ASP:HB3	1:D:397:LYS:CG	2.34	0.58
1:A:1:MET:HE3	1:A:119:GLY:O	2.05	0.57
1:D:1:MET:CE	1:D:1:MET:CA	2.83	0.57
1:D:12:HIS:HD2	1:D:14:SER:OG	1.87	0.57
1:D:403:VAL:O	1:D:406:ASP:HB2	2.04	0.57
1:A:34:THR:HG21	3:A:1187:HOH:O	2.04	0.56
1:D:28:TYR:O	1:D:29:LYS:HB3	2.06	0.56
1:A:66:VAL:HG13	1:A:174:LEU:HD12	1.87	0.56
1:B:270:ILE:HD13	1:B:310:ILE:HG23	1.87	0.56
1:D:72:LYS:HG3	1:D:85:TYR:HD2	1.68	0.56
1:C:40:LYS:HE3	1:C:116:CYS:HB2	1.87	0.55
1:C:413:GLU:HG3	3:C:1123:HOH:O	2.06	0.55
1:D:106:ALA:HB1	1:D:109:ALA:HB3	1.89	0.55
1:A:56:GLN:HE21	1:A:57:GLY:H	1.53	0.55
1:D:122:VAL:HG12	1:D:124:LEU:HG	1.89	0.54
1:B:403:VAL:HB	1:B:404:PRO:HD2	1.88	0.54
1:D:253:ALA:O	1:D:256:THR:HG22	2.08	0.54
1:D:12:HIS:CD2	1:D:14:SER:OG	2.61	0.53
1:D:37:TRP:HB2	1:D:322:LEU:HG	1.90	0.53
1:B:67:ALA:HB2	1:B:173:LEU:CD2	2.39	0.53
1:B:57:GLY:CA	1:B:58:GLU:CB	2.76	0.53
1:D:211:THR:O	1:D:212:ARG:HB2	2.08	0.53
1:D:343:ILE:HG22	1:D:343:ILE:O	2.09	0.53
1:D:156:LEU:CD1	1:D:174:LEU:HD22	2.39	0.52
1:B:56:GLN:HE21	1:B:57:GLY:H	1.57	0.52
1:B:274:HIS:HE1	3:B:1116:HOH:O	1.92	0.52
1:A:56:GLN:CG	1:A:57:GLY:H	2.20	0.52
1:D:165:THR:O	1:D:255:ASN:ND2	2.35	0.52
1:B:67:ALA:HB2	1:B:173:LEU:HD23	1.92	0.51
1:C:327:ARG:HB2	3:C:1128:HOH:O	2.09	0.51
1:B:55:PRO:O	1:B:58:GLU:HB3	2.11	0.51
1:C:211:THR:O	1:C:212:ARG:HB2	2.11	0.51
1:B:161:SER:HA	1:B:164:ALA:O	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:341:GLU:H	1:D:341:GLU:CD	2.15	0.50
1:A:270:ILE:HD13	1:A:310:ILE:HG23	1.92	0.50
1:B:122:VAL:CG2	1:B:197:PRO:CD	2.88	0.50
1:B:15:GLN:HG3	1:B:178:GLN:OE1	2.11	0.49
1:C:409:VAL:HG22	1:C:419:VAL:HG22	1.93	0.49
1:A:19:TRP:CE3	1:A:23:PHE:CE1	3.00	0.49
1:B:1:MET:HE3	1:B:119:GLY:O	2.12	0.49
1:A:56:GLN:CG	1:A:57:GLY:N	2.74	0.49
1:B:56:GLN:NE2	1:B:57:GLY:H	2.11	0.49
1:C:28:TYR:O	1:C:29:LYS:HB3	2.13	0.49
1:D:270:ILE:HD13	1:D:310:ILE:HG23	1.94	0.49
1:A:105:PRO:HD2	1:A:248:LEU:HD21	1.94	0.48
1:C:72:LYS:HA	1:C:168:PRO:HG3	1.94	0.48
1:A:330:LEU:CD1	3:A:1036:HOH:O	2.61	0.48
1:C:355:VAL:C	1:C:357:GLY:N	2.65	0.48
1:A:330:LEU:HD11	3:A:1036:HOH:O	2.13	0.48
1:B:12:HIS:HD2	1:B:14:SER:H	1.62	0.48
1:A:40:LYS:HE3	1:A:116:CYS:HB2	1.95	0.48
1:B:72:LYS:HA	1:B:168:PRO:HG3	1.96	0.48
1:C:13:ARG:HG2	1:C:13:ARG:NH1	2.28	0.47
1:D:275:TYR:HA	1:D:308:TYR:CD1	2.49	0.47
1:A:233:ALA:O	1:A:235:HIS:N	2.47	0.47
1:C:327:ARG:HD3	1:C:330:LEU:HD22	1.97	0.47
1:D:72:LYS:HE3	1:D:84:GLU:HG3	1.97	0.47
1:D:263:THR:HA	1:D:421:ARG:O	2.15	0.47
1:D:410:VAL:CG2	1:D:418:LEU:HD23	2.45	0.47
1:B:213:LYS:HE3	1:B:213:LYS:HB2	1.43	0.47
1:B:229:GLY:O	1:B:230:LEU:C	2.52	0.47
1:D:157:LEU:CD1	1:D:166:LEU:CD1	2.87	0.47
1:B:351:LEU:O	1:B:362:GLN:HA	2.15	0.47
1:C:98:PRO:HB2	1:C:100:GLU:HG3	1.96	0.47
1:C:192:LEU:HD12	1:C:192:LEU:N	2.30	0.47
1:A:372:VAL:HB	1:A:373:PRO:HD3	1.97	0.46
1:D:1:MET:HE2	1:D:1:MET:CA	2.44	0.46
1:C:105:PRO:HD3	1:C:319:ARG:O	2.16	0.46
1:C:275:TYR:C	1:C:275:TYR:CD1	2.87	0.46
1:D:410:VAL:HG21	1:D:418:LEU:HD23	1.98	0.46
1:B:34:THR:HB	1:B:315:GLU:OE2	2.16	0.46
1:C:285:LYS:HD2	1:C:298:TYR:CE2	2.51	0.46
1:A:161:SER:HA	1:A:164:ALA:O	2.15	0.46
1:D:248:LEU:C	1:D:248:LEU:HD13	2.36	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:GLY:O	1:B:230:LEU:O	2.35	0.45
1:C:31:PRO:HA	1:C:317:TYR:OH	2.17	0.45
1:C:253:ALA:O	1:C:256:THR:HG22	2.16	0.45
1:D:161:SER:HA	1:D:164:ALA:O	2.16	0.45
1:C:210:THR:O	1:C:212:ARG:N	2.49	0.45
1:A:180:ARG:HH11	1:A:180:ARG:HD3	1.63	0.45
1:B:1:MET:CE	1:B:1:MET:CG	2.91	0.45
1:B:403:VAL:HB	1:B:404:PRO:CD	2.46	0.44
1:C:55:PRO:HA	1:C:206:GLU:CD	2.37	0.44
1:C:57:GLY:CA	1:C:58:GLU:CB	2.77	0.44
1:A:338:VAL:HA	1:A:339:PRO:HD3	1.88	0.44
1:A:426:GLU:O	1:A:429:LYS:HG2	2.18	0.44
1:B:256:THR:HG23	1:B:331:THR:HB	1.99	0.44
1:C:156:LEU:HD12	1:C:174:LEU:CD2	2.48	0.44
1:D:48[B]:CYS:HB2	1:D:199:LEU:HD12	1.99	0.44
1:C:167:ASN:HD21	1:C:255:ASN:HD21	1.65	0.44
1:B:353:THR:HB	1:B:361:GLN:HB3	1.98	0.44
1:C:410:VAL:HG22	1:C:418:LEU:HB3	1.99	0.44
1:D:72:LYS:O	1:D:73:THR:C	2.56	0.44
1:D:105:PRO:HD2	1:D:248:LEU:HD21	1.99	0.43
1:C:10:LEU:HD23	1:C:10:LEU:HA	1.81	0.43
1:D:233:ALA:O	1:D:235:HIS:N	2.52	0.43
1:D:120:GLU:HB3	1:D:197:PRO:HG2	2.01	0.42
1:B:40:LYS:HE3	1:B:116:CYS:HB2	2.00	0.42
1:D:12:HIS:HE1	3:D:1070:HOH:O	2.02	0.42
1:D:55:PRO:O	1:D:58:GLU:HB3	2.19	0.42
1:D:78:ARG:NH2	1:D:80:GLU:OE2	2.49	0.42
1:D:314:LEU:HD23	1:D:324:VAL:HG21	2.01	0.42
1:B:12:HIS:CD2	1:B:14:SER:H	2.38	0.42
1:C:156:LEU:HD12	1:C:174:LEU:HD22	2.00	0.42
1:D:204:VAL:HA	3:D:1106:HOH:O	2.20	0.42
1:D:72:LYS:HG2	1:D:85:TYR:HA	2.02	0.42
1:A:211:THR:O	1:A:212:ARG:CB	2.61	0.42
1:D:403:VAL:HB	1:D:404:PRO:HD2	2.02	0.42
1:B:343:ILE:HA	1:B:344:PRO:HD2	1.90	0.41
1:C:177:PRO:HD2	3:C:1017:HOH:O	2.19	0.41
1:D:59:LYS:HE2	1:D:61:LEU:HD21	2.01	0.41
1:A:50:GLU:HA	1:A:51:PRO:HD3	1.94	0.41
1:A:68:LEU:HD21	1:A:172:ILE:HD12	2.02	0.41
1:B:57:GLY:N	1:B:58:GLU:HB2	2.33	0.41
1:B:40:LYS:CE	1:B:116:CYS:HB2	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:ARG:NH2	1:C:340:LYS:HD2	2.36	0.41
1:D:38:PHE:CE2	1:D:110:LYS:HD3	2.56	0.41
1:A:327:ARG:HD3	1:A:330:LEU:HD22	2.03	0.41
1:C:78:ARG:NH2	1:C:80:GLU:OE2	2.54	0.41
1:C:273:MET:HG3	1:C:310:ILE:HD13	2.02	0.40
1:D:174:LEU:HA	1:D:174:LEU:HD23	1.60	0.40
1:A:213:LYS:HB2	1:A:213:LYS:HE3	1.67	0.40
1:D:395:THR:OG1	1:D:396:PRO:HD2	2.20	0.40
1:C:122:VAL:HG21	1:C:197:PRO:CD	2.45	0.40
1:A:19:TRP:HE3	1:A:23:PHE:CE1	2.40	0.40
1:D:164:ALA:HA	1:D:328:ASP:OD1	2.21	0.40

All (23) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:139:ARG:NH1	1:D:13:ARG:CZ[2_554]	0.75	1.45
1:B:139:ARG:NH2	1:D:13:ARG:NH2[2_554]	0.75	1.45
1:B:139:ARG:CZ	1:D:13:ARG:CZ[2_554]	0.83	1.37
1:B:139:ARG:NH1	1:D:13:ARG:NE[2_554]	1.09	1.11
1:B:139:ARG:CZ	1:D:13:ARG:NH2[2_554]	1.11	1.09
1:B:139:ARG:NH1	1:D:13:ARG:NH1[2_554]	1.24	0.96
1:C:139:ARG:NH1	1:D:136:ILE:O[4_556]	1.42	0.78
1:B:139:ARG:CZ	1:D:13:ARG:NE[2_554]	1.61	0.59
1:B:139:ARG:NH2	1:D:13:ARG:CZ[2_554]	1.61	0.59
1:B:139:ARG:NH1	1:D:13:ARG:CD[2_554]	1.86	0.34
1:B:139:ARG:CZ	1:D:13:ARG:NH1[2_554]	1.88	0.32
1:B:188:ARG:NH2	1:C:202:PRO:CB[4_556]	1.90	0.30
1:B:139:ARG:NE	1:D:13:ARG:NH2[2_554]	2.04	0.16
1:A:33:LYS:CD	1:D:352:ARG:NH2[4_546]	2.05	0.15
1:B:139:ARG:NE	1:D:13:ARG:NE[2_554]	2.05	0.15
1:B:139:ARG:NH1	1:D:13:ARG:NH2[2_554]	2.07	0.13
1:B:139:ARG:NE	1:D:13:ARG:CZ[2_554]	2.07	0.13
1:C:136:ILE:CB	1:D:139:ARG:NH2[4_556]	2.07	0.13
1:A:33:LYS:CE	1:D:362:GLN:OE1[4_546]	2.10	0.10
1:C:139:ARG:NH2	1:D:136:ILE:CG2[4_556]	2.10	0.10
1:B:139:ARG:NH2	1:D:13:ARG:NH1[2_554]	2.16	0.04
1:A:33:LYS:NZ	1:D:362:GLN:OE1[4_546]	2.19	0.01
1:C:136:ILE:CG2	1:D:139:ARG:NH2[4_556]	2.19	0.01

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	418/429 (97%)	404 (97%)	9 (2%)	5 (1%)	11 2
1	B	418/429 (97%)	402 (96%)	11 (3%)	5 (1%)	11 2
1	C	418/429 (97%)	400 (96%)	14 (3%)	4 (1%)	13 3
1	D	418/429 (97%)	398 (95%)	14 (3%)	6 (1%)	9 2
All	All	1672/1716 (97%)	1604 (96%)	48 (3%)	20 (1%)	11 2

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	58	GLU
1	A	210	THR
1	A	230	LEU
1	A	234	ASP
1	B	58	GLU
1	B	210	THR
1	B	230	LEU
1	B	234	ASP
1	C	58	GLU
1	C	211	THR
1	D	58	GLU
1	D	210	THR
1	D	234	ASP
1	D	230	LEU
1	C	234	ASP
1	D	413	GLU
1	D	212	ARG
1	A	212	ARG
1	B	212	ARG
1	C	230	LEU

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	348/360 (97%)	338 (97%)	10 (3%)	37 20
1	B	348/360 (97%)	336 (97%)	12 (3%)	32 15
1	C	348/360 (97%)	337 (97%)	11 (3%)	34 17
1	D	348/360 (97%)	336 (97%)	12 (3%)	32 15
All	All	1392/1440 (97%)	1347 (97%)	45 (3%)	34 17

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	21	GLU
1	A	34	THR
1	A	58	GLU
1	A	188	ARG
1	A	211	THR
1	A	213	LYS
1	A	312	ASP
1	A	341	GLU
1	A	404	PRO
1	B	1	MET
1	B	21	GLU
1	B	34	THR
1	B	84	GLU
1	B	125	SER
1	B	188	ARG
1	B	213	LYS
1	B	234	ASP
1	B	312	ASP
1	B	341	GLU
1	B	348	ASN
1	B	351	LEU
1	C	21	GLU
1	C	56	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	58	GLU
1	C	188	ARG
1	C	192	LEU
1	C	213	LYS
1	C	234	ASP
1	C	248	LEU
1	C	312	ASP
1	C	341	GLU
1	C	364	THR
1	D	1	MET
1	D	13	ARG
1	D	21	GLU
1	D	26	SER
1	D	125	SER
1	D	166	LEU
1	D	188	ARG
1	D	246	GLU
1	D	270	ILE
1	D	312	ASP
1	D	341	GLU
1	D	364	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	56	GLN
1	A	129	ASN
1	A	150	GLN
1	A	201	ASN
1	A	268	ASN
1	A	274	HIS
1	A	286	GLN
1	A	348	ASN
1	A	386	ASN
1	A	420	ASN
1	B	12	HIS
1	B	15	GLN
1	B	25	GLN
1	B	56	GLN
1	B	268	ASN
1	B	274	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	286	GLN
1	B	348	ASN
1	B	386	ASN
1	B	420	ASN
1	C	12	HIS
1	C	15	GLN
1	C	25	GLN
1	C	56	GLN
1	C	150	GLN
1	C	167	ASN
1	C	268	ASN
1	C	420	ASN
1	D	12	HIS
1	D	25	GLN
1	D	201	ASN
1	D	268	ASN
1	D	286	GLN
1	D	386	ASN
1	D	420	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	421/429 (98%)	0.48	26 (6%) 28 29	17, 39, 55, 72	6 (1%)
1	B	421/429 (98%)	0.66	33 (7%) 20 21	20, 42, 61, 79	8 (1%)
1	C	421/429 (98%)	0.72	36 (8%) 18 18	16, 43, 60, 78	6 (1%)
1	D	421/429 (98%)	1.30	96 (22%) 2 2	22, 47, 68, 83	6 (1%)
All	All	1684/1716 (98%)	0.79	191 (11%) 11 10	16, 42, 62, 83	26 (1%)

All (191) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	334	LEU	9.7
1	C	334	LEU	9.0
1	D	334	LEU	8.7
1	D	230	LEU	8.5
1	A	334	LEU	8.4
1	D	74	ALA	7.7
1	A	230	LEU	7.1
1	B	230	LEU	6.9
1	C	230	LEU	6.9
1	D	30	ALA	5.9
1	C	57	GLY	5.7
1	B	345	ASP	5.5
1	A	57	GLY	5.2
1	D	428	ALA	5.0
1	D	413	GLU	5.0
1	B	211	THR	4.9
1	D	57	GLY	4.8
1	A	305	CYS	4.8
1	D	272	TYR	4.7
1	D	233	ALA	4.6
1	D	270	ILE	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	211	THR	4.5
1	B	23	PHE	4.5
1	D	147	ALA	4.5
1	B	57	GLY	4.4
1	A	229	GLY	4.3
1	D	1	MET	4.2
1	A	244	PRO	4.2
1	D	18	ALA	4.2
1	A	234	ASP	4.1
1	D	309	ALA	4.0
1	B	290	VAL	3.9
1	D	269	ASN	3.9
1	C	233	ALA	3.8
1	C	23	PHE	3.8
1	B	301	GLY	3.8
1	C	2	LYS	3.7
1	D	424	SER	3.7
1	C	235	HIS	3.7
1	D	19	TRP	3.6
1	B	210	THR	3.6
1	C	234	ASP	3.6
1	B	229	GLY	3.6
1	D	28	TYR	3.6
1	B	244	PRO	3.6
1	A	235	HIS	3.5
1	B	234	ASP	3.5
1	D	410	VAL	3.5
1	A	210	THR	3.4
1	C	22	ALA	3.4
1	D	36	VAL	3.4
1	D	16	LEU	3.4
1	D	205	ASP	3.3
1	D	314	LEU	3.3
1	C	30	ALA	3.3
1	B	1	MET	3.3
1	C	56	GLN	3.3
1	B	235	HIS	3.2
1	B	233	ALA	3.2
1	D	235	HIS	3.2
1	D	408	VAL	3.1
1	D	159	ALA	3.1
1	D	79	GLU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	214	SER	3.1
1	A	345	ASP	3.1
1	D	426	GLU	3.1
1	D	427	THR	3.1
1	D	422	ILE	3.0
1	D	17	ASP	3.0
1	A	342	ALA	3.0
1	D	267	PRO	3.0
1	D	402	VAL	3.0
1	C	25	GLN	3.0
1	A	1	MET	3.0
1	C	1	MET	3.0
1	D	22	ALA	3.0
1	D	160	LEU	2.9
1	D	268	ASN	2.9
1	D	308	TYR	2.9
1	D	358	GLU	2.9
1	D	150	GLN	2.8
1	D	403	VAL	2.8
1	D	207	ARG	2.8
1	D	321	ASN	2.8
1	A	214	SER	2.8
1	C	24	GLN	2.8
1	D	357	GLY	2.8
1	C	181	VAL	2.8
1	D	405	GLY	2.8
1	B	350	THR	2.8
1	D	2	LYS	2.8
1	A	212	ARG	2.8
1	D	261	ASN	2.7
1	B	358	GLU	2.7
1	C	79	GLU	2.7
1	D	81	ASP	2.7
1	B	48[A]	CYS	2.7
1	D	217	THR	2.7
1	C	212	ARG	2.7
1	D	275	TYR	2.7
1	B	212	ARG	2.7
1	C	248	LEU	2.7
1	D	34	THR	2.6
1	C	29	LYS	2.6
1	D	80	GLU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	10	LEU	2.6
1	B	346	PRO	2.6
1	D	166	LEU	2.6
1	C	358	GLU	2.6
1	A	24	GLN	2.6
1	D	24	GLN	2.6
1	C	19	TRP	2.5
1	D	234	ASP	2.5
1	D	75	THR	2.5
1	D	125	SER	2.5
1	D	164	ALA	2.5
1	A	23	PHE	2.5
1	B	343	ILE	2.5
1	C	272	TYR	2.5
1	D	174	LEU	2.4
1	D	144	TRP	2.4
1	D	210	THR	2.4
1	D	124	LEU	2.4
1	D	211	THR	2.4
1	D	26	SER	2.4
1	D	229	GLY	2.4
1	B	205	ASP	2.4
1	D	86	ILE	2.4
1	B	344	PRO	2.4
1	D	332	PRO	2.4
1	D	9	ALA	2.4
1	D	324	VAL	2.4
1	C	103	TYR	2.4
1	B	217	THR	2.3
1	B	56	GLN	2.3
1	B	428	ALA	2.3
1	D	122	VAL	2.3
1	A	295	ALA	2.3
1	B	299	VAL	2.3
1	D	27	PRO	2.3
1	D	245	GLU	2.3
1	C	423	VAL	2.3
1	D	419	VAL	2.3
1	A	349	LEU	2.3
1	D	154	ALA	2.2
1	A	209	VAL	2.2
1	C	209	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	29	LYS	2.2
1	C	137	ASN	2.2
1	D	32	PRO	2.2
1	D	37	TRP	2.2
1	C	138	GLY	2.2
1	C	270	ILE	2.2
1	A	233	ALA	2.2
1	D	123	ALA	2.2
1	A	304	VAL	2.2
1	C	3	GLY	2.2
1	D	329	GLY	2.2
1	A	34	THR	2.2
1	D	204	VAL	2.2
1	B	351	LEU	2.2
1	D	157	LEU	2.2
1	D	359	LEU	2.2
1	B	214	SER	2.1
1	B	213	LYS	2.1
1	C	18	ALA	2.1
1	A	17	ASP	2.1
1	D	23	PHE	2.1
1	D	102	PHE	2.1
1	D	184	GLN	2.1
1	A	300	ALA	2.1
1	D	88	GLY	2.1
1	A	125	SER	2.1
1	D	313	TYR	2.1
1	D	317	TYR	2.1
1	C	261	ASN	2.1
1	B	216	PRO	2.1
1	A	338	VAL	2.1
1	C	317	TYR	2.1
1	D	355	VAL	2.1
1	D	83	ALA	2.0
1	D	153	ALA	2.0
1	D	131	THR	2.0
1	D	158	SER	2.0
1	D	248	LEU	2.0
1	D	212	ARG	2.0
1	B	372	VAL	2.0
1	C	290	VAL	2.0
1	D	429	LYS	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	244	PRO	2.0
1	D	404	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CA	D	1004	1/1	0.93	0.09	46,46,46,46	0
2	CA	B	1002	1/1	0.99	0.02	40,40,40,40	0
2	CA	C	1003	1/1	0.99	0.04	42,42,42,42	0
2	CA	A	1001	1/1	0.99	0.02	35,35,35,35	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.