



wwPDB EM Validation Summary Report ⓘ

Nov 3, 2024 – 01:24 AM EST

PDB ID : 7KI4
EMDB ID : EMD-22884
Title : Structure of the NiV F glycoprotein in complex with the 12B2 neutralizing antibody
Authors : Dang, H.V.; Seattle Structural Genomics Center for Infectious Disease (SSG-CID); Veesler, D.
Deposited on : 2020-10-23
Resolution : 2.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.
















Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	543	
1	B	543	
1	E	543	
2	C	214	
2	F	214	
2	L	214	
3	D	443	
3	G	443	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	443	 26% 74%
4	I	2	 100% 100%
4	K	2	 50% 100%
4	N	2	 100% 100%
4	P	2	 50% 100%
4	R	2	 100% 100%
4	T	2	 50% 100%
5	J	3	 67% 33% 67%
5	O	3	 67% 33% 67%
5	S	3	 67% 33% 67%
6	M	6	 33% 67% 33%
6	Q	6	 50% 67% 33%
6	U	6	 33% 67% 33%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 15738 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion glycoprotein F0.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	448	Total	C	N	O	S	0	0
			3404	2162	557	665	20		
1	B	448	Total	C	N	O	S	0	0
			3404	2162	557	665	20		
1	E	448	Total	C	N	O	S	0	0
			3404	2162	557	665	20		

There are 171 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	305	ASP	ASN	conflict	UNP Q9IH63
A	488	MET	-	expression tag	UNP Q9IH63
A	489	LYS	-	expression tag	UNP Q9IH63
A	490	GLN	-	expression tag	UNP Q9IH63
A	491	ILE	-	expression tag	UNP Q9IH63
A	492	GLU	-	expression tag	UNP Q9IH63
A	493	ASP	-	expression tag	UNP Q9IH63
A	494	LYS	-	expression tag	UNP Q9IH63
A	495	ILE	-	expression tag	UNP Q9IH63
A	496	GLU	-	expression tag	UNP Q9IH63
A	497	GLU	-	expression tag	UNP Q9IH63
A	498	ILE	-	expression tag	UNP Q9IH63
A	499	LEU	-	expression tag	UNP Q9IH63
A	500	SER	-	expression tag	UNP Q9IH63
A	501	LYS	-	expression tag	UNP Q9IH63
A	502	ILE	-	expression tag	UNP Q9IH63
A	503	TYR	-	expression tag	UNP Q9IH63
A	504	HIS	-	expression tag	UNP Q9IH63
A	505	ILE	-	expression tag	UNP Q9IH63
A	506	GLU	-	expression tag	UNP Q9IH63
A	507	ASN	-	expression tag	UNP Q9IH63
A	508	GLU	-	expression tag	UNP Q9IH63
A	509	ILE	-	expression tag	UNP Q9IH63
A	510	ALA	-	expression tag	UNP Q9IH63

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	511	ARG	-	expression tag	UNP Q9IH63
A	512	ILE	-	expression tag	UNP Q9IH63
A	513	LYS	-	expression tag	UNP Q9IH63
A	514	LYS	-	expression tag	UNP Q9IH63
A	515	LEU	-	expression tag	UNP Q9IH63
A	516	ILE	-	expression tag	UNP Q9IH63
A	517	GLY	-	expression tag	UNP Q9IH63
A	518	GLU	-	expression tag	UNP Q9IH63
A	519	ALA	-	expression tag	UNP Q9IH63
A	520	PRO	-	expression tag	UNP Q9IH63
A	521	GLY	-	expression tag	UNP Q9IH63
A	522	GLY	-	expression tag	UNP Q9IH63
A	523	ILE	-	expression tag	UNP Q9IH63
A	524	GLU	-	expression tag	UNP Q9IH63
A	525	GLY	-	expression tag	UNP Q9IH63
A	526	ARG	-	expression tag	UNP Q9IH63
A	527	LYS	-	expression tag	UNP Q9IH63
A	528	LEU	-	expression tag	UNP Q9IH63
A	529	LYS	-	expression tag	UNP Q9IH63
A	530	GLU	-	expression tag	UNP Q9IH63
A	531	THR	-	expression tag	UNP Q9IH63
A	532	ALA	-	expression tag	UNP Q9IH63
A	533	ALA	-	expression tag	UNP Q9IH63
A	534	ALA	-	expression tag	UNP Q9IH63
A	535	LYS	-	expression tag	UNP Q9IH63
A	536	PHE	-	expression tag	UNP Q9IH63
A	537	GLU	-	expression tag	UNP Q9IH63
A	538	ARG	-	expression tag	UNP Q9IH63
A	539	GLN	-	expression tag	UNP Q9IH63
A	540	HIS	-	expression tag	UNP Q9IH63
A	541	MET	-	expression tag	UNP Q9IH63
A	542	ASP	-	expression tag	UNP Q9IH63
A	543	SER	-	expression tag	UNP Q9IH63
B	305	ASP	ASN	conflict	UNP Q9IH63
B	488	MET	-	expression tag	UNP Q9IH63
B	489	LYS	-	expression tag	UNP Q9IH63
B	490	GLN	-	expression tag	UNP Q9IH63
B	491	ILE	-	expression tag	UNP Q9IH63
B	492	GLU	-	expression tag	UNP Q9IH63
B	493	ASP	-	expression tag	UNP Q9IH63
B	494	LYS	-	expression tag	UNP Q9IH63
B	495	ILE	-	expression tag	UNP Q9IH63

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	496	GLU	-	expression tag	UNP Q9IH63
B	497	GLU	-	expression tag	UNP Q9IH63
B	498	ILE	-	expression tag	UNP Q9IH63
B	499	LEU	-	expression tag	UNP Q9IH63
B	500	SER	-	expression tag	UNP Q9IH63
B	501	LYS	-	expression tag	UNP Q9IH63
B	502	ILE	-	expression tag	UNP Q9IH63
B	503	TYR	-	expression tag	UNP Q9IH63
B	504	HIS	-	expression tag	UNP Q9IH63
B	505	ILE	-	expression tag	UNP Q9IH63
B	506	GLU	-	expression tag	UNP Q9IH63
B	507	ASN	-	expression tag	UNP Q9IH63
B	508	GLU	-	expression tag	UNP Q9IH63
B	509	ILE	-	expression tag	UNP Q9IH63
B	510	ALA	-	expression tag	UNP Q9IH63
B	511	ARG	-	expression tag	UNP Q9IH63
B	512	ILE	-	expression tag	UNP Q9IH63
B	513	LYS	-	expression tag	UNP Q9IH63
B	514	LYS	-	expression tag	UNP Q9IH63
B	515	LEU	-	expression tag	UNP Q9IH63
B	516	ILE	-	expression tag	UNP Q9IH63
B	517	GLY	-	expression tag	UNP Q9IH63
B	518	GLU	-	expression tag	UNP Q9IH63
B	519	ALA	-	expression tag	UNP Q9IH63
B	520	PRO	-	expression tag	UNP Q9IH63
B	521	GLY	-	expression tag	UNP Q9IH63
B	522	GLY	-	expression tag	UNP Q9IH63
B	523	ILE	-	expression tag	UNP Q9IH63
B	524	GLU	-	expression tag	UNP Q9IH63
B	525	GLY	-	expression tag	UNP Q9IH63
B	526	ARG	-	expression tag	UNP Q9IH63
B	527	LYS	-	expression tag	UNP Q9IH63
B	528	LEU	-	expression tag	UNP Q9IH63
B	529	LYS	-	expression tag	UNP Q9IH63
B	530	GLU	-	expression tag	UNP Q9IH63
B	531	THR	-	expression tag	UNP Q9IH63
B	532	ALA	-	expression tag	UNP Q9IH63
B	533	ALA	-	expression tag	UNP Q9IH63
B	534	ALA	-	expression tag	UNP Q9IH63
B	535	LYS	-	expression tag	UNP Q9IH63
B	536	PHE	-	expression tag	UNP Q9IH63
B	537	GLU	-	expression tag	UNP Q9IH63

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	538	ARG	-	expression tag	UNP Q9IH63
B	539	GLN	-	expression tag	UNP Q9IH63
B	540	HIS	-	expression tag	UNP Q9IH63
B	541	MET	-	expression tag	UNP Q9IH63
B	542	ASP	-	expression tag	UNP Q9IH63
B	543	SER	-	expression tag	UNP Q9IH63
E	305	ASP	ASN	conflict	UNP Q9IH63
E	488	MET	-	expression tag	UNP Q9IH63
E	489	LYS	-	expression tag	UNP Q9IH63
E	490	GLN	-	expression tag	UNP Q9IH63
E	491	ILE	-	expression tag	UNP Q9IH63
E	492	GLU	-	expression tag	UNP Q9IH63
E	493	ASP	-	expression tag	UNP Q9IH63
E	494	LYS	-	expression tag	UNP Q9IH63
E	495	ILE	-	expression tag	UNP Q9IH63
E	496	GLU	-	expression tag	UNP Q9IH63
E	497	GLU	-	expression tag	UNP Q9IH63
E	498	ILE	-	expression tag	UNP Q9IH63
E	499	LEU	-	expression tag	UNP Q9IH63
E	500	SER	-	expression tag	UNP Q9IH63
E	501	LYS	-	expression tag	UNP Q9IH63
E	502	ILE	-	expression tag	UNP Q9IH63
E	503	TYR	-	expression tag	UNP Q9IH63
E	504	HIS	-	expression tag	UNP Q9IH63
E	505	ILE	-	expression tag	UNP Q9IH63
E	506	GLU	-	expression tag	UNP Q9IH63
E	507	ASN	-	expression tag	UNP Q9IH63
E	508	GLU	-	expression tag	UNP Q9IH63
E	509	ILE	-	expression tag	UNP Q9IH63
E	510	ALA	-	expression tag	UNP Q9IH63
E	511	ARG	-	expression tag	UNP Q9IH63
E	512	ILE	-	expression tag	UNP Q9IH63
E	513	LYS	-	expression tag	UNP Q9IH63
E	514	LYS	-	expression tag	UNP Q9IH63
E	515	LEU	-	expression tag	UNP Q9IH63
E	516	ILE	-	expression tag	UNP Q9IH63
E	517	GLY	-	expression tag	UNP Q9IH63
E	518	GLU	-	expression tag	UNP Q9IH63
E	519	ALA	-	expression tag	UNP Q9IH63
E	520	PRO	-	expression tag	UNP Q9IH63
E	521	GLY	-	expression tag	UNP Q9IH63
E	522	GLY	-	expression tag	UNP Q9IH63

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	523	ILE	-	expression tag	UNP Q9IH63
E	524	GLU	-	expression tag	UNP Q9IH63
E	525	GLY	-	expression tag	UNP Q9IH63
E	526	ARG	-	expression tag	UNP Q9IH63
E	527	LYS	-	expression tag	UNP Q9IH63
E	528	LEU	-	expression tag	UNP Q9IH63
E	529	LYS	-	expression tag	UNP Q9IH63
E	530	GLU	-	expression tag	UNP Q9IH63
E	531	THR	-	expression tag	UNP Q9IH63
E	532	ALA	-	expression tag	UNP Q9IH63
E	533	ALA	-	expression tag	UNP Q9IH63
E	534	ALA	-	expression tag	UNP Q9IH63
E	535	LYS	-	expression tag	UNP Q9IH63
E	536	PHE	-	expression tag	UNP Q9IH63
E	537	GLU	-	expression tag	UNP Q9IH63
E	538	ARG	-	expression tag	UNP Q9IH63
E	539	GLN	-	expression tag	UNP Q9IH63
E	540	HIS	-	expression tag	UNP Q9IH63
E	541	MET	-	expression tag	UNP Q9IH63
E	542	ASP	-	expression tag	UNP Q9IH63
E	543	SER	-	expression tag	UNP Q9IH63

- Molecule 2 is a protein called 12B2 Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	L	105	Total	C	N	O	S	0	0
			790	504	133	150	3		
2	C	105	Total	C	N	O	S	0	0
			790	504	133	150	3		
2	F	105	Total	C	N	O	S	0	0
			790	504	133	150	3		

- Molecule 3 is a protein called 12B2 heavy chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	117	Total	C	N	O	S	0	0
			886	566	153	164	3		
3	D	117	Total	C	N	O	S	0	0
			886	566	153	164	3		
3	G	117	Total	C	N	O	S	0	0
			886	566	153	164	3		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	I	2	Total	C	N	O	0	0
			28	16	2	10		
4	K	2	Total	C	N	O	0	0
			28	16	2	10		
4	N	2	Total	C	N	O	0	0
			28	16	2	10		
4	P	2	Total	C	N	O	0	0
			28	16	2	10		
4	R	2	Total	C	N	O	0	0
			28	16	2	10		
4	T	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
5	J	3	Total	C	N	O	0	0
			39	22	2	15		
5	O	3	Total	C	N	O	0	0
			39	22	2	15		
5	S	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	M	6	Total 71	C 40	N 2	O 29	0	0
6	Q	6	Total 71	C 40	N 2	O 29	0	0
6	U	6	Total 71	C 40	N 2	O 29	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fusion glycoprotein F0



• Molecule 1: Fusion glycoprotein F0




• Molecule 1: Fusion glycoprotein F0



GLU ASN
GLU
ILE
ALA
ARG
ILE
LYS
LYS
LEU
ILE
GLY
GLU
ALA
PRO
GLY
ILE
ILE
GLY
GLY
ARG


• Molecule 2: 12B2 Fab light chain



VAL LYS
LYS TRP
TRP
PHE
LYS
ILE
ASP
ASN
ARG
ASN
GLY
SER
GLU
GLN
ASN
GLY
VAL
LEU
ASN
SER
TRP
THR
THR
ASP
GLN
SER
SER
LYS
ARG
ALA
SER
THR
TYR
ALA
ASP
ALA
ALA
ALA
PRO
MET
SER
SER
THR
VAL
SER
THR
THR
LEU
PHE
ILE
PRO
SER
LYS
THR
LEU
GLN
TYR
GLU
SER
THR
ARG
HIS
ASN
GLY
SER
TYR
VAL
THR
CYS
VAL
GLU
ALA
CYS
PHE
LEU
ASN
HIS
THR
PHE
LYS
ASN
TYR
THR
SER
PHE
THR
SER
THR
PRO
LYS
SER
THR
ASP
ILE
VAL
ASN
PRO
LYS
ILE

VAL
LYS
SER
PHE
ASN
ASN
ARG
ASN
ASN
CYS


• Molecule 2: 12B2 Fab light chain



TRP LYS
LYS
ILE
ASP
GLY
SER
SER
GLU
ARG
GLN
ASN
GLY
VAL
LEU
ASN
SER
TRP
THR
THR
ASP
GLN
SER
ILE
LYS
ARG
SER
LYS
ASP
SER
THR
ALA
TYR
PRO
MET
SER
SER
SER
THR
ILE
PHE
LEU
THR
PRO
SER
THR
LEU
LYS
SER
SER
GLU
ASP
GLN
TYR
GLU
THR
LEU
SER
HIS
ASN
GLY
SER
ALA
THR
TTR
CYS
VAL
VAL
VAL
PHE
THR
HIS
THR
ASN
PHE
LEU
THR
CYS
ALA
THR
HIS
ASN
PHE
TYR
THR
LYS
SER
THR
PRO
LYS
SER
THR
ASP
ILE
VAL
ASN
VAL
LYS

SER
PHE
ASN
ARG
ASN
GLU
CYS


• Molecule 2: 12B2 Fab light chain



LYS ILE
ASP
GLY
SER
SER
GLU
GLN
ASN
ASN
GLY
VAL
LEU
ASN
SER
TRP
THR
THR
GLN
ASP
SER
ILE
LYS
ARG
SER
LYS
ASP
ALA
SER
THR
TYR
SER
SER
MET
SER
SER
SER
THR
LEU
THR
LEU
THR
LYS
ASP
GLU
GLN
TYR
GLU
THR
ARG
HIS
ASN
GLY
SER
ALA
SER
THR
CYS
VAL
VAL
PHE
THR
HIS
ASN
PHE
TYR
THR
LYS
SER
THR
PRO
LYS
SER
THR
ASP
ILE
VAL
ASN
VAL
LYS
SER


PHE
ASN
ARG
ASN
GLU
CYS

• Molecule 3: 12B2 heavy chain




ASN
SER
GLY
SER
SER
LEU
SER
GLY
VAL
HIS
THR
PHE
PRO
ALA
VAL
LEU
GLN
SER
SER
ASP
LEU
ALA
TYR
THR
LYS
THR
LEU
SER
SER
SER
SER
VAL
THR
VAL
PRO
PRO
SER
LEU
ALA
SER
THR
GLY
THR
VAL
CYS
SER
ASN
MET
VAL
THR
HIS
PRO
ALA
SER
SER
THR
LYS
VAL
PHE
LYS
LYS
THR
VAL
ILE
VAL
PRO
ARG
ASP

- Molecule 3: 12B2 heavy chain



- Molecule 3: 12B2 heavy chain



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-[α -L-fucopyranose-(1-6)]2-acetamido-2-deoxy- β -D-glucopyranose

Chain U:



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	28776	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	70	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	5.067	Depositor
Minimum map value	-3.233	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.087	Depositor
Recommended contour level	0.9	Depositor
Map size (Å)	369.59998, 369.59998, 369.59998	wwPDB
Map dimensions	352, 352, 352	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.05, 1.05, 1.05	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/3452	0.66	2/4693 (0.0%)
1	B	0.69	0/3452	0.67	2/4693 (0.0%)
1	E	0.69	0/3452	0.67	2/4693 (0.0%)
2	C	0.70	0/812	0.70	0/1105
2	F	0.70	0/812	0.70	0/1105
2	L	0.70	0/812	0.70	0/1105
3	D	0.65	0/908	0.71	0/1236
3	G	0.65	0/908	0.71	0/1236
3	H	0.65	0/908	0.71	0/1236
All	All	0.68	0/15516	0.68	6/21102 (0.0%)

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	375	ARG	NE-CZ-NH2	-5.49	117.55	120.30
1	A	375	ARG	NE-CZ-NH2	-5.46	117.57	120.30
1	B	375	ARG	NE-CZ-NH2	-5.41	117.59	120.30
1	E	353	ARG	NE-CZ-NH2	-5.22	117.69	120.30
1	B	353	ARG	NE-CZ-NH2	-5.18	117.71	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3404	0	3426	11	0
1	B	3404	0	3426	11	0
1	E	3404	0	3426	11	0
2	C	790	0	725	3	0
2	F	790	0	725	3	0
2	L	790	0	725	3	0
3	D	886	0	850	5	0
3	G	886	0	850	5	0
3	H	886	0	850	5	0
4	I	28	0	25	0	0
4	K	28	0	25	0	0
4	N	28	0	25	0	0
4	P	28	0	25	0	0
4	R	28	0	25	0	0
4	T	28	0	25	0	0
5	J	39	0	34	0	0
5	O	39	0	34	0	0
5	S	39	0	34	0	0
6	M	71	0	61	0	0
6	Q	71	0	61	0	0
6	U	71	0	61	0	0
All	All	15738	0	15438	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 42 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:52:TRP:CD1	1:B:193:LYS:NZ	2.51	0.78
3:D:52:TRP:CD1	1:E:193:LYS:NZ	2.51	0.78
1:A:193:LYS:NZ	3:G:52:TRP:CD1	2.51	0.78
1:B:124:THR:OG1	1:B:127:GLN:HG3	2.03	0.59
1:A:124:THR:OG1	1:A:127:GLN:HG3	2.03	0.59

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	444/543 (82%)	432 (97%)	11 (2%)	1 (0%)	44	73
1	B	444/543 (82%)	432 (97%)	11 (2%)	1 (0%)	44	73
1	E	444/543 (82%)	432 (97%)	11 (2%)	1 (0%)	44	73
2	C	103/214 (48%)	98 (95%)	5 (5%)	0	100	100
2	F	103/214 (48%)	98 (95%)	5 (5%)	0	100	100
2	L	103/214 (48%)	98 (95%)	5 (5%)	0	100	100
3	D	115/443 (26%)	114 (99%)	1 (1%)	0	100	100
3	G	115/443 (26%)	114 (99%)	1 (1%)	0	100	100
3	H	115/443 (26%)	114 (99%)	1 (1%)	0	100	100
All	All	1986/3600 (55%)	1932 (97%)	51 (3%)	3 (0%)	45	73

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	248	TYR
1	B	248	TYR
1	E	248	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	385/482 (80%)	384 (100%)	1 (0%)	91	97

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	385/482 (80%)	384 (100%)	1 (0%)	91	97
1	E	385/482 (80%)	384 (100%)	1 (0%)	91	97
2	C	78/188 (42%)	78 (100%)	0	100	100
2	F	78/188 (42%)	78 (100%)	0	100	100
2	L	78/188 (42%)	78 (100%)	0	100	100
3	D	90/393 (23%)	90 (100%)	0	100	100
3	G	90/393 (23%)	90 (100%)	0	100	100
3	H	90/393 (23%)	90 (100%)	0	100	100
All	All	1659/3189 (52%)	1656 (100%)	3 (0%)	91	98

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	LYS
1	B	49	LYS
1	E	49	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
3	D	3	GLN
3	G	1	GLN
3	G	3	GLN
3	H	3	GLN
3	H	1	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

39 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	I	1	1,4	14,14,15	1.28	1 (7%)	17,19,21	1.16	1 (5%)
4	NAG	I	2	4	14,14,15	1.12	1 (7%)	17,19,21	0.70	0
5	NAG	J	1	1,5	14,14,15	1.25	1 (7%)	17,19,21	0.85	0
5	NAG	J	2	5	14,14,15	1.16	1 (7%)	17,19,21	0.65	0
5	BMA	J	3	5	11,11,12	1.04	0	15,15,17	0.64	0
4	NAG	K	1	1,4	14,14,15	1.32	1 (7%)	17,19,21	0.83	0
4	NAG	K	2	4	14,14,15	1.11	1 (7%)	17,19,21	0.73	0
6	NAG	M	1	1,6	14,14,15	1.05	1 (7%)	17,19,21	0.75	0
6	NAG	M	2	6	14,14,15	1.15	1 (7%)	17,19,21	0.73	0
6	BMA	M	3	6	11,11,12	0.83	0	15,15,17	0.61	0
6	MAN	M	4	6	11,11,12	1.05	0	15,15,17	0.59	0
6	MAN	M	5	6	11,11,12	1.01	0	15,15,17	0.61	0
6	FUC	M	6	6	10,10,11	1.00	0	14,14,16	0.57	0
4	NAG	N	1	1,4	14,14,15	1.28	1 (7%)	17,19,21	1.16	1 (5%)
4	NAG	N	2	4	14,14,15	1.12	1 (7%)	17,19,21	0.69	0
5	NAG	O	1	1,5	14,14,15	1.26	1 (7%)	17,19,21	0.84	0
5	NAG	O	2	5	14,14,15	1.16	1 (7%)	17,19,21	0.65	0
5	BMA	O	3	5	11,11,12	1.04	0	15,15,17	0.64	0
4	NAG	P	1	1,4	14,14,15	1.31	1 (7%)	17,19,21	0.83	0
4	NAG	P	2	4	14,14,15	1.11	1 (7%)	17,19,21	0.73	0
6	NAG	Q	1	1,6	14,14,15	1.05	1 (7%)	17,19,21	0.75	0
6	NAG	Q	2	6	14,14,15	1.15	1 (7%)	17,19,21	0.74	0
6	BMA	Q	3	6	11,11,12	0.82	0	15,15,17	0.62	0
6	MAN	Q	4	6	11,11,12	1.05	0	15,15,17	0.59	0
6	MAN	Q	5	6	11,11,12	1.02	0	15,15,17	0.61	0
6	FUC	Q	6	6	10,10,11	0.99	0	14,14,16	0.57	0
4	NAG	R	1	1,4	14,14,15	1.28	1 (7%)	17,19,21	1.15	1 (5%)
4	NAG	R	2	4	14,14,15	1.12	1 (7%)	17,19,21	0.70	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	S	1	1,5	14,14,15	1.27	1 (7%)	17,19,21	0.85	0
5	NAG	S	2	5	14,14,15	1.16	1 (7%)	17,19,21	0.64	0
5	BMA	S	3	5	11,11,12	1.04	0	15,15,17	0.64	0
4	NAG	T	1	1,4	14,14,15	1.32	1 (7%)	17,19,21	0.83	0
4	NAG	T	2	4	14,14,15	1.10	1 (7%)	17,19,21	0.73	0
6	NAG	U	1	1,6	14,14,15	1.06	1 (7%)	17,19,21	0.76	0
6	NAG	U	2	6	14,14,15	1.16	1 (7%)	17,19,21	0.73	0
6	BMA	U	3	6	11,11,12	0.83	0	15,15,17	0.62	0
6	MAN	U	4	6	11,11,12	1.05	0	15,15,17	0.59	0
6	MAN	U	5	6	11,11,12	1.02	0	15,15,17	0.61	0
6	FUC	U	6	6	10,10,11	1.00	0	14,14,16	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	I	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
5	NAG	J	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	J	2	5	-	0/6/23/26	0/1/1/1
5	BMA	J	3	5	-	1/2/19/22	0/1/1/1
4	NAG	K	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	K	2	4	-	1/6/23/26	0/1/1/1
6	NAG	M	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	M	2	6	-	0/6/23/26	0/1/1/1
6	BMA	M	3	6	-	0/2/19/22	0/1/1/1
6	MAN	M	4	6	-	0/2/19/22	0/1/1/1
6	MAN	M	5	6	-	1/2/19/22	0/1/1/1
6	FUC	M	6	6	-	-	0/1/1/1
4	NAG	N	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	N	2	4	-	2/6/23/26	0/1/1/1
5	NAG	O	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	O	2	5	-	0/6/23/26	0/1/1/1
5	BMA	O	3	5	-	1/2/19/22	0/1/1/1
4	NAG	P	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	P	2	4	-	1/6/23/26	0/1/1/1
6	NAG	Q	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	Q	2	6	-	0/6/23/26	0/1/1/1
6	BMA	Q	3	6	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MAN	Q	4	6	-	0/2/19/22	0/1/1/1
6	MAN	Q	5	6	-	1/2/19/22	0/1/1/1
6	FUC	Q	6	6	-	-	0/1/1/1
4	NAG	R	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	R	2	4	-	2/6/23/26	0/1/1/1
5	NAG	S	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	S	2	5	-	0/6/23/26	0/1/1/1
5	BMA	S	3	5	-	1/2/19/22	0/1/1/1
4	NAG	T	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	T	2	4	-	1/6/23/26	0/1/1/1
6	NAG	U	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	U	2	6	-	0/6/23/26	0/1/1/1
6	BMA	U	3	6	-	0/2/19/22	0/1/1/1
6	MAN	U	4	6	-	0/2/19/22	0/1/1/1
6	MAN	U	5	6	-	1/2/19/22	0/1/1/1
6	FUC	U	6	6	-	-	0/1/1/1

The worst 5 of 24 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	T	1	NAG	C1-C2	3.90	1.57	1.52
4	K	1	NAG	C1-C2	3.88	1.57	1.52
4	P	1	NAG	C1-C2	3.85	1.57	1.52
5	S	1	NAG	C1-C2	3.67	1.57	1.52
5	O	1	NAG	C1-C2	3.65	1.57	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	I	1	NAG	C4-C3-C2	-2.39	107.52	111.02
4	N	1	NAG	C4-C3-C2	-2.39	107.52	111.02
4	R	1	NAG	C4-C3-C2	-2.39	107.52	111.02

There are no chirality outliers.

5 of 18 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	R	2	NAG	O5-C5-C6-O6
4	I	2	NAG	O5-C5-C6-O6
4	N	2	NAG	O5-C5-C6-O6
6	M	5	MAN	O5-C5-C6-O6

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	Q	5	MAN	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




























5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-22884. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 176




Y Index: 176




Z Index: 176


6.2.2 Raw map



X Index: 176



Y Index: 176




Z Index: 176


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 166




Y Index: 189




Z Index: 218


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.9. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 80 nm³; this corresponds to an approximate mass of 73 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.11	8.32	4.19

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.11 differs from the reported value 2.9 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-22884 and PDB model 7KI4. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.9 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.9).













































9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.9) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7410	 0.5370
A	 0.7650	 0.5490
B	 0.7640	 0.5490
C	 0.7030	 0.5170
D	 0.7760	 0.5450
E	 0.7630	 0.5480
F	 0.7010	 0.5170
G	 0.7710	 0.5470
H	 0.7720	 0.5460
I	 0.2500	 0.2600
J	 0.2310	 0.3640
K	 0.2140	 0.3220
L	 0.6960	 0.5170
M	 0.3940	 0.3860
N	 0.2500	 0.2720
O	 0.2310	 0.3550
P	 0.2140	 0.3450
Q	 0.3940	 0.3940
R	 0.2500	 0.2710
S	 0.2310	 0.3590
T	 0.2140	 0.3460
U	 0.4080	 0.3810

