



wwPDB X-ray Structure Validation Summary Report (i)

Dec 15, 2024 – 10:49 AM EST

PDB ID : 6N7L
Title : Crystal structure of an alcohol dehydrogenase from *Elizabethkingia anophelis* NUHP1
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2018-11-27
Resolution : 2.10 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references \(i\)](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.21
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.004 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	6234 (2.10-2.10)
Clashscore	180529	6893 (2.10-2.10)
Ramachandran outliers	177936	6839 (2.10-2.10)
Sidechain outliers	177891	6840 (2.10-2.10)
RSRZ outliers	164620	6234 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	F	353	%	91%	6% •
1	G	353	%	90%	6% •
1	H	353	%	90%	6% ..
1	I	353	%	86%	10% ..
1	J	353	%	91%	6% •
1	K	353	%	87%	9% ..
1	L	353	%	89%	6% ..

2 Entry composition [\(i\)](#)

There are 6 unique types of molecules in this entry. The entry contains 33393 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alcohol dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	342	Total 2548	C 1622	N 425	O 483	S 18	0	5	0
1	B	342	Total 2524	C 1608	N 422	O 477	S 17	0	4	0
1	C	344	Total 2610	C 1672	N 437	O 483	S 18	0	11	0
1	D	343	Total 2549	C 1624	N 430	O 478	S 17	0	3	0
1	E	340	Total 2506	C 1595	N 423	O 471	S 17	0	3	0
1	F	343	Total 2532	C 1612	N 427	O 476	S 17	0	4	0
1	G	340	Total 2501	C 1593	N 419	O 472	S 17	0	1	0
1	H	342	Total 2525	C 1610	N 423	O 475	S 17	0	3	0
1	I	341	Total 2470	C 1571	N 420	O 462	S 17	0	1	0
1	J	343	Total 2517	C 1602	N 425	O 472	S 18	0	3	0
1	K	342	Total 2518	C 1602	N 424	O 475	S 17	0	3	0
1	L	340	Total 2423	C 1539	N 412	O 455	S 17	0	1	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP A0A077EGR8
A	-6	ALA	-	expression tag	UNP A0A077EGR8
A	-5	HIS	-	expression tag	UNP A0A077EGR8
A	-4	HIS	-	expression tag	UNP A0A077EGR8
A	-3	HIS	-	expression tag	UNP A0A077EGR8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	HIS	-	expression tag	UNP A0A077EGR8
A	-1	HIS	-	expression tag	UNP A0A077EGR8
A	0	HIS	-	expression tag	UNP A0A077EGR8
B	-7	MET	-	initiating methionine	UNP A0A077EGR8
B	-6	ALA	-	expression tag	UNP A0A077EGR8
B	-5	HIS	-	expression tag	UNP A0A077EGR8
B	-4	HIS	-	expression tag	UNP A0A077EGR8
B	-3	HIS	-	expression tag	UNP A0A077EGR8
B	-2	HIS	-	expression tag	UNP A0A077EGR8
B	-1	HIS	-	expression tag	UNP A0A077EGR8
B	0	HIS	-	expression tag	UNP A0A077EGR8
C	-7	MET	-	initiating methionine	UNP A0A077EGR8
C	-6	ALA	-	expression tag	UNP A0A077EGR8
C	-5	HIS	-	expression tag	UNP A0A077EGR8
C	-4	HIS	-	expression tag	UNP A0A077EGR8
C	-3	HIS	-	expression tag	UNP A0A077EGR8
C	-2	HIS	-	expression tag	UNP A0A077EGR8
C	-1	HIS	-	expression tag	UNP A0A077EGR8
C	0	HIS	-	expression tag	UNP A0A077EGR8
D	-7	MET	-	initiating methionine	UNP A0A077EGR8
D	-6	ALA	-	expression tag	UNP A0A077EGR8
D	-5	HIS	-	expression tag	UNP A0A077EGR8
D	-4	HIS	-	expression tag	UNP A0A077EGR8
D	-3	HIS	-	expression tag	UNP A0A077EGR8
D	-2	HIS	-	expression tag	UNP A0A077EGR8
D	-1	HIS	-	expression tag	UNP A0A077EGR8
D	0	HIS	-	expression tag	UNP A0A077EGR8
E	-7	MET	-	initiating methionine	UNP A0A077EGR8
E	-6	ALA	-	expression tag	UNP A0A077EGR8
E	-5	HIS	-	expression tag	UNP A0A077EGR8
E	-4	HIS	-	expression tag	UNP A0A077EGR8
E	-3	HIS	-	expression tag	UNP A0A077EGR8
E	-2	HIS	-	expression tag	UNP A0A077EGR8
E	-1	HIS	-	expression tag	UNP A0A077EGR8
E	0	HIS	-	expression tag	UNP A0A077EGR8
F	-7	MET	-	initiating methionine	UNP A0A077EGR8
F	-6	ALA	-	expression tag	UNP A0A077EGR8
F	-5	HIS	-	expression tag	UNP A0A077EGR8
F	-4	HIS	-	expression tag	UNP A0A077EGR8
F	-3	HIS	-	expression tag	UNP A0A077EGR8
F	-2	HIS	-	expression tag	UNP A0A077EGR8
F	-1	HIS	-	expression tag	UNP A0A077EGR8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	0	HIS	-	expression tag	UNP A0A077EGR8
G	-7	MET	-	initiating methionine	UNP A0A077EGR8
G	-6	ALA	-	expression tag	UNP A0A077EGR8
G	-5	HIS	-	expression tag	UNP A0A077EGR8
G	-4	HIS	-	expression tag	UNP A0A077EGR8
G	-3	HIS	-	expression tag	UNP A0A077EGR8
G	-2	HIS	-	expression tag	UNP A0A077EGR8
G	-1	HIS	-	expression tag	UNP A0A077EGR8
G	0	HIS	-	expression tag	UNP A0A077EGR8
H	-7	MET	-	initiating methionine	UNP A0A077EGR8
H	-6	ALA	-	expression tag	UNP A0A077EGR8
H	-5	HIS	-	expression tag	UNP A0A077EGR8
H	-4	HIS	-	expression tag	UNP A0A077EGR8
H	-3	HIS	-	expression tag	UNP A0A077EGR8
H	-2	HIS	-	expression tag	UNP A0A077EGR8
H	-1	HIS	-	expression tag	UNP A0A077EGR8
H	0	HIS	-	expression tag	UNP A0A077EGR8
I	-7	MET	-	initiating methionine	UNP A0A077EGR8
I	-6	ALA	-	expression tag	UNP A0A077EGR8
I	-5	HIS	-	expression tag	UNP A0A077EGR8
I	-4	HIS	-	expression tag	UNP A0A077EGR8
I	-3	HIS	-	expression tag	UNP A0A077EGR8
I	-2	HIS	-	expression tag	UNP A0A077EGR8
I	-1	HIS	-	expression tag	UNP A0A077EGR8
I	0	HIS	-	expression tag	UNP A0A077EGR8
J	-7	MET	-	initiating methionine	UNP A0A077EGR8
J	-6	ALA	-	expression tag	UNP A0A077EGR8
J	-5	HIS	-	expression tag	UNP A0A077EGR8
J	-4	HIS	-	expression tag	UNP A0A077EGR8
J	-3	HIS	-	expression tag	UNP A0A077EGR8
J	-2	HIS	-	expression tag	UNP A0A077EGR8
J	-1	HIS	-	expression tag	UNP A0A077EGR8
J	0	HIS	-	expression tag	UNP A0A077EGR8
K	-7	MET	-	initiating methionine	UNP A0A077EGR8
K	-6	ALA	-	expression tag	UNP A0A077EGR8
K	-5	HIS	-	expression tag	UNP A0A077EGR8
K	-4	HIS	-	expression tag	UNP A0A077EGR8
K	-3	HIS	-	expression tag	UNP A0A077EGR8
K	-2	HIS	-	expression tag	UNP A0A077EGR8
K	-1	HIS	-	expression tag	UNP A0A077EGR8
K	0	HIS	-	expression tag	UNP A0A077EGR8
L	-7	MET	-	initiating methionine	UNP A0A077EGR8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	-6	ALA	-	expression tag	UNP A0A077EGR8
L	-5	HIS	-	expression tag	UNP A0A077EGR8
L	-4	HIS	-	expression tag	UNP A0A077EGR8
L	-3	HIS	-	expression tag	UNP A0A077EGR8
L	-2	HIS	-	expression tag	UNP A0A077EGR8
L	-1	HIS	-	expression tag	UNP A0A077EGR8
L	0	HIS	-	expression tag	UNP A0A077EGR8

- Molecule 2 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 8 4 4	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	E	1	Total C O 4 2 2	0	0
2	E	1	Total C O 4 2 2	0	0
2	E	1	Total C O 4 2 2	0	0
2	E	1	Total C O 4 2 2	0	0
2	E	1	Total C O 4 2 2	0	0
2	E	1	Total C O 4 2 2	0	0
2	E	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	F	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0
2	G	1	Total C O 4 2 2	0	0
2	G	1	Total C O 4 2 2	0	0
2	G	1	Total C O 4 2 2	0	0
2	G	1	Total C O 4 2 2	0	0
2	G	1	Total C O 4 2 2	0	0
2	G	1	Total C O 4 2 2	0	0
2	G	1	Total C O 4 2 2	0	0
2	H	1	Total C O 4 2 2	0	0
2	H	1	Total C O 4 2 2	0	0
2	H	1	Total C O 4 2 2	0	0
2	H	1	Total C O 4 2 2	0	0
2	H	1	Total C O 4 2 2	0	0
2	I	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	I	1	Total C O 4 2 2	0	0
2	I	1	Total C O 4 2 2	0	0
2	I	1	Total C O 4 2 2	0	0
2	I	1	Total C O 4 2 2	0	0
2	I	1	Total C O 4 2 2	0	0
2	J	1	Total C O 4 2 2	0	0
2	J	1	Total C O 4 2 2	0	0
2	J	1	Total C O 4 2 2	0	0
2	J	1	Total C O 4 2 2	0	0
2	J	1	Total C O 4 2 2	0	0
2	J	1	Total C O 4 2 2	0	0
2	J	1	Total C O 4 2 2	0	0
2	K	1	Total C O 4 2 2	0	0
2	K	1	Total C O 4 2 2	0	0
2	K	1	Total C O 4 2 2	0	0
2	K	1	Total C O 4 2 2	0	0
2	L	1	Total C O 4 2 2	0	0
2	L	1	Total C O 4 2 2	0	0
2	L	1	Total C O 4 2 2	0	0

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total		C	N	O	P	
			44		21	7	14	2	
3	B	1	Total		C	N	O	P	
			44		21	7	14	2	
3	C	1	Total		C	N	O	P	
			44		21	7	14	2	
3	D	1	Total		C	N	O	P	
			44		21	7	14	2	
3	E	1	Total		C	N	O	P	
			44		21	7	14	2	
3	F	1	Total		C	N	O	P	
			44		21	7	14	2	
3	G	1	Total		C	N	O	P	
			44		21	7	14	2	
3	H	1	Total		C	N	O	P	
			44		21	7	14	2	
3	I	1	Total		C	N	O	P	
			44		21	7	14	2	
3	J	1	Total		C	N	O	P	
			44		21	7	14	2	
3	K	1	Total		C	N	O	P	
			44		21	7	14	2	
3	L	1	Total		C	N	O	P	
			44		21	7	14	2	

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total Zn 2 2	0	0
4	B	2	Total Zn 2 2	0	0
4	C	2	Total Zn 2 2	0	0
4	D	2	Total Zn 2 2	0	0
4	E	2	Total Zn 2 2	0	0
4	F	2	Total Zn 2 2	0	0
4	G	2	Total Zn 2 2	0	0
4	H	2	Total Zn 2 2	0	0
4	I	2	Total Zn 2 2	0	0
4	J	2	Total Zn 2 2	0	0
4	K	2	Total Zn 2 2	0	0
4	L	2	Total Zn 2 2	0	0

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Cl 1 1	0	0
5	B	1	Total Cl 1 1	0	0
5	C	1	Total Cl 1 1	0	0
5	D	1	Total Cl 1 1	0	0
5	E	1	Total Cl 1 1	0	0
5	F	1	Total Cl 1 1	0	0
5	G	1	Total Cl 1 1	0	0
5	H	1	Total Cl 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	I	1	Total Cl 1 1	0	0
5	J	1	Total Cl 1 1	0	0
5	K	1	Total Cl 1 1	0	0
5	L	1	Total Cl 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	231	Total O 231 231	0	0
6	B	237	Total O 238 238	0	1
6	C	284	Total O 284 284	0	0
6	D	221	Total O 221 221	0	0
6	E	196	Total O 197 197	0	1
6	F	210	Total O 210 210	0	0
6	G	195	Total O 197 197	0	2
6	H	198	Total O 198 198	0	0
6	I	90	Total O 90 90	0	0
6	J	157	Total O 157 157	0	0
6	K	149	Total O 149 149	0	0
6	L	70	Total O 70 70	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alcohol dehydrogenase




- Molecule 1: Alcohol dehydrogenase




- Molecule 1: Alcohol dehydrogenase



- Molecule 1: Alcohol dehydrogenase




- Molecule 1: Alcohol dehydrogenase








- Molecule 1: Alcohol dehydrogenase




- Molecule 1: Alcohol dehydrogenase



- Molecule 1: Alcohol dehydrogenase




- Molecule 1: Alcohol dehydrogenase



- Molecule 1: Alcohol dehydrogenase



- Molecule 1: Alcohol dehydrogenase





- Molecule 1: Alcohol dehydrogenase

Chain L: 89% 6% ..

A horizontal progress bar representing the completion of Chain L. The bar is mostly green, with a small yellow segment at the end. The percentage value '89%' is centered above the bar, and '6%' is at the far right end.



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.15 Å 168.29 Å 199.73 Å 90.00° 97.97° 90.00°	Depositor
Resolution (Å)	48.79 – 2.10 48.79 – 2.10	Depositor EDS
% Data completeness (in resolution range)	95.2 (48.79-2.10) 95.2 (48.79-2.10)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.81 (at 2.10 Å)	Xtriage
Refinement program	PHENIX	Depositor
R , R_{free}	0.149 , 0.191 0.151 , 0.192	Depositor DCC
R_{free} test set	28051 reflections (6.06%)	wwPDB-VP
Wilson B-factor (Å ²)	29.6	Xtriage
Anisotropy	0.022	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 52.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.019 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	33393	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, EDO, CL, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	2/2612 (0.1%)	0.57	2/3549 (0.1%)
1	B	0.39	0/2585	0.55	0/3518
1	C	0.39	0/2692	0.56	0/3649
1	D	0.37	0/2607	0.54	0/3541
1	E	0.47	3/2564 (0.1%)	0.68	10/3489 (0.3%)
1	F	0.47	3/2593 (0.1%)	0.60	3/3527 (0.1%)
1	G	0.45	2/2553 (0.1%)	0.61	3/3474 (0.1%)
1	H	0.49	3/2583 (0.1%)	0.70	8/3515 (0.2%)
1	I	0.37	0/2522	0.59	3/3438 (0.1%)
1	J	0.35	0/2575	0.56	2/3505 (0.1%)
1	K	0.43	2/2576 (0.1%)	0.67	6/3506 (0.2%)
1	L	0.44	3/2475 (0.1%)	0.58	3/3382 (0.1%)
All	All	0.42	18/30937 (0.1%)	0.60	40/42093 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	2
1	G	0	1
1	I	0	1
1	K	0	1
1	L	0	1
All	All	0	6

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	318	GLU	CD-OE2	10.83	1.37	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	83	GLU	CD-OE2	9.22	1.35	1.25
1	G	318	GLU	CG-CD	9.19	1.65	1.51
1	L	277	GLU	CD-OE2	8.78	1.35	1.25
1	K	318	GLU	CD-OE2	8.28	1.34	1.25

The worst 5 of 40 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	318	GLU	CA-CB-CG	18.25	153.56	113.40
1	K	167	LYS	CD-CE-NZ	-14.14	79.17	111.70
1	K	167	LYS	CB-CG-CD	12.38	143.79	111.60
1	J	36	LYS	CG-CD-CE	-11.92	76.14	111.90
1	H	318	GLU	N-CA-CB	-9.80	92.96	110.60

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	141	ASN	Sidechain
1	E	27	GLU	Sidechain
1	G	318	GLU	Sidechain
1	I	231	GLU	Sidechain
1	K	139	LYS	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2548	0	2552	17	0
1	B	2524	0	2511	14	0
1	C	2610	0	2684	24	0
1	D	2549	0	2566	15	0
1	E	2506	0	2488	32	0
1	F	2532	0	2522	20	0
1	G	2501	0	2485	17	0
1	H	2525	0	2525	14	0
1	I	2470	0	2417	24	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	J	2517	0	2498	18	0
1	K	2518	0	2498	21	0
1	L	2423	0	2316	15	0
2	A	48	0	72	3	0
2	B	28	0	42	2	0
2	C	48	0	72	8	0
2	D	32	0	48	2	0
2	E	36	0	54	4	0
2	F	40	0	60	4	0
2	G	28	0	42	3	0
2	H	24	0	36	3	1
2	I	24	0	36	3	0
2	J	28	0	42	2	0
2	K	16	0	24	0	0
2	L	12	0	18	0	0
3	A	44	0	26	0	0
3	B	44	0	26	1	0
3	C	44	0	26	0	0
3	D	44	0	26	2	0
3	E	44	0	26	0	0
3	F	44	0	26	0	0
3	G	44	0	26	1	0
3	H	44	0	26	1	0
3	I	44	0	26	1	0
3	J	44	0	26	1	0
3	K	44	0	26	1	0
3	L	44	0	26	2	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
4	G	2	0	0	0	0
4	H	2	0	0	0	0
4	I	2	0	0	0	0
4	J	2	0	0	0	0
4	K	2	0	0	0	0
4	L	2	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
5	I	1	0	0	0	0
5	J	1	0	0	0	0
5	K	1	0	0	0	0
5	L	1	0	0	0	0
6	A	231	0	0	5	0
6	B	238	0	0	1	0
6	C	284	0	0	2	0
6	D	221	0	0	1	0
6	E	197	0	0	1	0
6	F	210	0	0	3	0
6	G	197	0	0	1	0
6	H	198	0	0	1	0
6	I	90	0	0	1	0
6	J	157	0	0	0	0
6	K	149	0	0	1	0
6	L	70	0	0	0	0
All	All	33393	0	30920	203	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 203 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:6:MET:CE	1:E:8:ALA:HB2	1.77	1.15
1:G:316:LYS:NZ	1:G:318:GLU:OE2	1.93	1.01
1:E:6:MET:HE1	1:E:8:ALA:HB2	1.40	0.98
1:A:36:LYS:NZ	6:A:501:HOH:O	1.98	0.97
1:C:96:CYS:HB2	2:C:407:EDO:H22	1.58	0.84

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:220:LYS:NZ	2:H:706:EDO:O2[1_656]	1.30	0.90

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	345/353 (98%)	335 (97%)	9 (3%)	1 (0%)	37 37
1	B	344/353 (98%)	333 (97%)	10 (3%)	1 (0%)	37 37
1	C	353/353 (100%)	342 (97%)	10 (3%)	1 (0%)	37 37
1	D	344/353 (98%)	333 (97%)	10 (3%)	1 (0%)	37 37
1	E	341/353 (97%)	331 (97%)	9 (3%)	1 (0%)	37 37
1	F	345/353 (98%)	335 (97%)	9 (3%)	1 (0%)	37 37
1	G	339/353 (96%)	328 (97%)	10 (3%)	1 (0%)	37 37
1	H	343/353 (97%)	333 (97%)	9 (3%)	1 (0%)	37 37
1	I	340/353 (96%)	329 (97%)	10 (3%)	1 (0%)	37 37
1	J	344/353 (98%)	332 (96%)	11 (3%)	1 (0%)	37 37
1	K	343/353 (97%)	332 (97%)	9 (3%)	2 (1%)	22 19
1	L	339/353 (96%)	327 (96%)	11 (3%)	1 (0%)	37 37
All	All	4120/4236 (97%)	3990 (97%)	117 (3%)	13 (0%)	37 37

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	K	140	SER
1	A	290	VAL
1	B	290	VAL
1	C	290	VAL
1	D	290	VAL

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/278 (96%)	266 (100%)	1 (0%)	89	93
1	B	261/278 (94%)	260 (100%)	1 (0%)	89	93
1	C	278/278 (100%)	277 (100%)	1 (0%)	89	93
1	D	266/278 (96%)	264 (99%)	2 (1%)	79	84
1	E	258/278 (93%)	256 (99%)	2 (1%)	79	84
1	F	261/278 (94%)	258 (99%)	3 (1%)	70	77
1	G	258/278 (93%)	257 (100%)	1 (0%)	89	93
1	H	262/278 (94%)	261 (100%)	1 (0%)	89	93
1	I	247/278 (89%)	242 (98%)	5 (2%)	50	57
1	J	258/278 (93%)	256 (99%)	2 (1%)	79	84
1	K	259/278 (93%)	258 (100%)	1 (0%)	89	93
1	L	235/278 (84%)	229 (97%)	6 (3%)	41	46
All	All	3110/3336 (93%)	3084 (99%)	26 (1%)	81	84

5 of 26 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	314	SER
1	J	335[A]	ARG
1	L	335[A]	ARG
1	I	335[B]	ARG
1	J	335[B]	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	12	GLN
1	H	21	GLN
1	L	304	ASN
1	J	21	GLN
1	K	264	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 139 ligands modelled in this entry, 36 are monoatomic - leaving 103 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	EDO	H	707	-	3,3,3	0.43	0	2,2,2	0.30	0
2	EDO	C	404	-	3,3,3	0.34	0	2,2,2	0.66	0
2	EDO	H	705	-	3,3,3	0.45	0	2,2,2	0.19	0
3	NAD	I	402	-	42,48,48	0.57	0	50,73,73	0.77	3 (6%)
2	EDO	D	507	-	3,3,3	0.46	0	2,2,2	0.38	0
2	EDO	A	401	-	3,3,3	0.66	0	2,2,2	0.53	0
2	EDO	A	403	-	3,3,3	0.45	0	2,2,2	0.34	0
2	EDO	E	401	-	3,3,3	0.66	0	2,2,2	0.10	0
2	EDO	I	401	-	3,3,3	0.62	0	2,2,2	0.14	0
2	EDO	G	504	-	3,3,3	0.47	0	2,2,2	0.33	0
2	EDO	K	404	-	3,3,3	0.49	0	2,2,2	0.22	0
2	EDO	I	405	-	3,3,3	0.46	0	2,2,2	0.31	0
2	EDO	J	408	-	3,3,3	0.41	0	2,2,2	0.52	0
2	EDO	K	405	-	3,3,3	0.42	0	2,2,2	0.52	0
2	EDO	A	405	-	3,3,3	0.50	0	2,2,2	0.34	0
2	EDO	L	404	-	3,3,3	0.42	0	2,2,2	0.45	0
2	EDO	E	404	-	3,3,3	0.38	0	2,2,2	0.51	0
2	EDO	A	411	-	3,3,3	0.45	0	2,2,2	0.45	0
2	EDO	J	404	-	3,3,3	0.45	0	2,2,2	0.37	0
2	EDO	F	401	-	3,3,3	0.58	0	2,2,2	0.19	0
3	NAD	E	402	-	42,48,48	0.57	0	50,73,73	0.85	4 (8%)
2	EDO	B	403	-	3,3,3	0.43	0	2,2,2	0.38	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	D	505	-	3,3,3	0.39	0	2,2,2	0.54	0
3	NAD	D	501	-	42,48,48	0.62	0	50,73,73	0.86	3 (6%)
2	EDO	D	509	-	3,3,3	0.40	0	2,2,2	0.31	0
2	EDO	I	406	-	3,3,3	0.40	0	2,2,2	0.64	0
2	EDO	C	410	-	3,3,3	0.43	0	2,2,2	0.40	0
2	EDO	I	403	-	3,3,3	0.43	0	2,2,2	0.43	0
2	EDO	H	706	-	3,3,3	0.46	0	2,2,2	0.44	0
2	EDO	C	409	-	3,3,3	0.43	0	2,2,2	0.43	0
2	EDO	C	412	-	3,3,3	0.41	0	2,2,2	0.41	0
2	EDO	J	407	-	3,3,3	0.43	0	2,2,2	0.58	0
2	EDO	G	502	-	3,3,3	0.41	0	2,2,2	0.42	0
2	EDO	C	408	-	3,3,3	0.43	0	2,2,2	0.34	0
2	EDO	H	701	-	3,3,3	0.43	0	2,2,2	0.36	0
2	EDO	A	410	-	3,3,3	0.46	0	2,2,2	0.35	0
2	EDO	D	506	-	3,3,3	0.44	0	2,2,2	0.32	0
2	EDO	E	405	-	3,3,3	0.46	0	2,2,2	0.28	0
2	EDO	F	409	-	3,3,3	0.46	0	2,2,2	0.37	0
2	EDO	J	406	-	3,3,3	0.38	0	2,2,2	0.63	0
2	EDO	E	408	-	3,3,3	0.46	0	2,2,2	0.59	0
3	NAD	H	703	-	42,48,48	0.56	0	50,73,73	0.80	3 (6%)
3	NAD	C	402	-	42,48,48	0.62	0	50,73,73	0.88	2 (4%)
2	EDO	A	409[B]	-	3,3,3	0.45	0	2,2,2	0.32	0
2	EDO	F	410	-	3,3,3	0.50	0	2,2,2	0.18	0
2	EDO	A	412	-	3,3,3	0.35	0	2,2,2	0.80	0
2	EDO	C	405	-	3,3,3	0.47	0	2,2,2	0.33	0
2	EDO	J	405	-	3,3,3	0.51	0	2,2,2	0.15	0
3	NAD	G	501	-	42,48,48	0.59	0	50,73,73	0.79	3 (6%)
2	EDO	D	508	-	3,3,3	0.44	0	2,2,2	0.14	0
2	EDO	C	407	-	3,3,3	0.45	0	2,2,2	0.47	0
2	EDO	G	506	-	3,3,3	0.42	0	2,2,2	0.42	0
3	NAD	B	402	-	42,48,48	0.55	0	50,73,73	0.81	2 (4%)
2	EDO	D	504	-	3,3,3	0.73	0	2,2,2	0.26	0
2	EDO	F	404	-	3,3,3	0.36	0	2,2,2	0.72	0
2	EDO	E	407	-	3,3,3	0.46	0	2,2,2	0.21	0
2	EDO	G	503	-	3,3,3	0.39	0	2,2,2	0.39	0
2	EDO	J	401	-	3,3,3	0.57	0	2,2,2	0.11	0
2	EDO	J	403	-	3,3,3	0.41	0	2,2,2	0.52	0
2	EDO	B	404	-	3,3,3	0.38	0	2,2,2	0.55	0
3	NAD	F	402	-	42,48,48	0.56	0	50,73,73	0.83	2 (4%)
2	EDO	F	403	-	3,3,3	0.44	0	2,2,2	0.49	0
3	NAD	J	402	-	42,48,48	0.59	0	50,73,73	0.83	3 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	A	409[A]	-	3,3,3	0.49	0	2,2,2	0.24	0
2	EDO	G	507	-	3,3,3	0.45	0	2,2,2	0.32	0
2	EDO	B	407	-	3,3,3	0.49	0	2,2,2	0.12	0
2	EDO	A	408	-	3,3,3	0.40	0	2,2,2	0.52	0
2	EDO	A	404	-	3,3,3	0.46	0	2,2,2	0.31	0
2	EDO	G	508	-	3,3,3	0.40	0	2,2,2	0.61	0
2	EDO	C	413	-	3,3,3	0.60	0	2,2,2	0.07	0
3	NAD	A	402	-	42,48,48	0.61	0	50,73,73	0.87	3 (6%)
2	EDO	K	403	-	3,3,3	0.38	0	2,2,2	0.53	0
2	EDO	C	403	-	3,3,3	0.47	0	2,2,2	0.41	0
2	EDO	F	408	-	3,3,3	0.39	0	2,2,2	0.56	0
2	EDO	C	401	-	3,3,3	0.68	0	2,2,2	0.50	0
2	EDO	B	408	-	3,3,3	0.46	0	2,2,2	0.46	0
2	EDO	F	411	-	3,3,3	0.47	0	2,2,2	0.22	0
2	EDO	E	403	-	3,3,3	0.39	0	2,2,2	0.49	0
2	EDO	A	406	-	3,3,3	0.35	0	2,2,2	0.87	0
2	EDO	E	410	-	3,3,3	0.38	0	2,2,2	0.28	0
2	EDO	L	401	-	3,3,3	0.54	0	2,2,2	0.11	0
2	EDO	A	407	-	3,3,3	0.49	0	2,2,2	0.26	0
2	EDO	I	404	-	3,3,3	0.35	0	2,2,2	0.42	0
2	EDO	E	406	-	3,3,3	0.39	0	2,2,2	0.51	0
2	EDO	D	502	-	3,3,3	0.45	0	2,2,2	0.26	0
2	EDO	K	401	-	3,3,3	0.53	0	2,2,2	0.25	0
2	EDO	B	401	-	3,3,3	0.55	0	2,2,2	0.17	0
2	EDO	C	411	-	3,3,3	0.43	0	2,2,2	0.28	0
2	EDO	F	405	-	3,3,3	0.48	0	2,2,2	0.18	0
2	EDO	I	407	-	3,3,3	0.44	0	2,2,2	0.37	0
2	EDO	B	405	-	3,3,3	0.41	0	2,2,2	0.52	0
3	NAD	K	402	-	42,48,48	0.55	0	50,73,73	0.77	2 (4%)
2	EDO	B	406	-	3,3,3	0.37	0	2,2,2	0.66	0
2	EDO	C	406	-	3,3,3	0.54	0	2,2,2	0.08	0
2	EDO	H	702	-	3,3,3	0.66	0	2,2,2	0.16	0
2	EDO	G	505	-	3,3,3	0.44	0	2,2,2	0.39	0
2	EDO	D	503	-	3,3,3	0.45	0	2,2,2	0.42	0
3	NAD	L	402	-	42,48,48	0.54	0	50,73,73	0.86	4 (8%)
2	EDO	F	407	-	3,3,3	0.44	0	2,2,2	0.19	0
2	EDO	L	403	-	3,3,3	0.41	0	2,2,2	0.38	0
2	EDO	E	409	-	3,3,3	0.34	0	2,2,2	0.72	0
2	EDO	H	704	-	3,3,3	0.48	0	2,2,2	0.32	0
2	EDO	F	406	-	3,3,3	0.45	0	2,2,2	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	H	707	-	-	0/1/1/1	-
2	EDO	C	404	-	-	0/1/1/1	-
2	EDO	H	705	-	-	0/1/1/1	-
3	NAD	I	402	-	-	4/26/62/62	0/5/5/5
2	EDO	D	507	-	-	0/1/1/1	-
2	EDO	A	401	-	-	1/1/1/1	-
2	EDO	A	403	-	-	0/1/1/1	-
2	EDO	E	401	-	-	0/1/1/1	-
2	EDO	I	401	-	-	0/1/1/1	-
2	EDO	G	504	-	-	1/1/1/1	-
2	EDO	K	404	-	-	0/1/1/1	-
2	EDO	I	405	-	-	0/1/1/1	-
2	EDO	J	408	-	-	1/1/1/1	-
2	EDO	K	405	-	-	0/1/1/1	-
2	EDO	A	405	-	-	0/1/1/1	-
2	EDO	L	404	-	-	1/1/1/1	-
2	EDO	E	404	-	-	0/1/1/1	-
2	EDO	A	411	-	-	1/1/1/1	-
2	EDO	J	404	-	-	1/1/1/1	-
2	EDO	F	401	-	-	0/1/1/1	-
3	NAD	E	402	-	-	5/26/62/62	0/5/5/5
2	EDO	B	403	-	-	0/1/1/1	-
2	EDO	D	505	-	-	0/1/1/1	-
3	NAD	D	501	-	-	4/26/62/62	0/5/5/5
2	EDO	D	509	-	-	0/1/1/1	-
2	EDO	I	406	-	-	1/1/1/1	-
2	EDO	C	410	-	-	0/1/1/1	-
2	EDO	I	403	-	-	0/1/1/1	-
2	EDO	H	706	-	-	0/1/1/1	-
2	EDO	C	409	-	-	0/1/1/1	-
2	EDO	C	412	-	-	1/1/1/1	-
2	EDO	J	407	-	-	1/1/1/1	-
2	EDO	G	502	-	-	0/1/1/1	-
2	EDO	C	408	-	-	0/1/1/1	-
2	EDO	H	701	-	-	0/1/1/1	-
2	EDO	A	410	-	-	0/1/1/1	-
2	EDO	D	506	-	-	0/1/1/1	-
2	EDO	E	405	-	-	0/1/1/1	-
2	EDO	F	409	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	J	406	-	-	1/1/1/1	-
2	EDO	E	408	-	-	1/1/1/1	-
3	NAD	H	703	-	-	5/26/62/62	0/5/5/5
3	NAD	C	402	-	-	4/26/62/62	0/5/5/5
2	EDO	A	409[B]	-	-	0/1/1/1	-
2	EDO	F	410	-	-	0/1/1/1	-
2	EDO	A	412	-	-	1/1/1/1	-
2	EDO	C	405	-	-	0/1/1/1	-
2	EDO	J	405	-	-	1/1/1/1	-
3	NAD	G	501	-	-	4/26/62/62	0/5/5/5
2	EDO	D	508	-	-	0/1/1/1	-
2	EDO	C	407	-	-	0/1/1/1	-
2	EDO	G	506	-	-	0/1/1/1	-
3	NAD	B	402	-	-	4/26/62/62	0/5/5/5
2	EDO	D	504	-	-	0/1/1/1	-
2	EDO	F	404	-	-	0/1/1/1	-
2	EDO	E	407	-	-	0/1/1/1	-
2	EDO	G	503	-	-	0/1/1/1	-
2	EDO	J	401	-	-	0/1/1/1	-
2	EDO	J	403	-	-	1/1/1/1	-
2	EDO	B	404	-	-	0/1/1/1	-
3	NAD	F	402	-	-	4/26/62/62	0/5/5/5
2	EDO	F	403	-	-	0/1/1/1	-
3	NAD	J	402	-	-	4/26/62/62	0/5/5/5
2	EDO	A	409[A]	-	-	0/1/1/1	-
2	EDO	G	507	-	-	0/1/1/1	-
2	EDO	B	407	-	-	0/1/1/1	-
2	EDO	A	408	-	-	0/1/1/1	-
2	EDO	A	404	-	-	0/1/1/1	-
2	EDO	G	508	-	-	0/1/1/1	-
2	EDO	C	413	-	-	1/1/1/1	-
3	NAD	A	402	-	-	4/26/62/62	0/5/5/5
2	EDO	K	403	-	-	1/1/1/1	-
2	EDO	C	403	-	-	1/1/1/1	-
2	EDO	F	408	-	-	0/1/1/1	-
2	EDO	C	401	-	-	1/1/1/1	-
2	EDO	B	408	-	-	1/1/1/1	-
2	EDO	F	411	-	-	0/1/1/1	-
2	EDO	E	403	-	-	0/1/1/1	-
2	EDO	A	406	-	-	1/1/1/1	-
2	EDO	E	410	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	L	401	-	-	0/1/1/1	-
2	EDO	A	407	-	-	0/1/1/1	-
2	EDO	I	404	-	-	1/1/1/1	-
2	EDO	E	406	-	-	1/1/1/1	-
2	EDO	D	502	-	-	0/1/1/1	-
2	EDO	K	401	-	-	1/1/1/1	-
2	EDO	B	401	-	-	0/1/1/1	-
2	EDO	C	411	-	-	0/1/1/1	-
2	EDO	F	405	-	-	0/1/1/1	-
2	EDO	I	407	-	-	1/1/1/1	-
2	EDO	B	405	-	-	0/1/1/1	-
3	NAD	K	402	-	-	4/26/62/62	0/5/5/5
2	EDO	B	406	-	-	1/1/1/1	-
2	EDO	C	406	-	-	1/1/1/1	-
2	EDO	H	702	-	-	0/1/1/1	-
2	EDO	G	505	-	-	0/1/1/1	-
2	EDO	D	503	-	-	0/1/1/1	-
3	NAD	L	402	-	-	4/26/62/62	0/5/5/5
2	EDO	F	407	-	-	0/1/1/1	-
2	EDO	L	403	-	-	1/1/1/1	-
2	EDO	E	409	-	-	0/1/1/1	-
2	EDO	H	704	-	-	0/1/1/1	-
2	EDO	F	406	-	-	0/1/1/1	-

There are no bond length outliers.

The worst 5 of 34 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	402	NAD	C4B-O4B-C1B	-3.39	106.82	109.92
3	D	501	NAD	C4B-O4B-C1B	-3.31	106.89	109.92
3	K	402	NAD	C4B-O4B-C1B	-3.21	106.98	109.92
3	A	402	NAD	C4B-O4B-C1B	-3.04	107.14	109.92
3	L	402	NAD	C4B-O4B-C1B	-3.04	107.14	109.92

There are no chirality outliers.

5 of 77 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	402	NAD	O4D-C1D-N1N-C2N
3	A	402	NAD	O4D-C1D-N1N-C6N
3	A	402	NAD	C2D-C1D-N1N-C2N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	402	NAD	C2D-C1D-N1N-C6N
3	B	402	NAD	O4D-C1D-N1N-C2N


There are no ring outliers.


35 monomers are involved in 45 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	404	EDO	1	0
3	I	402	NAD	1	0
2	A	401	EDO	1	0
2	I	405	EDO	1	0
2	B	403	EDO	1	0
2	D	505	EDO	1	0
3	D	501	NAD	2	0
2	H	706	EDO	0	1
2	C	412	EDO	1	0
2	J	407	EDO	2	0
2	H	701	EDO	2	0
2	F	409	EDO	1	0
3	H	703	NAD	1	0
2	A	409[B]	EDO	1	0
3	G	501	NAD	1	0
2	D	508	EDO	1	0
2	C	407	EDO	2	0
3	B	402	NAD	1	0
2	F	404	EDO	1	0
2	E	407	EDO	1	0
2	G	503	EDO	2	0
2	B	404	EDO	1	0
3	J	402	NAD	1	0
2	G	508	EDO	1	0
2	C	401	EDO	2	0
2	F	411	EDO	1	0
2	A	406	EDO	1	0
2	E	410	EDO	1	0
2	I	404	EDO	2	0
2	E	406	EDO	2	0
3	K	402	NAD	1	0
2	C	406	EDO	2	0
3	L	402	NAD	2	0
2	F	407	EDO	1	0
2	H	704	EDO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
































5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	342/353 (96%)	-0.75	1 (0%)	90 91	18, 30, 54, 89	5 (1%)
1	B	342/353 (96%)	-0.72	3 (0%)	81 82	16, 30, 56, 89	4 (1%)
1	C	344/353 (97%)	-0.85	2 (0%)	85 86	14, 27, 43, 95	11 (3%)
1	D	343/353 (97%)	-0.69	2 (0%)	85 86	16, 31, 55, 91	3 (0%)
1	E	340/353 (96%)	-0.45	2 (0%)	85 86	15, 36, 77, 106	3 (0%)
1	F	343/353 (97%)	-0.68	2 (0%)	85 86	17, 33, 58, 86	4 (1%)
1	G	340/353 (96%)	-0.48	0	100 100	16, 36, 70, 83	1 (0%)
1	H	342/353 (96%)	-0.48	3 (0%)	81 82	18, 38, 64, 101	3 (0%)
1	I	341/353 (96%)	-0.05	3 (0%)	81 82	29, 52, 87, 117	1 (0%)
1	J	343/353 (97%)	-0.47	3 (0%)	81 82	20, 40, 65, 86	3 (0%)
1	K	342/353 (96%)	-0.54	1 (0%)	90 91	21, 38, 62, 92	3 (0%)
1	L	340/353 (96%)	-0.04	3 (0%)	81 82	32, 54, 89, 119	1 (0%)
All	All	4102/4236 (96%)	-0.52	25 (0%)	85 86	14, 36, 72, 119	42 (1%)

The worst 5 of 25 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	K	1	MET	3.7
1	D	1	MET	3.0
1	I	129	ILE	2.8
1	J	1	MET	2.8
1	H	243	VAL	2.7

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	G	504	4/4	0.78	0.16	64,65,67,69	0
2	EDO	C	407	4/4	0.81	0.16	48,50,52,56	0
2	EDO	I	407	4/4	0.82	0.14	65,65,68,69	0
2	EDO	J	405	4/4	0.82	0.21	60,62,63,63	0
2	EDO	C	413	4/4	0.83	0.15	46,48,54,57	0
2	EDO	C	408	4/4	0.84	0.16	56,59,62,64	0
2	EDO	I	405	4/4	0.84	0.17	66,67,68,68	0
2	EDO	D	507	4/4	0.84	0.12	58,66,71,73	0
2	EDO	F	409	4/4	0.84	0.14	49,58,64,64	0
2	EDO	C	405	4/4	0.85	0.15	50,51,55,63	0
2	EDO	F	401	4/4	0.85	0.15	42,44,48,50	0
2	EDO	J	401	4/4	0.85	0.15	45,47,50,61	0
2	EDO	G	508	4/4	0.85	0.12	46,47,47,47	0
2	EDO	J	408	4/4	0.85	0.20	55,67,73,73	0
2	EDO	A	409[B]	4/4	0.86	0.14	28,34,36,36	4
2	EDO	B	405	4/4	0.86	0.14	59,60,62,63	0
2	EDO	A	408	4/4	0.86	0.15	49,51,56,57	0
2	EDO	A	409[A]	4/4	0.86	0.14	28,33,36,36	4
2	EDO	G	507	4/4	0.87	0.13	71,72,73,76	0
2	EDO	E	405	4/4	0.87	0.20	54,58,58,64	0
2	EDO	I	404	4/4	0.87	0.18	56,56,65,67	0
2	EDO	E	407	4/4	0.87	0.16	68,69,72,72	0
2	EDO	A	411	4/4	0.87	0.13	59,66,70,74	0
2	EDO	D	504	4/4	0.87	0.14	32,37,41,43	0
2	EDO	G	502	4/4	0.87	0.20	58,59,61,67	0
2	EDO	J	406	4/4	0.87	0.16	65,67,68,76	0
2	EDO	J	407	4/4	0.87	0.13	50,51,56,61	0
2	EDO	B	403	4/4	0.87	0.14	48,48,57,57	0
2	EDO	C	406	4/4	0.88	0.19	44,49,52,64	0
2	EDO	F	410	4/4	0.88	0.13	53,58,63,68	0
2	EDO	D	509	4/4	0.88	0.15	61,64,72,76	0
2	EDO	E	408	4/4	0.88	0.11	44,48,55,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	E	401	4/4	0.88	0.13	30,39,42,46	0
2	EDO	F	408	4/4	0.88	0.20	68,69,69,74	0
2	EDO	H	702	4/4	0.88	0.13	37,41,43,44	0
2	EDO	I	401	4/4	0.88	0.12	41,45,46,48	0
2	EDO	D	506	4/4	0.89	0.12	53,57,58,59	0
2	EDO	A	410	4/4	0.89	0.15	63,66,69,72	0
2	EDO	A	405	4/4	0.89	0.17	43,44,52,55	0
2	EDO	I	406	4/4	0.89	0.14	56,56,57,57	0
2	EDO	C	401	4/4	0.89	0.12	32,35,35,35	0
2	EDO	C	412	4/4	0.89	0.13	57,60,61,64	0
2	EDO	G	505	4/4	0.89	0.11	47,49,50,52	0
2	EDO	C	403	4/4	0.89	0.12	43,45,47,52	0
2	EDO	D	502	4/4	0.89	0.12	45,48,49,50	0
2	EDO	A	412	4/4	0.89	0.16	55,57,58,64	0
2	EDO	K	405	4/4	0.89	0.10	51,54,63,69	0
2	EDO	L	404	4/4	0.89	0.14	51,52,53,61	0
2	EDO	E	409	4/4	0.90	0.15	50,51,58,59	0
2	EDO	B	406	4/4	0.90	0.16	60,60,62,63	0
2	EDO	H	707	4/4	0.90	0.11	51,55,59,65	0
2	EDO	G	503	4/4	0.90	0.20	36,42,47,57	0
2	EDO	I	403	4/4	0.90	0.17	65,65,68,76	0
2	EDO	J	403	4/4	0.90	0.10	63,64,64,66	0
2	EDO	H	701	4/4	0.91	0.12	50,54,56,59	0
2	EDO	E	403	4/4	0.91	0.13	47,55,57,60	0
2	EDO	A	404	4/4	0.91	0.10	57,59,59,62	0
2	EDO	K	403	4/4	0.91	0.10	52,53,54,58	0
2	EDO	J	404	4/4	0.91	0.13	67,69,69,72	0
2	EDO	L	401	4/4	0.91	0.12	40,49,54,55	0
2	EDO	L	403	4/4	0.91	0.15	58,59,60,65	0
2	EDO	F	403	4/4	0.91	0.11	47,48,51,54	0
2	EDO	A	403	4/4	0.92	0.12	40,50,50,53	0
2	EDO	B	408	4/4	0.92	0.12	46,50,55,58	0
2	EDO	E	404	4/4	0.92	0.10	40,48,50,54	0
2	EDO	K	401	4/4	0.92	0.13	40,41,51,57	0
2	EDO	D	508	4/4	0.92	0.12	40,52,56,59	0
2	EDO	K	404	4/4	0.92	0.12	38,48,49,52	0
2	EDO	H	704	4/4	0.92	0.10	52,53,55,57	0
2	EDO	F	407	4/4	0.92	0.11	49,53,53,54	0
2	EDO	D	505	4/4	0.92	0.13	50,54,55,57	0
2	EDO	G	506	4/4	0.92	0.10	63,68,71,74	0
5	CL	K	408	1/1	0.92	0.11	60,60,60,60	0
2	EDO	H	705	4/4	0.93	0.08	43,45,48,51	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	H	706	4/4	0.93	0.09	50,51,54,55	0
2	EDO	C	409	4/4	0.93	0.10	56,58,61,64	0
2	EDO	C	411	4/4	0.93	0.12	43,55,56,62	0
2	EDO	F	405	4/4	0.93	0.11	38,38,41,41	0
2	EDO	F	406	4/4	0.93	0.09	53,55,59,59	0
2	EDO	D	503	4/4	0.93	0.14	50,52,55,69	0
5	CL	F	414	1/1	0.93	0.10	56,56,56,56	0
5	CL	I	410	1/1	0.93	0.09	80,80,80,80	0
2	EDO	A	401	4/4	0.93	0.11	34,35,36,40	0
5	CL	L	407	1/1	0.93	0.09	64,64,64,64	0
2	EDO	E	410	4/4	0.94	0.14	35,36,43,51	0
5	CL	J	411	1/1	0.94	0.08	56,56,56,56	0
2	EDO	F	411	4/4	0.94	0.14	40,45,47,47	0
2	EDO	B	401	4/4	0.94	0.10	33,47,51,54	0
2	EDO	A	406	4/4	0.95	0.13	26,39,44,56	0
3	NAD	I	402	44/44	0.95	0.07	35,44,50,63	0
3	NAD	L	402	44/44	0.95	0.07	34,50,59,67	0
2	EDO	B	404	4/4	0.95	0.11	23,28,43,55	0
2	EDO	C	410	4/4	0.96	0.09	32,40,44,47	0
2	EDO	F	404	4/4	0.96	0.13	22,29,38,44	0
3	NAD	H	703	44/44	0.96	0.06	22,34,39,41	0
5	CL	G	511	1/1	0.96	0.08	54,54,54,54	0
5	CL	A	415	1/1	0.97	0.05	48,48,48,48	0
5	CL	B	411	1/1	0.97	0.08	49,49,49,49	0
5	CL	C	416	1/1	0.97	0.06	54,54,54,54	0
5	CL	D	512	1/1	0.97	0.06	53,53,53,53	0
5	CL	E	413	1/1	0.97	0.07	55,55,55,55	0
2	EDO	C	404	4/4	0.97	0.07	37,37,41,41	0
3	NAD	E	402	44/44	0.97	0.05	24,31,37,42	0
5	CL	H	710	1/1	0.97	0.08	54,54,54,54	0
3	NAD	G	501	44/44	0.97	0.06	22,31,36,37	0
2	EDO	E	406	4/4	0.97	0.07	21,30,42,43	0
2	EDO	B	407	4/4	0.97	0.06	27,35,38,39	0
2	EDO	A	407	4/4	0.97	0.06	31,36,38,39	0
3	NAD	D	501	44/44	0.98	0.04	19,28,31,32	0
4	ZN	I	408	1/1	0.98	0.04	50,50,50,50	0
4	ZN	I	409	1/1	0.98	0.13	70,70,70,70	0
4	ZN	L	405	1/1	0.98	0.04	57,57,57,57	0
3	NAD	A	402	44/44	0.98	0.04	18,25,30,31	0
3	NAD	F	402	44/44	0.98	0.05	19,28,32,37	0
3	NAD	J	402	44/44	0.98	0.05	22,34,40,44	0
3	NAD	K	402	44/44	0.98	0.05	21,31,38,39	0


Continued on next page...


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ZN	A	413	1/1	0.99	0.01	29,29,29,29	0
4	ZN	D	510	1/1	0.99	0.02	31,31,31,31	0
4	ZN	D	511	1/1	0.99	0.02	26,26,26,26	0
4	ZN	E	411	1/1	0.99	0.04	35,35,35,35	0
4	ZN	G	509	1/1	0.99	0.02	33,33,33,33	0
4	ZN	H	708	1/1	0.99	0.03	34,34,34,34	0
4	ZN	H	709	1/1	0.99	0.01	32,32,32,32	0
3	NAD	C	402	44/44	0.99	0.04	15,22,27,30	0
3	NAD	B	402	44/44	0.99	0.04	15,23,29,30	0
4	ZN	J	409	1/1	0.99	0.04	38,38,38,38	0
4	ZN	J	410	1/1	0.99	0.03	38,38,38,38	0
4	ZN	K	406	1/1	0.99	0.03	36,36,36,36	0
4	ZN	K	407	1/1	0.99	0.02	37,37,37,37	0
4	ZN	B	409	1/1	1.00	0.01	29,29,29,29	0
4	ZN	B	410	1/1	1.00	0.01	27,27,27,27	0
4	ZN	E	412	1/1	1.00	0.02	29,29,29,29	0
4	ZN	F	412	1/1	1.00	0.02	30,30,30,30	0
4	ZN	F	413	1/1	1.00	0.03	30,30,30,30	0
4	ZN	C	414	1/1	1.00	0.01	27,27,27,27	0
4	ZN	G	510	1/1	1.00	0.02	32,32,32,32	0
4	ZN	L	406	1/1	1.00	0.01	39,39,39,39	0
4	ZN	C	415	1/1	1.00	0.03	29,29,29,29	0
4	ZN	A	414	1/1	1.00	0.01	25,25,25,25	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.














6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.