



Full wwPDB X-ray Structure Validation Report i

Dec 2, 2024 – 07:18 PM EST

PDB ID : 4ONO
Title : CD1c in complex with PM (phosphomycoketide)
Authors : Roy, S.; Adams, E.J.
Deposited on : 2014-01-28
Resolution : 2.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.21
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.004 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3333 (2.70-2.70)
Clashscore	180529	3684 (2.70-2.70)
Ramachandran outliers	177936	3633 (2.70-2.70)
Sidechain outliers	177891	3633 (2.70-2.70)
RSRZ outliers	164620	3333 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	B	1	-	-	X	-

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 5909 atoms, of which 2840 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-2-microglobulin/T-cell surface glycoprotein CD1c/T-cell surface glycoprotein CD1b chimeric protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	374	5738	1896	2769	509	552	12	539	0	0

There are 29 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	PRO	-	expression tag	UNP P61769
A	100	GLY	-	linker	UNP P29017
A	101	GLY	-	linker	UNP P29017
A	102	GLY	-	linker	UNP P29017
A	103	GLY	-	linker	UNP P29017
A	105	SER	-	linker	UNP P29017
A	106	GLY	-	linker	UNP P29017
A	107	GLY	-	linker	UNP P29017
A	108	SER	-	linker	UNP P29017
A	109	GLY	-	linker	UNP P29017
A	110	SER	-	linker	UNP P29017
A	111	GLY	-	linker	UNP P29017
A	112	GLY	-	linker	UNP P29017
A	113	GLY	-	linker	UNP P29017
A	114	SER	-	linker	UNP P29017
A	115	SER	-	linker	UNP P29017
A	116	ALA	-	linker	UNP P29017
A	117	ASP	-	linker	UNP P29017
A	118	ALA	-	linker	UNP P29017
A	119	SER	-	linker	UNP P29017
A	120	GLN	-	linker	UNP P29017
A	167	GLN	ASN	engineered mutation	UNP P29017
A	172	GLN	ASN	engineered mutation	UNP P29017
A	223	GLY	LYS	engineered mutation	UNP P29017
A	243	GLN	ASN	engineered mutation	UNP P29017
A	356	GLN	ASN	engineered mutation	UNP P29016

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	357	GLY	TRP	engineered mutation	UNP P29016
A	394	HIS	ARG	expression tag	UNP P29016
A	395	HIS	ASN	expression tag	UNP P29016

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	B	2	Total C N O 28 16 2 10	0	0	0

- Molecule 3 is (4R,8S,16S,20R)-4,8,12,16,20-pentamethylheptacosyl dihydrogen phosphate (three-letter code: PMK) (formula: C₃₂H₆₇O₄P).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C H O P 102 32 65 4 1	30	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl⁻).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	6	Total C1 6 6	0	0

- Molecule 5 is MALONATE ION (three-letter code: MLI) (formula: C₃H₂O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C H O 9 3 2 4	0	0
5	A	1	Total C H O 9 3 2 4	0	0
5	A	1	Total C H O 9 3 2 4	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	8	Total O 8 8	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-2-microglobulin/T-cell surface glycoprotein CD1c/T-cell surface glycoprotein CD1b chimeric protein



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.31Å 86.98Å 89.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.55 – 2.71 34.55 – 2.71	Depositor EDS
% Data completeness (in resolution range)	96.2 (34.55-2.71) 95.5 (34.55-2.71)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.33 (at 2.69Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R , R_{free}	0.219 , 0.271 0.226 , 0.275	Depositor DCC
R_{free} test set	556 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	54.0	Xtriage
Anisotropy	0.458	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.51 , 396.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.012 for -h,l,k	Xtriage
F_o, F_c correlation	0.46	EDS
Total number of atoms	5909	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MLI, CL, NAG, PMK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/3058	0.48	0/4153

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2969	2769	2786	22	0
2	B	28	0	25	7	0
3	A	37	65	67	3	0
4	A	6	0	0	1	0
5	A	21	6	6	0	0
6	A	8	0	0	1	0
All	All	3069	2840	2884	30	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (30) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:PHE:N	1:A:278:ILE:HD11	1.83	0.94
2:B:1:NAG:C8	2:B:1:NAG:H3	2.03	0.88
2:B:1:NAG:H83	2:B:1:NAG:C3	2.10	0.80
2:B:1:NAG:C8	2:B:1:NAG:C3	2.61	0.78
2:B:1:NAG:H3	2:B:1:NAG:H83	1.64	0.76
4:A:407:CL:CL	6:A:503:HOH:O	2.43	0.72
2:B:1:NAG:H83	2:B:1:NAG:O3	1.89	0.72
1:A:228:PHE:H	1:A:278:ILE:HD11	1.65	0.62
2:B:1:NAG:H3	2:B:1:NAG:H82	1.80	0.61
1:A:135:ASN:OD1	1:A:138:TRP:N	2.37	0.57
1:A:274:VAL:O	1:A:278:ILE:HG22	2.12	0.49
2:B:1:NAG:H83	2:B:1:NAG:HO3	1.77	0.48
1:A:62:PHE:HE1	1:A:130:ILE:HG12	1.78	0.48
1:A:188:TYR:CE1	1:A:192:LEU:HD23	2.49	0.47
1:A:33:SER:HB2	1:A:54:LEU:HD21	1.97	0.47
1:A:215:ALA:HB1	3:A:401:PMK:HAE2	1.97	0.47
1:A:282:CYS:HB3	1:A:283:PRO:HD3	1.97	0.47
1:A:303:PRO:HB3	1:A:327:PHE:HB3	1.97	0.46
1:A:330:LYS:HE3	1:A:359:TRP:CZ2	2.51	0.46
1:A:153:HIS:CD2	3:A:401:PMK:HAD2	2.52	0.45
1:A:227:GLY:C	1:A:278:ILE:HD11	2.36	0.45
1:A:273:THR:HG22	1:A:277:LEU:HD22	2.00	0.44
1:A:132:SER:HB2	1:A:140:ARG:HB2	2.00	0.44
1:A:300:GLN:HG2	1:A:329:PRO:HD3	2.00	0.44
1:A:379:VAL:HB	1:A:389:ILE:HB	2.00	0.42
1:A:40:LEU:HD11	1:A:81:ARG:HB2	2.02	0.42
1:A:273:THR:O	1:A:277:LEU:HB2	2.19	0.42
1:A:282:CYS:HA	3:A:401:PMK:HAF3	2.00	0.42
1:A:344:GLN:CD	1:A:344:GLN:H	2.23	0.41
1:A:171:GLY:HA3	1:A:289:LEU:HD12	2.02	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	368/395 (93%)	354 (96%)	14 (4%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	318/338 (94%)	294 (92%)	24 (8%)	11 28

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	THR
1	A	31	HIS
1	A	45	ARG
1	A	69	GLU
1	A	70	PHE
1	A	93	VAL
1	A	126	HIS
1	A	128	ILE
1	A	138	TRP
1	A	159	SER
1	A	181	LEU
1	A	260	CYS
1	A	261	HIS
1	A	266	GLN
1	A	277	LEU
1	A	289	LEU
1	A	291	ASP
1	A	298	HIS
1	A	320	LEU
1	A	332	VAL
1	A	344	GLN
1	A	348	LEU
1	A	375	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	395	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	2,1	14,14,15	0.41	0	17,19,21	1.79	2 (11%)
2	NAG	B	2	2	14,14,15	0.34	0	17,19,21	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	B	1	NAG	C2-N2-C7	4.46	128.88	122.90
2	B	1	NAG	C1-O5-C5	3.92	117.44	112.19

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	1	NAG	C3-C2-N2-C7
2	B	2	NAG	O5-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
2	B	1	NAG	C8-C7-N2-C2
2	B	1	NAG	O7-C7-N2-C2
2	B	1	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	NAG	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry (i)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PMK	A	401	-	36,36,36	0.71	0	43,43,43	1.32	5 (11%)
5	MLI	A	409	-	6,6,6	1.09	0	7,7,7	1.32	0
5	MLI	A	410	-	6,6,6	1.19	0	7,7,7	1.36	1 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MLI	A	408	-	6,6,6	1.23	0	7,7,7	1.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PMK	A	401	-	-	16/39/39/39	-
5	MLI	A	409	-	-	0/4/4/4	-
5	MLI	A	410	-	-	2/4/4/4	-
5	MLI	A	408	-	-	2/4/4/4	-

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	PMK	OAL-PBV-OBI	3.29	115.23	106.67
3	A	401	PMK	OBI-PBV-OAG	2.97	114.48	106.44
3	A	401	PMK	O1-PBV-OBI	2.77	113.90	106.67
3	A	401	PMK	CAU-CBE-CBN	-2.58	107.39	115.97
3	A	401	PMK	CAU-CBG-CBP	-2.42	107.92	115.97
5	A	410	MLI	O7-C2-C1	2.13	121.12	114.51

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	401	PMK	CAS-CBA-CBL-CAB
3	A	401	PMK	CAV-CBF-CBO-CAE
3	A	401	PMK	CBD-CAT-CBB-CBM
3	A	401	PMK	CBC-CAS-CBA-CBL
3	A	401	PMK	CAN-CAO-CAP-CAQ
3	A	401	PMK	CAS-CBA-CBL-CAY
3	A	401	PMK	CAU-CBE-CBN-CBC
3	A	401	PMK	CAU-CBG-CBP-CBH
3	A	401	PMK	CAT-CBD-CBO-CAE
3	A	401	PMK	CAT-CBD-CBO-CBF
5	A	408	MLI	C3-C1-C2-O6
3	A	401	PMK	CAV-CBF-CBO-CBD

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	401	PMK	CAU-CBE-CBN-CAD
5	A	408	MLI	C3-C1-C2-O7
3	A	401	PMK	CAU-CBG-CBP-CAF
5	A	410	MLI	C2-C1-C3-O9
3	A	401	PMK	CAV-CBH-CBP-CBG
5	A	410	MLI	C2-C1-C3-O8
3	A	401	PMK	CAV-CBH-CBP-CAF
3	A	401	PMK	CBB-CAT-CBD-CBO

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	PMK	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

Warning: The R factor obtained from EDS is 0.5295, which does not match the depositor's R factor of 0.2188. Please interpret the results in this section carefully.

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	367/395 (92%)	9.22	364 (99%) 0 0	11, 53, 92, 138	59 (16%)

All (364) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	242	GLN	27.7
1	A	263	LEU	26.5
1	A	297	VAL	25.8
1	A	272	GLU	25.7
1	A	257	GLN	25.3
1	A	355	ALA	25.2
1	A	136	GLN	23.7
1	A	258	SER	23.6
1	A	198	ASP	23.1
1	A	260	CYS	22.7
1	A	194	ARG	21.0
1	A	187	PHE	20.9
1	A	179	SER	20.7
1	A	137	SER	20.6
1	A	262	LEU	20.0
1	A	200	ALA	19.9
1	A	270	VAL	19.6
1	A	138	TRP	19.6
1	A	236	LEU	19.3
1	A	280	SER	19.3
1	A	255	LEU	19.2
1	A	241	PHE	19.0
1	A	221	SER	18.7
1	A	195	GLU	18.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	240	SER	18.5
1	A	269	GLY	18.4
1	A	191	GLY	18.2
1	A	254	SER	17.7
1	A	42	ASN	17.6
1	A	275	TYR	17.5
1	A	249	SER	17.4
1	A	135	ASN	17.3
1	A	193	THR	17.2
1	A	196	ILE	17.2
1	A	239	LEU	17.1
1	A	174	SER	17.0
1	A	176	GLU	17.0
1	A	183	LEU	16.6
1	A	190	PHE	16.5
1	A	265	HIS	16.3
1	A	256	ALA	16.3
1	A	253	GLY	16.1
1	A	88	SER	16.1
1	A	234	ASN	16.0
1	A	271	THR	15.9
1	A	250	PRO	15.9
1	A	231	VAL	15.9
1	A	296	TYR	15.8
1	A	175	ASN	15.5
1	A	207	TYR	15.5
1	A	163	ILE	15.4
1	A	121	GLU	15.1
1	A	140	ARG	14.9
1	A	58	LYS	14.8
1	A	159	SER	14.8
1	A	224	SER	14.8
1	A	248	PRO	14.8
1	A	167	GLN	14.7
1	A	199	HIS	14.6
1	A	158	GLU	14.5
1	A	75	LYS	14.4
1	A	329	PRO	14.4
1	A	222	GLY	14.0
1	A	245	THR	13.8
1	A	395	HIS	13.8
1	A	298	HIS	13.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	134	VAL	13.7
1	A	276	ASN	13.6
1	A	244	THR	13.6
1	A	157	SER	13.5
1	A	247	VAL	13.5
1	A	97	ARG	13.5
1	A	1	ILE	13.5
1	A	89	GLN	13.5
1	A	246	TRP	13.5
1	A	358	THR	13.3
1	A	148	ASP	13.2
1	A	177	GLU	13.2
1	A	261	HIS	13.0
1	A	369	ASP	12.9
1	A	171	GLY	12.8
1	A	197	GLN	12.8
1	A	208	PRO	12.7
1	A	34	ASP	12.6
1	A	50	GLU	12.4
1	A	251	GLY	12.3
1	A	237	ASP	12.2
1	A	3	ARG	12.1
1	A	0	PRO	12.1
1	A	273	THR	12.0
1	A	132	SER	12.0
1	A	156	ASP	11.9
1	A	192	LEU	11.9
1	A	161	THR	11.6
1	A	331	PRO	11.6
1	A	59	ASP	11.5
1	A	87	LEU	11.5
1	A	299	ARG	11.5
1	A	80	CYS	11.4
1	A	301	VAL	11.4
1	A	170	LYS	11.4
1	A	122	HIS	11.3
1	A	164	PHE	11.3
1	A	178	LEU	11.2
1	A	277	LEU	11.0
1	A	210	GLU	10.9
1	A	169	SER	10.9
1	A	189	LEU	10.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	328	TYR	10.9
1	A	316	GLY	10.9
1	A	2	GLN	10.8
1	A	243	GLN	10.8
1	A	139	ALA	10.8
1	A	281	THR	10.8
1	A	149	GLU	10.7
1	A	165	LEU	10.7
1	A	282	CYS	10.7
1	A	133	PHE	10.5
1	A	284	ARG	10.5
1	A	359	TRP	10.4
1	A	285	PHE	10.4
1	A	330	LYS	10.3
1	A	354	ASN	10.2
1	A	363	ALA	10.2
1	A	274	VAL	10.1
1	A	60	TRP	10.0
1	A	180	ASP	10.0
1	A	76	ASP	9.9
1	A	288	GLY	9.7
1	A	383	SER	9.7
1	A	287	LEU	9.7
1	A	364	THR	9.7
1	A	325	SER	9.7
1	A	103	GLY	9.6
1	A	279	ARG	9.6
1	A	381	HIS	9.6
1	A	292	ALA	9.6
1	A	173	PHE	9.5
1	A	370	GLY	9.4
1	A	41	LYS	9.4
1	A	209	PHE	9.3
1	A	67	TYR	9.3
1	A	220	HIS	9.3
1	A	31	HIS	9.3
1	A	85	VAL	9.2
1	A	356	GLN	9.1
1	A	238	LEU	9.1
1	A	102	GLY	9.1
1	A	184	LEU	9.1
1	A	17	ASN	9.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	188	TYR	9.0
1	A	131	PHE	9.0
1	A	223	GLY	9.0
1	A	341	GLN	8.9
1	A	303	PRO	8.9
1	A	98	ASP	8.8
1	A	47	GLU	8.8
1	A	278	ILE	8.7
1	A	130	ILE	8.7
1	A	95	TRP	8.6
1	A	300	GLN	8.6
1	A	375	LEU	8.6
1	A	8	GLN	8.6
1	A	336	TRP	8.6
1	A	382	SER	8.5
1	A	232	ALA	8.5
1	A	73	THR	8.5
1	A	20	SER	8.5
1	A	283	PRO	8.5
1	A	36	GLU	8.5
1	A	340	GLU	8.5
1	A	94	LYS	8.4
1	A	217	CYS	8.4
1	A	337	MET	8.4
1	A	4	THR	8.4
1	A	186	ARG	8.3
1	A	182	GLU	8.3
1	A	181	LEU	8.3
1	A	61	SER	8.3
1	A	22	PHE	8.3
1	A	327	PHE	8.2
1	A	43	GLY	8.2
1	A	294	LYS	8.2
1	A	318	LEU	8.2
1	A	96	ASP	8.1
1	A	302	LYS	8.1
1	A	90	PRO	8.1
1	A	127	VAL	8.0
1	A	304	GLU	7.9
1	A	92	ILE	7.9
1	A	226	GLU	7.9
1	A	57	SER	7.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	293	GLY	7.9
1	A	35	ILE	7.8
1	A	291	ASP	7.8
1	A	235	GLY	7.8
1	A	373	ALA	7.8
1	A	218	GLU	7.8
1	A	93	VAL	7.7
1	A	319	GLN	7.7
1	A	335	MET	7.7
1	A	233	PHE	7.6
1	A	86	THR	7.6
1	A	19	LYS	7.6
1	A	229	PHE	7.5
1	A	290	LEU	7.5
1	A	141	GLY	7.5
1	A	99	MET	7.5
1	A	32	PRO	7.5
1	A	334	VAL	7.4
1	A	225	PRO	7.4
1	A	372	ALA	7.3
1	A	21	ASN	7.3
1	A	125	PHE	7.3
1	A	211	VAL	7.2
1	A	339	GLY	7.2
1	A	12	ARG	7.2
1	A	33	SER	7.2
1	A	154	GLY	7.2
1	A	216	GLY	7.2
1	A	394	HIS	7.1
1	A	83	ASN	7.1
1	A	153	HIS	7.0
1	A	295	MET	6.9
1	A	228	PHE	6.9
1	A	155	TRP	6.9
1	A	345	GLY	6.9
1	A	26	TYR	6.8
1	A	172	GLN	6.8
1	A	77	GLU	6.8
1	A	101	GLY	6.8
1	A	311	PRO	6.8
1	A	68	THR	6.7
1	A	332	VAL	6.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	160	GLY	6.6
1	A	185	PHE	6.6
1	A	144	SER	6.5
1	A	84	HIS	6.4
1	A	310	GLY	6.4
1	A	212	GLN	6.4
1	A	13	HIS	6.3
1	A	78	TYR	6.3
1	A	123	VAL	6.3
1	A	147	LEU	6.3
1	A	146	TRP	6.3
1	A	152	THR	6.2
1	A	326	GLY	6.2
1	A	74	GLU	6.1
1	A	214	LYS	6.1
1	A	162	ILE	6.0
1	A	215	ALA	6.0
1	A	23	LEU	6.0
1	A	289	LEU	5.9
1	A	6	LYS	5.9
1	A	69	GLU	5.8
1	A	219	LEU	5.7
1	A	286	LEU	5.7
1	A	7	ILE	5.7
1	A	351	ILE	5.7
1	A	168	TRP	5.7
1	A	314	GLY	5.7
1	A	27	VAL	5.6
1	A	227	GLY	5.6
1	A	347	GLN	5.6
1	A	230	GLN	5.6
1	A	343	GLN	5.6
1	A	53	ASP	5.5
1	A	66	TYR	5.5
1	A	142	GLN	5.4
1	A	55	SER	5.4
1	A	100	GLY	5.4
1	A	315	PRO	5.3
1	A	346	THR	5.3
1	A	368	ALA	5.2
1	A	71	THR	5.2
1	A	393	TRP	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	63	TYR	5.2
1	A	56	PHE	5.2
1	A	45	ARG	5.1
1	A	10	TYR	5.1
1	A	18	GLY	5.1
1	A	70	PHE	5.1
1	A	49	VAL	5.1
1	A	52	SER	5.1
1	A	357	GLY	5.0
1	A	365	LEU	5.0
1	A	374	GLY	4.9
1	A	386	GLY	4.9
1	A	72	PRO	4.9
1	A	150	LEU	4.9
1	A	9	VAL	4.9
1	A	30	PHE	4.9
1	A	342	GLU	4.9
1	A	377	CYS	4.8
1	A	62	PHE	4.8
1	A	361	LEU	4.8
1	A	48	LYS	4.8
1	A	129	GLN	4.8
1	A	81	ARG	4.8
1	A	309	SER	4.7
1	A	143	GLY	4.7
1	A	349	GLY	4.7
1	A	44	GLU	4.6
1	A	151	GLN	4.6
1	A	40	LEU	4.6
1	A	353	PRO	4.5
1	A	38	ASP	4.5
1	A	306	TRP	4.5
1	A	28	SER	4.5
1	A	91	LYS	4.4
1	A	388	ASP	4.4
1	A	5	PRO	4.4
1	A	29	GLY	4.3
1	A	79	ALA	4.3
1	A	385	GLU	4.3
1	A	312	SER	4.3
1	A	51	HIS	4.3
1	A	124	SER	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	46	ILE	4.2
1	A	24	ASN	4.2
1	A	305	ALA	4.2
1	A	333	TRP	4.2
1	A	313	PRO	4.1
1	A	321	VAL	4.1
1	A	65	LEU	4.1
1	A	391	LEU	4.1
1	A	15	ALA	4.0
1	A	64	LEU	4.0
1	A	16	GLU	4.0
1	A	378	ARG	4.0
1	A	82	VAL	4.0
1	A	384	LEU	3.8
1	A	360	TYR	3.7
1	A	352	LEU	3.5
1	A	14	PRO	3.5
1	A	338	ARG	3.5
1	A	128	ILE	3.5
1	A	213	VAL	3.4
1	A	37	VAL	3.3
1	A	350	ASP	3.2
1	A	367	VAL	3.2
1	A	166	HIS	3.1
1	A	25	CYS	3.0
1	A	376	SER	3.0
1	A	126	HIS	2.9
1	A	54	LEU	2.9
1	A	323	HIS	2.8
1	A	362	ARG	2.7
1	A	344	GLN	2.6
1	A	145	GLY	2.6
1	A	39	LEU	2.6
1	A	308	SER	2.6
1	A	324	VAL	2.5
1	A	392	TYR	2.5
1	A	366	ASP	2.5
1	A	322	CYS	2.4
1	A	390	ILE	2.4
1	A	371	GLU	2.4
1	A	348	LEU	2.4
1	A	320	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	389	ILE	2.3
1	A	11	SER	2.2
1	A	379	VAL	2.2
1	A	380	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	B	1	14/15	0.51	0.82	89,102,111,116	0
2	NAG	B	2	14/15	0.57	0.85	92,107,111,115	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	CL	A	405	1/1	0.26	0.52	75,75,75,75	0
4	CL	A	402	1/1	0.29	0.37	71,71,71,71	0
5	MLI	A	408	7/7	0.42	0.59	41,62,75,75	0
3	PMK	A	401	37/37	0.44	0.35	50,73,103,119	30
4	CL	A	406	1/1	0.59	0.50	70,70,70,70	0
5	MLI	A	410	7/7	0.60	0.53	57,66,78,78	0
4	CL	A	403	1/1	0.73	0.22	47,47,47,47	0
5	MLI	A	409	7/7	0.75	0.40	63,69,81,81	0
4	CL	A	407	1/1	0.77	0.29	63,63,63,63	0
4	CL	A	404	1/1	0.80	0.20	75,75,75,75	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.