



Full wwPDB EM Validation Report ⓘ

Sep 21, 2024 – 12:53 PM EDT

PDB ID : 8T0Y
EMDB ID : EMD-40949
Title : TRPV1 in nanodisc bound with one LPA in one monomer
Authors : Arnold, W.R.; Cheng, Y.
Deposited on : 2023-06-01
Resolution : 3.50 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev112
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.38.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	815	
1	B	815	
1	C	815	
1	D	815	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	8IJ	A	901	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	8IJ	B	901	X	-	-	-
2	8IJ	C	901	X	-	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 20513 atoms, of which 10342 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transient receptor potential cation channel subfamily V member 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	B	296	Total	C	H	N	O	S	0	0
			4941	1640	2484	375	425	17		
1	A	303	Total	C	H	N	O	S	0	0
			5059	1674	2548	385	434	18		
1	D	306	Total	C	H	N	O	S	0	0
			5097	1686	2566	388	439	18		
1	C	303	Total	C	H	N	O	S	0	0
			5056	1674	2545	385	435	17		

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	ASN	deletion	UNP O35433
B	?	-	ASN	deletion	UNP O35433
B	?	-	SER	deletion	UNP O35433
B	?	-	LEU	deletion	UNP O35433
B	?	-	PRO	deletion	UNP O35433
B	?	-	MET	deletion	UNP O35433
B	?	-	GLU	deletion	UNP O35433
B	?	-	SER	deletion	UNP O35433
B	?	-	THR	deletion	UNP O35433
B	?	-	PRO	deletion	UNP O35433
B	?	-	HIS	deletion	UNP O35433
B	?	-	LYS	deletion	UNP O35433
B	?	-	CYS	deletion	UNP O35433
B	?	-	ARG	deletion	UNP O35433
B	?	-	GLY	deletion	UNP O35433
B	?	-	SER	deletion	UNP O35433
B	?	-	ALA	deletion	UNP O35433
B	?	-	CYS	deletion	UNP O35433
B	?	-	LYS	deletion	UNP O35433
B	?	-	PRO	deletion	UNP O35433
B	?	-	GLY	deletion	UNP O35433

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	ASN	deletion	UNP O35433
B	?	-	SER	deletion	UNP O35433
A	?	-	ASN	deletion	UNP O35433
A	?	-	ASN	deletion	UNP O35433
A	?	-	SER	deletion	UNP O35433
A	?	-	LEU	deletion	UNP O35433
A	?	-	PRO	deletion	UNP O35433
A	?	-	MET	deletion	UNP O35433
A	?	-	GLU	deletion	UNP O35433
A	?	-	SER	deletion	UNP O35433
A	?	-	THR	deletion	UNP O35433
A	?	-	PRO	deletion	UNP O35433
A	?	-	HIS	deletion	UNP O35433
A	?	-	LYS	deletion	UNP O35433
A	?	-	CYS	deletion	UNP O35433
A	?	-	ARG	deletion	UNP O35433
A	?	-	GLY	deletion	UNP O35433
A	?	-	SER	deletion	UNP O35433
A	?	-	ALA	deletion	UNP O35433
A	?	-	CYS	deletion	UNP O35433
A	?	-	LYS	deletion	UNP O35433
A	?	-	PRO	deletion	UNP O35433
A	?	-	GLY	deletion	UNP O35433
A	?	-	ASN	deletion	UNP O35433
A	?	-	SER	deletion	UNP O35433
D	?	-	ASN	deletion	UNP O35433
D	?	-	ASN	deletion	UNP O35433
D	?	-	SER	deletion	UNP O35433
D	?	-	LEU	deletion	UNP O35433
D	?	-	PRO	deletion	UNP O35433
D	?	-	MET	deletion	UNP O35433
D	?	-	GLU	deletion	UNP O35433
D	?	-	SER	deletion	UNP O35433
D	?	-	THR	deletion	UNP O35433
D	?	-	PRO	deletion	UNP O35433
D	?	-	HIS	deletion	UNP O35433
D	?	-	LYS	deletion	UNP O35433
D	?	-	CYS	deletion	UNP O35433
D	?	-	ARG	deletion	UNP O35433
D	?	-	GLY	deletion	UNP O35433
D	?	-	SER	deletion	UNP O35433
D	?	-	ALA	deletion	UNP O35433

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	CYS	deletion	UNP O35433
D	?	-	LYS	deletion	UNP O35433
D	?	-	PRO	deletion	UNP O35433
D	?	-	GLY	deletion	UNP O35433
D	?	-	ASN	deletion	UNP O35433
D	?	-	SER	deletion	UNP O35433
C	?	-	ASN	deletion	UNP O35433
C	?	-	ASN	deletion	UNP O35433
C	?	-	SER	deletion	UNP O35433
C	?	-	LEU	deletion	UNP O35433
C	?	-	PRO	deletion	UNP O35433
C	?	-	MET	deletion	UNP O35433
C	?	-	GLU	deletion	UNP O35433
C	?	-	SER	deletion	UNP O35433
C	?	-	THR	deletion	UNP O35433
C	?	-	PRO	deletion	UNP O35433
C	?	-	HIS	deletion	UNP O35433
C	?	-	LYS	deletion	UNP O35433
C	?	-	CYS	deletion	UNP O35433
C	?	-	ARG	deletion	UNP O35433
C	?	-	GLY	deletion	UNP O35433
C	?	-	SER	deletion	UNP O35433
C	?	-	ALA	deletion	UNP O35433
C	?	-	CYS	deletion	UNP O35433
C	?	-	LYS	deletion	UNP O35433
C	?	-	PRO	deletion	UNP O35433
C	?	-	GLY	deletion	UNP O35433
C	?	-	ASN	deletion	UNP O35433
C	?	-	SER	deletion	UNP O35433

- Molecule 2 is (2R)-3-{[(R)-hydroxy{[(1S,2R,3R,4S,5S,6R)-2,3,4,5,6-pentahydroxycyclohexyl]oxy}phosphoryl]oxy}propane-1,2-diyl dioctadecanoate (three-letter code: 8IJ) (formula: C₄₅H₈₇O₁₃P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
2	B	1	Total	C	H	O	P	0
			101	31	56	13	1	
2	A	1	Total	C	H	O	P	0
			101	31	56	13	1	
2	C	1	Total	C	H	O	P	0
			101	31	56	13	1	

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		AltConf
3	A	1	Total	Na	0
			1	1	


- Molecule 4 is (2R)-2-hydroxy-3-(phosphonoxy)propyl tetradecanoate (three-letter code: NKN) (formula: C₁₇H₃₅O₇P) (labeled as "Ligand of Interest" by depositor).




3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transient receptor potential cation channel subfamily V member 1




- Molecule 1: Transient receptor potential cation channel subfamily V member 1





● Molecule 1: Transient receptor potential cation channel subfamily V member 1



THR	ARG	ASP	ARG	HIS	ALA	THR	GLN	GLU	VAL	GLN	LEU	LYS	HIS	TYR	THR	GLY	SER	LEU	LYS	PRO	GLU	ASP	ALA	GLU	VAL	PHE	LYS	ASP	SER	MET	VAL	PRO	GLY	GLY	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 1: Transient receptor potential cation channel subfamily V member 1



MET	GLU	GLN	THR	ASP	PRO	TYR	ALA	SER	GLU	LEU	ASP	GLY	LEU	ALA	ASN	GLU	GLU	ASP	GLY	LEU	GLN	PRO	ASP	ASP	GLY	ASP	PRO	ASN	GLY	GLY	VAL	PRO	GLY	ASP	PRO
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

LEU	ASP	CYS	THR	PRO	TYR	GLY	GLU	GLY	LEU	ALA	SER	GLY	LEU	PRO	CYS	GLU	SER	PRO	ILE	PRO	GLN	THR	VAL	GLN	ASP	ARG	GLY	VAL	SER	SER	VAL	LEU	THR	ALA
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

VAL	ALA	GLN	THR	ASP	ASN	GLY	GLU	GLY	LEU	ASN	SER	LEU	PRO	PHE	ILE	GLY	ALA	ASP	GLY	THR	ARG	LEU	THR	ASP	SER	GLY	ASP	PRO	GLY	GLU	THR	ALA	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ARG	LYS	THR	ASP	SER	LEU	LYS	PHE	GLY	VAL	ASN	SER	TYR	THR	THR	ALA	CYS	SER	TYR	LYS	GLY	THR	LEU	HIS	ILE	ALA	ILE	GLY	ASP	ARG	ASN	GLY	ALA	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLY	ARG	PRO	GLY	PHE	THR	TYR	PHE	GLY	LEU	PRO	LEU	SER	LEU	ALA	ALA	CYS	THR	ASN	GLN	LEU	ALA	THR	PHE	LEU	GLY	ASN	THR	ILE	VAL	TRP	SER	GLY	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ASN	THR	LYS	PHE	VAL	THR	SER	MET	TYR	ASN	GLU	ILE	ILE	ILE	LEU	ALA	LYS	LEU	HIS	PRO	PRO	THR	LEU	GLY	GLU	ILE	ASN	ASN	ARG	LYS	GLY	LEU	THR	PRO
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLU	CYS	ARG	HIS	LEU	SER	ARG	LYS	PHE	THR	GLU	TRP	ALA	TYR	GLY	PRO	VAL	HIS	SER	SER	LEU	TYR	LEU	CYS	F387	D388	L396	A400	V415	E416	P417	L418	R419	R420	L421	L422	Y444	F448	T449	A450	Y454	R455	G459	R464	L465	F466	N467	F496
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

L506	V538	A539	V542	L553	T556	E570	R571	H572	I573	L574	V583	L635	D654	F655	V658	F659	I660	L664	A665	Y666	T670	M682	V686	L706	F712	LEU	LYS	CYS	MET	ARG	LYS	ALA	PHE	ARG	VAL	SER	GLY	LEU	LEU	ASN	TRP	LYS	ASN	PHE	THR
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

PRO	ASP	GLY	LYS	ASP	ASP	TYR	ARG	TRP	PHE	CYS	ARG	VAL	ASP	GLU	VAL	ASN	TRP	THR	THR	TRP	ASN	THR	GLY	ILE	ILE	ASN	GLU	ASP	PRO	GLY	ASN	CYS	GLY	VAL	VAL	LEU	SER	PHE	SER	LEU	ARG	SER	GLY	ARG	ASN	TRP	LYS	ASN	PHE	ALA
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

LEU	VAL	PRO	LEU	LEU	ARG	ASP	ALA	THR	ARG	THR	ASP	ARG	HIS	ALA	THR	GLN	GLU	GLU	VAL	GLN	LEU	LYS	HIS	TYR	THR	GLY	SER	LEU	LYS	PRO	GLU	ASP	ALA	GLU	VAL	PHE	LYS	ASP	MET	VAL	PRO	GLY	GLU	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	7921	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45.8	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.084	Depositor
Minimum map value	-0.045	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.003	Depositor
Map size (Å)	320.63998, 320.63998, 320.63998	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.835, 0.835, 0.835	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 8IJ, NKN, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/2573	0.46	0/3477
1	B	0.32	0/2518	0.47	0/3403
1	C	0.31	0/2574	0.49	0/3480
1	D	0.33	0/2594	0.49	0/3507
All	All	0.32	0/10259	0.48	0/13867

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	6
1	C	0	1
1	D	0	1
All	All	0	12

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (12) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	409	ARG	Sidechain
1	A	420	ARG	Sidechain
1	A	428	ARG	Sidechain
1	A	701	ARG	Sidechain
1	B	428	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	432	ARG	Sidechain
1	B	499	ARG	Sidechain
1	B	500	ARG	Sidechain
1	B	557	ARG	Sidechain
1	B	701	ARG	Sidechain
1	C	420	ARG	Sidechain
1	D	409	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2511	2548	2546	18	0
1	B	2457	2484	2481	16	0
1	C	2511	2545	2544	26	0
1	D	2531	2566	2565	25	0
2	A	45	56	0	3	0
2	B	45	56	0	3	0
2	C	45	56	0	0	0
3	A	1	0	0	0	0
4	D	25	31	33	1	0
All	All	10171	10342	10169	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:449:THR:HG23	1:A:593:THR:HG21	1.70	0.72
1:D:501:PRO:HB2	1:D:506:LEU:HD11	1.75	0.68
1:C:388:ASP:HB3	1:C:421:LEU:HD21	1.78	0.66
1:A:429:PHE:O	1:A:433:ILE:HD12	1.97	0.65
1:B:553:LEU:HA	1:B:556:THR:HG23	1.80	0.63
2:A:901:8IJ:O13	2:A:901:8IJ:O9	2.15	0.62
1:B:647:LEU:HD21	1:C:635:LEU:HD11	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:510:SER:O	1:D:514:ILE:HD12	1.99	0.61
1:D:503:LEU:HA	1:D:506:LEU:HD13	1.82	0.61
1:C:660:ILE:O	1:C:664:LEU:HD23	2.02	0.60
1:C:570:GLU:O	1:C:574:LEU:HD23	2.01	0.60
1:A:570:GLU:O	1:A:574:LEU:HD23	2.04	0.58
1:A:512:SER:OG	2:A:901:8IJ:C17	2.51	0.57
1:C:465:LEU:HD23	1:C:467:ASN:H	1.69	0.57
1:C:538:VAL:O	1:C:542:VAL:HG23	2.04	0.56
1:A:633:THR:O	1:A:637:LEU:HD23	2.05	0.56
1:C:572:MET:CE	1:C:686:VAL:HG23	2.36	0.55
1:D:677:MET:O	1:D:681:LEU:HD23	2.07	0.55
1:C:418:LEU:O	1:C:422:LEU:HD23	2.07	0.55
1:A:565:TYR:CE2	1:D:583:VAL:HG21	2.43	0.54
1:B:449:THR:HG23	1:A:593:THR:CG2	2.37	0.54
1:B:430:VAL:HG13	1:B:708:THR:HG21	1.90	0.54
1:D:543:PHE:CE1	4:D:901:NKN:HAXA	2.42	0.54
1:D:501:PRO:CB	1:D:506:LEU:HD11	2.38	0.53
1:A:385:SER:O	1:A:387:ILE:HD12	2.10	0.52
1:D:565:TYR:CE2	1:C:583:VAL:HG21	2.46	0.51
1:C:455:ARG:HD2	1:C:538:VAL:HG23	1.92	0.51
1:B:514:ILE:O	1:B:518:VAL:HG23	2.11	0.51
1:D:430:VAL:HG11	1:D:705:ILE:HD13	1.93	0.50
1:B:570:GLU:HG3	2:B:901:8IJ:O22	2.11	0.50
1:B:410:HIS:ND1	1:B:699:LEU:HD13	2.27	0.50
1:B:430:VAL:HG11	1:B:705:ILE:HD13	1.93	0.49
1:A:415:VAL:HG12	1:A:417:PRO:HD2	1.94	0.49
1:D:385:SER:O	1:D:387:ILE:HD12	2.11	0.49
1:D:520:SER:O	1:D:524:LEU:HD23	2.11	0.49
1:D:457:VAL:O	1:D:457:VAL:HG13	2.13	0.49
1:C:572:MET:HE3	1:C:686:VAL:HG23	1.95	0.48
1:A:701:ARG:HH21	1:A:701:ARG:HB3	1.78	0.48
1:D:659:PHE:O	1:D:663:LEU:HD23	2.14	0.47
1:C:400:ALA:HB3	1:C:706:LEU:HD12	1.96	0.47
1:C:496:PHE:CE1	1:C:506:LEU:HD11	2.49	0.47
1:B:687:ASN:ND2	1:A:684:GLU:OE1	2.41	0.47
2:A:901:8IJ:O11	2:A:901:8IJ:O15	2.33	0.47
1:D:394:SER:O	1:D:398:VAL:HG23	2.15	0.47
1:C:572:MET:SD	1:C:682:MET:HG2	2.54	0.47
1:D:565:TYR:HE2	1:C:583:VAL:HG21	1.80	0.46
1:B:468:THR:HG23	1:B:471:ASP:H	1.81	0.46
1:C:654:ASP:OD1	1:C:655:PHE:N	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:550:THR:CG2	2:B:901:8IJ:C46	2.95	0.45
1:C:400:ALA:CB	1:C:706:LEU:HD12	2.47	0.44
1:C:666:TYR:CE1	1:C:670:THR:HG21	2.53	0.44
1:A:535:LYS:O	1:A:538:VAL:HG12	2.18	0.44
1:C:396:LEU:HD22	1:C:422:LEU:HD21	1.99	0.44
1:B:511:TYR:HD1	2:B:901:8IJ:C29	2.31	0.43
1:D:539:ALA:HB1	1:C:658:VAL:HG21	2.01	0.43
1:A:505:SER:O	1:A:509:ASP:N	2.45	0.43
1:A:539:ALA:HB1	1:D:658:VAL:HG21	2.00	0.43
1:D:553:LEU:HA	1:D:556:THR:HG23	2.00	0.43
1:C:450:ALA:HB3	1:C:454:TYR:CZ	2.53	0.43
1:D:471:ASP:HA	1:D:474:ARG:HG2	1.99	0.43
1:C:496:PHE:HE1	1:C:506:LEU:HD11	1.84	0.42
1:B:510:SER:O	1:B:514:ILE:HD12	2.20	0.42
1:B:426:TRP:HE3	1:B:705:ILE:HD11	1.85	0.42
1:A:565:TYR:HE2	1:D:583:VAL:HG21	1.83	0.42
1:C:572:MET:HE1	1:C:686:VAL:HG23	2.02	0.41
1:C:538:VAL:HG13	1:C:539:ALA:N	2.35	0.41
1:D:547:MET:HA	1:D:550:THR:HG22	2.02	0.41
1:D:659:PHE:CE1	1:D:663:LEU:HD21	2.55	0.41
1:C:553:LEU:HA	1:C:556:THR:OG1	2.21	0.41
1:D:539:ALA:O	1:D:542:VAL:HG22	2.21	0.41
1:D:514:ILE:HD12	1:D:514:ILE:H	1.85	0.41
1:A:390:CYS:O	1:A:391:GLU:HB2	2.21	0.40
1:D:646:ASP:O	1:D:647:LEU:HB2	2.22	0.40
1:B:514:ILE:HD12	1:B:514:ILE:H	1.87	0.40
1:A:475:VAL:O	1:A:478:GLU:HG3	2.21	0.40
1:A:553:LEU:O	1:A:556:THR:HG23	2.22	0.40
1:C:415:VAL:HG12	1:C:417:PRO:HD2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	299/815 (37%)	280 (94%)	19 (6%)	0	100	100
1	B	290/815 (36%)	276 (95%)	14 (5%)	0	100	100
1	C	301/815 (37%)	275 (91%)	26 (9%)	0	100	100
1	D	304/815 (37%)	284 (93%)	20 (7%)	0	100	100
All	All	1194/3260 (37%)	1115 (93%)	79 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	277/722 (38%)	272 (98%)	5 (2%)	54	74
1	B	270/722 (37%)	264 (98%)	6 (2%)	47	70
1	C	276/722 (38%)	274 (99%)	2 (1%)	81	89
1	D	279/722 (39%)	277 (99%)	2 (1%)	81	89
All	All	1102/2888 (38%)	1087 (99%)	15 (1%)	62	79

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	425	LYS
1	B	495	TYR
1	B	500	ARG
1	B	526	SER
1	B	652	ASN
1	B	701	ARG
1	A	402	SER
1	A	419	ASN
1	A	420	ARG
1	A	471	ASP
1	A	641	THR
1	D	439	PHE
1	D	574	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	444	TYR
1	C	448	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	419	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	8IJ	C	901	-	45,45,59	1.05	5 (11%)	54,57,71	1.20	4 (7%)
2	8IJ	B	901	-	45,45,59	1.18	3 (6%)	54,57,71	1.43	6 (11%)
4	NKN	D	901	-	24,24,24	1.14	4 (16%)	26,28,28	1.43	4 (15%)
2	8IJ	A	901	-	45,45,59	1.18	3 (6%)	54,57,71	1.40	6 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	8IJ	C	901	-	3/3/10/10	26/40/64/78	0/1/1/1
2	8IJ	B	901	-	3/3/10/10	21/40/64/78	0/1/1/1
4	NKN	D	901	-	-	13/24/24/24	-
2	8IJ	A	901	-	1/1/10/10	21/40/64/78	0/1/1/1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	8IJ	O40-C18	-3.09	1.39	1.46
2	B	901	8IJ	O40-C18	-3.08	1.39	1.46
2	A	901	8IJ	O20-C19	-2.81	1.38	1.45
2	B	901	8IJ	O20-C19	-2.80	1.38	1.45
2	C	901	8IJ	O40-C18	-2.65	1.40	1.46
2	B	901	8IJ	P2-O3	-2.46	1.43	1.55
2	A	901	8IJ	P2-O3	-2.45	1.44	1.55
4	D	901	NKN	PAC-OAB	-2.37	1.46	1.54
2	C	901	8IJ	O20-C21	2.36	1.40	1.33
4	D	901	NKN	PAC-OAA	-2.27	1.46	1.54
4	D	901	NKN	OAJ-CAI	-2.27	1.40	1.45
4	D	901	NKN	OAJ-CAK	2.22	1.39	1.33
2	C	901	8IJ	O20-C19	-2.15	1.40	1.45
2	C	901	8IJ	O40-C41	2.15	1.40	1.34
2	C	901	8IJ	P2-O4	2.03	1.65	1.59

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	8IJ	O40-C41-C43	4.14	120.43	111.48
2	B	901	8IJ	O40-C41-C43	4.13	120.42	111.48
2	C	901	8IJ	O40-C41-C43	4.03	120.20	111.48
2	B	901	8IJ	C12-C10-C8	-3.30	105.04	110.83
2	A	901	8IJ	C12-C10-C8	-3.28	105.07	110.83
2	B	901	8IJ	O3-P2-O1	-3.27	97.23	112.44
2	A	901	8IJ	O3-P2-O1	-3.26	97.27	112.44
4	D	901	NKN	OAA-PAC-OAF	3.17	114.92	106.67
4	D	901	NKN	OAB-PAC-OAF	2.81	114.00	106.67
2	B	901	8IJ	O20-C21-C23	2.78	120.31	111.83
2	A	901	8IJ	O20-C21-C23	2.77	120.28	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	901	8IJ	O20-C21-C23	2.75	120.22	111.83
4	D	901	NKN	OAJ-CAK-CAL	2.68	120.01	111.83
4	D	901	NKN	OAF-PAC-OAD	2.66	113.64	106.44
2	C	901	8IJ	O3-P2-O1	-2.59	100.42	112.44
2	C	901	8IJ	C14-C5-C6	-2.31	107.65	110.86
2	A	901	8IJ	C10-C8-C6	-2.29	106.81	110.83
2	B	901	8IJ	C10-C8-C6	-2.29	106.81	110.83
2	A	901	8IJ	C8-C6-C5	2.03	114.29	109.68
2	B	901	8IJ	C8-C6-C5	2.02	114.27	109.68

All (7) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	901	8IJ	C8
2	B	901	8IJ	C12
2	B	901	8IJ	C18
2	A	901	8IJ	C18
2	C	901	8IJ	C8
2	C	901	8IJ	C12
2	C	901	8IJ	C18

All (81) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	901	8IJ	C43-C41-O40-C18
2	B	901	8IJ	C5-O4-P2-O3
2	B	901	8IJ	C5-O4-P2-O16
2	A	901	8IJ	C43-C41-O40-C18
2	A	901	8IJ	C5-O4-P2-O3
2	A	901	8IJ	C5-O4-P2-O16
2	C	901	8IJ	O40-C18-C19-O20
2	C	901	8IJ	C43-C41-O40-C18
2	C	901	8IJ	C5-O4-P2-O1
2	C	901	8IJ	C5-O4-P2-O3
2	C	901	8IJ	C5-O4-P2-O16
2	C	901	8IJ	C17-O16-P2-O1
2	C	901	8IJ	C17-O16-P2-O3
2	C	901	8IJ	C17-O16-P2-O4
2	C	901	8IJ	O22-C21-O20-C19
4	D	901	NKN	OAE-CAK-OAJ-CAI
2	B	901	8IJ	O42-C41-O40-C18
2	A	901	8IJ	O42-C41-O40-C18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	901	8IJ	C23-C21-O20-C19
2	B	901	8IJ	C23-C21-O20-C19
2	A	901	8IJ	C23-C21-O20-C19
4	D	901	NKN	CAL-CAK-OAJ-CAI
2	B	901	8IJ	O22-C21-O20-C19
2	A	901	8IJ	O22-C21-O20-C19
2	C	901	8IJ	O42-C41-O40-C18
4	D	901	NKN	OAF-CAG-CAH-OAY
4	D	901	NKN	OAF-CAG-CAH-CAI
2	C	901	8IJ	C41-C43-C44-C45
2	B	901	8IJ	C21-C23-C24-C25
2	C	901	8IJ	C48-C49-C50-C51
2	A	901	8IJ	C21-C23-C24-C25
4	D	901	NKN	CAO-CAP-CAQ-CAR
4	D	901	NKN	CAR-CAS-CAT-CAU
4	D	901	NKN	CAM-CAN-CAO-CAP
4	D	901	NKN	CAS-CAT-CAU-CAV
2	B	901	8IJ	C49-C50-C51-C52
2	A	901	8IJ	C49-C50-C51-C52
2	B	901	8IJ	C24-C25-C26-C27
2	A	901	8IJ	C24-C25-C26-C27
2	C	901	8IJ	C44-C45-C46-C47
2	C	901	8IJ	C51-C52-C53-C54
2	B	901	8IJ	C45-C46-C47-C48
2	A	901	8IJ	C45-C46-C47-C48
2	C	901	8IJ	C24-C25-C26-C27
2	B	901	8IJ	C17-C18-C19-O20
2	A	901	8IJ	C17-C18-C19-O20
2	B	901	8IJ	O40-C18-C19-O20
2	A	901	8IJ	O40-C18-C19-O20
2	A	901	8IJ	C48-C49-C50-C51
2	B	901	8IJ	C48-C49-C50-C51
2	C	901	8IJ	C21-C23-C24-C25
2	A	901	8IJ	C44-C45-C46-C47
2	B	901	8IJ	C44-C45-C46-C47
4	D	901	NKN	CAT-CAU-CAV-CAW
2	B	901	8IJ	C5-O4-P2-O1
2	A	901	8IJ	C5-O4-P2-O1
4	D	901	NKN	CAQ-CAR-CAS-CAT
2	B	901	8IJ	C26-C27-C28-C29
2	A	901	8IJ	C26-C27-C28-C29
2	C	901	8IJ	C17-C18-C19-O20

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
4	D	901	NKN	CAN-CAO-CAP-CAQ
2	B	901	8IJ	C17-O16-P2-O1
2	A	901	8IJ	C17-O16-P2-O1
2	C	901	8IJ	C52-C53-C54-C55
4	D	901	NKN	CAH-CAG-OAF-PAC
4	D	901	NKN	CAK-CAL-CAM-CAN
2	C	901	8IJ	C43-C44-C45-C46
2	A	901	8IJ	C23-C24-C25-C26
2	B	901	8IJ	C23-C24-C25-C26
2	C	901	8IJ	C23-C24-C25-C26
2	C	901	8IJ	O20-C21-C23-C24
2	C	901	8IJ	O40-C41-C43-C44
2	C	901	8IJ	C14-C5-O4-P2
2	B	901	8IJ	O40-C41-C43-C44
2	A	901	8IJ	O40-C41-C43-C44
2	B	901	8IJ	O42-C41-C43-C44
2	A	901	8IJ	O42-C41-C43-C44
2	C	901	8IJ	O42-C41-C43-C44
2	C	901	8IJ	O22-C21-C23-C24
2	A	901	8IJ	O20-C21-C23-C24
2	B	901	8IJ	O20-C21-C23-C24


There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	901	8IJ	3	0
4	D	901	NKN	1	0
2	A	901	8IJ	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40949. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 192




Y Index: 192




Z Index: 192


6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 190




Y Index: 196




Z Index: 173


6.3.2 Raw map



X Index: 189



Y Index: 190




Z Index: 173


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.003. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 120 nm^3 ; this corresponds to an approximate mass of 109 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.50	-	-
Author-provided FSC curve	3.46	4.11	3.52
Unmasked-calculated*	7.16	10.05	7.71

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.16 differs from the reported value 3.5 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-40949 and PDB model 8T0Y. Per-residue inclusion information can be found in section [3](#) on page [9](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.003 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.003).

9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.003) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8990	<div></div> 0.4710
A	<div></div> 0.9030	<div></div> 0.4760
B	<div></div> 0.9080	<div></div> 0.4840
C	<div></div> 0.9040	<div></div> 0.4710
D	<div></div> 0.8920	<div></div> 0.4520

