



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 07:14 pm GMT

PDB ID : 4Z69  
Title : Human serum albumin complexed with palmitic acid and diclofenac  
Authors : Zhang, Y.; Yang, F.  
Deposited on : 2015-04-04  
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	5526 (2.20-2.16)
Clashscore	112137	6386 (2.20-2.16)
Ramachandran outliers	110173	6282 (2.20-2.16)
Sidechain outliers	110143	6282 (2.20-2.16)
RSRZ outliers	101464	5562 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	585	<div> <div>3%</div> <div> <div></div> <div>66%</div> <div>29%</div> <div>• •</div> </div> </div>
1	I	585	<div> <div>2%</div> <div> <div></div> <div>68%</div> <div>29%</div> <div>• •</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	F15	A	1001	-	-	-	X
2	F15	A	1003	-	-	-	X
2	F15	A	1005	-	-	-	X
2	F15	I	1001	-	-	-	X
2	F15	I	1003	-	-	-	X
3	PLM	A	1002	-	-	-	X
3	PLM	A	1004	-	-	-	X
3	PLM	I	1004	-	-	-	X
4	DIF	A	1006	-	-	X	X
4	DIF	A	1008	-	-	X	X

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9315 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serum albumin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	581	Total	C	N	O	S	0	0	0
			4453	2823	744	845	41			
1	I	581	Total	C	N	O	S	0	0	0
			4443	2819	744	839	41			

- Molecule 2 is PENTADECANOIC ACID (three-letter code: F15) (formula:  $C_{15}H_{30}O_2$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	11	2		
2	A	1	Total	C	O	0	0
			17	15	2		
2	A	1	Total	C	O	0	0
			17	15	2		
2	I	1	Total	C	O	0	0
			13	11	2		

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	I	1	Total	C	O	0	0
			17	15	2		
2	I	1	Total	C	O	0	0
			17	15	2		

- Molecule 3 is PALMITIC ACID (three-letter code: PLM) (formula:  $C_{16}H_{32}O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			18	16	2		
3	A	1	Total	C	O	0	0
			18	16	2		
3	I	1	Total	C	O	0	0
			18	16	2		
3	I	1	Total	C	O	0	0
			18	16	2		

- Molecule 4 is 2-[2,6-DICHLOROPHENYL)AMINO]BENZENEACETIC ACID (three-letter code: DIF) (formula:  $C_{14}H_{11}Cl_2NO_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Cl	N	O	0	0
			19	14	2	1	2		
4	A	1	Total	C	Cl	N	O	0	0
			19	14	2	1	2		
4	A	1	Total	C	Cl	N	O	0	0
			19	14	2	1	2		
4	I	1	Total	C	Cl	N	O	0	0
			19	14	2	1	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	82	Total	O	0	0
			82	82		
5	I	95	Total	O	0	0
			95	95		


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Serum albumin



#### • Molecule 1: Serum albumin







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	38.40Å 95.00Å 96.34Å 105.00° 101.45° 89.97°	Depositor
Resolution (Å)	45.82 – 2.19 46.11 – 2.19	Depositor EDS
% Data completeness (in resolution range)	93.2 (45.82-2.19) 85.8 (46.11-2.19)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.49 (at 2.18Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6_289)	Depositor
R, $R_{free}$	0.225 , 0.293 0.217 , 0.287	Depositor DCC
$R_{free}$ test set	3160 reflections (5.10%)	DCC
Wilson B-factor (Å <sup>2</sup> )	47.1	Xtriage
Anisotropy	0.190	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 42.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.457 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	9315	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.27% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DIF, PLM, F15

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.42	0/4542	0.57	0/6161
1	I	0.42	0/4532	0.59	0/6148
All	All	0.42	0/9074	0.58	0/12309

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	I	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	I	94	GLN	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4453	0	4201	162	0
1	I	4443	0	4193	132	0
2	A	47	0	76	3	0
2	I	47	0	76	7	0
3	A	36	0	62	5	0
3	I	36	0	62	5	0
4	A	57	0	30	34	0
4	I	19	0	10	4	0
5	A	82	0	0	5	0
5	I	95	0	0	6	0
All	All	9315	0	8710	307	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (307) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1008:DIF:H9	4:A:1008:DIF:CL2	1.81	1.16
1:A:161:TYR:OH	4:A:1006:DIF:H10	1.59	1.03
4:A:1008:DIF:CL2	4:A:1008:DIF:C9	2.55	0.92
1:I:540:THR:HG22	1:I:542:GLU:H	1.32	0.90
1:I:32:GLN:HE22	1:I:107:ASP:H	1.23	0.87
4:A:1006:DIF:C4	4:A:1006:DIF:H132	2.05	0.86
4:A:1006:DIF:CL4	4:A:1006:DIF:H132	2.13	0.86
1:A:32:GLN:HE22	1:A:107:ASP:H	1.19	0.85
4:I:1006:DIF:H9	4:I:1006:DIF:CL2	2.14	0.84
1:A:146:HIS:CE1	4:A:1006:DIF:H5	2.15	0.82
1:I:419:SER:OG	1:I:421:PRO:HD2	1.83	0.78
1:I:277:GLU:H	1:I:277:GLU:CD	1.84	0.78
1:A:10:ARG:HA	1:A:10:ARG:HH11	1.48	0.77
1:I:383:GLU:HG3	1:I:384:PRO:HD3	1.67	0.75
1:A:95:GLU:O	1:A:98:ARG:N	2.19	0.75
1:A:383:GLU:HG3	1:A:384:PRO:HD3	1.69	0.74
1:I:150:TYR:OH	3:I:1002:PLM:H22	1.87	0.74
1:A:419:SER:OG	1:A:421:PRO:HD2	1.86	0.74
1:A:500:LYS:HG3	1:A:501:GLU:N	2.02	0.72
1:A:114:ARG:NH1	1:A:116:VAL:HG12	2.04	0.72
1:I:72:ASP:O	1:I:76:THR:HG23	1.88	0.72
1:A:186:ARG:HA	4:A:1006:DIF:C9	2.20	0.72
1:A:482:VAL:N	4:A:1008:DIF:H12	2.05	0.72
1:A:49:PHE:O	1:A:52:THR:HB	1.89	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:424:VAL:O	1:I:428:ARG:HG3	1.89	0.71
1:A:567:CYS:O	1:A:571:GLU:HB2	1.91	0.70
4:A:1006:DIF:CL2	4:A:1006:DIF:C9	2.76	0.70
1:I:222:ARG:HG3	4:I:1006:DIF:H11	1.72	0.70
1:I:95:GLU:O	1:I:96:PRO:C	2.28	0.70
1:A:481:LEU:HB3	4:A:1008:DIF:C12	2.22	0.70
1:A:146:HIS:NE2	4:A:1006:DIF:H5	2.07	0.69
1:A:452:TYR:O	1:A:455:VAL:HG22	1.92	0.69
1:I:411:TYR:OH	3:I:1004:PLM:H21	1.93	0.69
1:I:356:THR:HG21	1:I:376:GLU:OE2	1.92	0.69
1:A:398:LEU:HB2	1:A:402:LYS:HB2	1.73	0.69
1:A:519:LYS:O	1:A:523:ILE:HG12	1.91	0.68
1:A:383:GLU:HG3	1:A:384:PRO:CD	2.23	0.68
1:A:460:LEU:HG	3:A:1004:PLM:HE2	1.76	0.68
1:A:72:ASP:O	1:A:76:THR:HG23	1.94	0.67
1:I:49:PHE:O	1:I:52:THR:HB	1.94	0.67
1:A:114:ARG:HH11	1:A:116:VAL:HG12	1.59	0.67
1:I:513:ILE:HG13	1:I:513:ILE:O	1.93	0.67
1:I:519:LYS:O	1:I:523:ILE:HG12	1.95	0.67
1:A:32:GLN:NE2	1:A:107:ASP:H	1.92	0.66
1:A:210:ALA:HB3	4:A:1008:DIF:CL4	2.32	0.66
1:A:225:LYS:HG3	1:A:299:PRO:HG3	1.77	0.65
1:A:146:HIS:CD2	4:A:1006:DIF:H5	2.31	0.65
1:I:127:PHE:CE1	1:I:131:GLU:HG3	2.32	0.65
1:A:161:TYR:HH	4:A:1006:DIF:H10	1.60	0.65
1:A:211:PHE:HD1	4:A:1008:DIF:C6	2.10	0.65
1:A:115:LEU:HD11	1:A:141:GLU:HB3	1.80	0.64
1:A:424:VAL:O	1:A:428:ARG:HG3	1.98	0.64
1:I:367:HIS:HA	1:I:370:TYR:CZ	2.33	0.63
1:I:225:LYS:HE3	1:I:297:GLU:O	1.98	0.63
1:I:411:TYR:HE2	1:I:430:LEU:HD23	1.64	0.63
1:A:257:ARG:NE	5:A:1101:HOH:O	2.14	0.62
1:A:66:LEU:HD22	3:A:1002:PLM:HG2	1.79	0.62
1:A:206:PHE:HB2	4:A:1008:DIF:CL4	2.36	0.62
1:I:258:ALA:HB1	1:I:283:LEU:HD11	1.79	0.62
1:I:383:GLU:HG3	1:I:384:PRO:CD	2.29	0.62
1:A:146:HIS:CE1	4:A:1006:DIF:C5	2.82	0.61
1:A:95:GLU:O	1:A:96:PRO:C	2.37	0.61
1:I:452:TYR:O	1:I:455:VAL:HG22	1.99	0.61
1:A:516:LEU:HD22	1:A:520:GLU:HB3	1.82	0.61
1:I:86:GLU:OE1	1:I:105:HIS:HE1	1.83	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:453:LEU:O	1:I:457:LEU:HB2	2.00	0.61
1:I:510:HIS:O	1:I:513:ILE:HG23	2.01	0.61
1:I:35:PRO:O	1:I:38:ASP:HB2	2.01	0.61
1:A:576:VAL:O	1:A:580:GLN:HG3	2.01	0.61
1:A:378:LYS:HB3	1:A:379:PRO:HD3	1.83	0.60
1:I:475:LYS:HE2	1:I:479:GLU:OE2	2.02	0.60
1:A:481:LEU:HB3	4:A:1008:DIF:C11	2.32	0.60
1:A:542:GLU:OE1	1:A:542:GLU:HA	2.01	0.60
1:A:457:LEU:O	1:A:460:LEU:HB3	2.02	0.60
1:I:404:GLN:NE2	1:I:428:ARG:HA	2.16	0.60
1:I:120:VAL:CG2	1:I:179:LEU:HD11	2.31	0.60
1:A:420:THR:HB	1:A:421:PRO:HD3	1.82	0.59
1:A:540:THR:HG22	1:A:542:GLU:H	1.66	0.59
1:A:331:LEU:HG	1:A:350:ALA:HB2	1.84	0.59
1:A:398:LEU:HD12	1:A:403:PHE:HA	1.84	0.59
1:I:365:ASP:CG	1:I:368:GLU:HG2	2.23	0.59
1:I:149:PHE:CD1	1:I:154:LEU:HD13	2.37	0.59
1:I:513:ILE:HA	1:I:516:LEU:HD12	1.84	0.59
1:A:383:GLU:HG3	1:A:384:PRO:N	2.17	0.59
1:I:342:SER:HB3	1:I:446:MET:HG2	1.84	0.58
1:A:153:GLU:HA	1:A:156:PHE:HD2	1.67	0.58
1:I:544:LEU:O	1:I:548:MET:HG3	2.04	0.58
1:A:96:PRO:HG2	1:A:97:GLU:OE1	2.04	0.58
1:A:312:SER:O	1:A:315:VAL:HG23	2.04	0.57
1:A:540:THR:HG22	1:A:542:GLU:N	2.18	0.57
1:I:502:PHE:HB2	1:I:535:HIS:CE1	2.38	0.57
1:A:426:VAL:HG11	1:A:460:LEU:HD12	1.85	0.57
1:A:367:HIS:HA	1:A:370:TYR:CZ	2.40	0.57
1:A:149:PHE:CD1	1:A:154:LEU:HD13	2.40	0.57
1:A:410:ARG:O	1:A:414:LYS:HG3	2.05	0.57
1:A:411:TYR:HE2	1:A:430:LEU:HD23	1.69	0.57
1:I:10:ARG:HG3	1:I:66:LEU:HD11	1.85	0.57
1:I:426:VAL:HG11	1:I:460:LEU:CD1	2.35	0.57
4:A:1006:DIF:C3	4:A:1006:DIF:H132	2.35	0.56
1:A:210:ALA:CB	4:A:1008:DIF:CL4	2.90	0.56
1:A:449:ALA:O	1:A:453:LEU:HB2	2.06	0.56
2:A:1001:F15:H22	4:A:1006:DIF:H11	1.88	0.56
1:A:376:GLU:O	1:A:379:PRO:HD2	2.06	0.56
1:A:428:ARG:O	1:A:432:LYS:HG3	2.06	0.56
1:I:536:LYS:HD3	1:I:583:LEU:HB3	1.87	0.56
1:A:67:HIS:HE1	1:A:252:GLU:OE2	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:95:GLU:O	1:I:95:GLU:OE2	2.24	0.55
1:I:426:VAL:HG11	1:I:460:LEU:HD12	1.87	0.55
1:I:373:VAL:HA	5:I:1108:HOH:O	2.06	0.55
1:A:430:LEU:HD13	1:A:456:VAL:HG11	1.89	0.55
1:A:483:ASN:C	1:A:486:PRO:HD2	2.27	0.55
1:A:404:GLN:NE2	1:A:428:ARG:HA	2.21	0.55
4:I:1006:DIF:C9	4:I:1006:DIF:CL2	2.90	0.54
1:A:10:ARG:O	1:A:14:LEU:HB2	2.07	0.54
1:A:455:VAL:HG23	1:A:456:VAL:N	2.22	0.54
1:I:455:VAL:HG23	1:I:456:VAL:N	2.23	0.53
1:A:416:PRO:O	1:A:534:LYS:HE2	2.09	0.53
1:I:416:PRO:O	1:I:534:LYS:HE2	2.08	0.53
1:I:114:ARG:NH1	1:I:116:VAL:HG12	2.23	0.53
1:I:156:PHE:CZ	1:I:160:ARG:HD2	2.44	0.53
1:I:411:TYR:CE2	1:I:430:LEU:HD23	2.43	0.53
1:A:35:PRO:O	1:A:38:ASP:HB2	2.09	0.53
1:I:115:LEU:HD11	1:I:141:GLU:HB3	1.90	0.53
1:I:387:LEU:HD13	2:I:1003:F15:H33	1.91	0.52
1:I:518:GLU:O	1:I:522:GLN:HG3	2.10	0.52
1:A:307:ALA:O	1:A:312:SER:HB2	2.09	0.52
1:A:481:LEU:C	4:A:1008:DIF:H11	2.29	0.52
1:A:480:SER:OG	1:A:482:VAL:HG12	2.09	0.52
1:A:513:ILE:HA	1:A:516:LEU:HD12	1.90	0.52
1:A:272:SER:HB3	1:A:275:LEU:CD2	2.40	0.52
1:A:474:THR:O	1:A:478:THR:HG23	2.10	0.52
1:A:403:PHE:CE2	1:A:407:LEU:HD11	2.44	0.52
1:I:203:LEU:HD12	1:I:242:HIS:CD2	2.45	0.52
1:I:184:GLU:O	1:I:188:GLU:HG3	2.10	0.52
1:A:426:VAL:CG1	1:A:460:LEU:HD12	2.41	0.51
1:I:387:LEU:HB3	2:I:1003:F15:H30	1.92	0.51
1:I:494:ASP:OD2	1:I:497:TYR:HB2	2.10	0.51
1:A:383:GLU:OE2	1:A:485:ARG:NH1	2.43	0.51
1:I:311:GLU:O	1:I:367:HIS:HE1	1.93	0.51
1:I:365:ASP:OD1	1:I:368:GLU:HG2	2.11	0.51
1:A:482:VAL:N	4:A:1008:DIF:C12	2.74	0.51
1:I:225:LYS:HG2	1:I:299:PRO:HD3	1.92	0.51
4:A:1007:DIF:H9	4:A:1007:DIF:CL2	2.48	0.51
1:A:502:PHE:HB2	1:A:535:HIS:CE1	2.46	0.51
1:A:7:VAL:HG23	5:A:1123:HOH:O	2.11	0.51
1:I:510:HIS:HB3	1:I:565:GLU:OE2	2.11	0.51
1:A:202:SER:HB2	4:A:1008:DIF:C6	2.40	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:453:LEU:O	1:A:457:LEU:HB2	2.11	0.51
1:A:365:ASP:OD1	1:A:368:GLU:HG2	2.11	0.50
1:A:455:VAL:CG2	1:A:456:VAL:N	2.74	0.50
1:A:257:ARG:NH1	1:A:287:SER:OG	2.44	0.50
1:A:186:ARG:NE	1:A:187:ASP:OD1	2.44	0.50
1:A:212:LYS:O	1:A:216:VAL:HG23	2.12	0.50
1:A:32:GLN:HE22	1:A:107:ASP:N	1.99	0.50
1:A:355:THR:O	1:A:358:GLU:HB2	2.12	0.50
1:A:565:GLU:HA	1:A:565:GLU:OE1	2.11	0.50
1:A:453:LEU:HD21	2:A:1003:F15:H6	1.94	0.50
1:A:398:LEU:HD12	1:A:403:PHE:CA	2.42	0.49
1:A:446:MET:HB3	1:A:447:PRO:HD3	1.94	0.49
1:I:419:SER:HG	1:I:421:PRO:HD2	1.77	0.49
1:I:540:THR:HG22	1:I:542:GLU:N	2.14	0.49
1:I:222:ARG:HD3	1:I:295:ASN:OD1	2.13	0.49
1:A:398:LEU:HB2	1:A:402:LYS:CB	2.41	0.49
1:I:376:GLU:O	1:I:379:PRO:HD2	2.12	0.49
1:A:504:ALA:O	1:A:508:THR:OG1	2.28	0.49
1:A:257:ARG:NH1	3:A:1002:PLM:O2	2.46	0.49
1:A:120:VAL:CG2	1:A:179:LEU:HD11	2.43	0.49
1:A:518:GLU:O	1:A:522:GLN:HG3	2.13	0.48
1:A:576:VAL:HG12	1:A:580:GLN:NE2	2.29	0.48
1:I:60:GLU:O	1:I:61:ASN:HB2	2.13	0.48
1:I:351:LYS:O	1:I:354:GLU:HB3	2.13	0.48
1:I:576:VAL:HG12	1:I:580:GLN:NE2	2.28	0.48
1:I:455:VAL:CG2	1:I:456:VAL:N	2.76	0.48
1:A:175:ALA:O	1:A:179:LEU:HD13	2.14	0.48
1:I:260:LEU:O	1:I:264:ILE:HG13	2.13	0.48
1:A:411:TYR:CE2	1:A:430:LEU:HD23	2.48	0.48
1:A:345:LEU:O	1:A:349:LEU:HG	2.14	0.48
1:A:7:VAL:HG21	1:A:49:PHE:HE2	1.78	0.48
1:I:383:GLU:HG3	1:I:384:PRO:N	2.29	0.48
1:I:516:LEU:HD22	1:I:520:GLU:HB3	1.96	0.48
1:A:365:ASP:CG	1:A:368:GLU:HG2	2.34	0.47
1:I:222:ARG:O	1:I:224:PRO:HD2	2.14	0.47
1:I:101:CYS:O	1:I:105:HIS:HD2	1.97	0.47
1:A:186:ARG:HA	4:A:1006:DIF:H9	1.95	0.47
1:I:370:TYR:CD1	1:I:370:TYR:C	2.87	0.47
1:A:70:PHE:HD1	3:A:1002:PLM:HE2	1.79	0.47
4:I:1006:DIF:C2	4:I:1006:DIF:H9	2.44	0.47
1:I:67:HIS:HE1	1:I:252:GLU:OE2	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:474:THR:O	1:I:478:THR:HG23	2.14	0.47
1:I:36:PHE:CE2	1:I:40:VAL:HG21	2.50	0.47
1:A:209:ARG:HB3	5:A:1157:HOH:O	2.14	0.47
1:I:448:CYS:O	1:I:452:TYR:HD2	1.98	0.47
1:A:433:VAL:HG22	1:A:452:TYR:HB3	1.97	0.47
1:A:107:ASP:O	1:A:110:PRO:HD3	2.15	0.47
1:I:138:TYR:O	1:I:142:ILE:HG12	2.14	0.47
1:A:146:HIS:CG	4:A:1006:DIF:H5	2.50	0.46
1:I:131:GLU:OE2	1:I:162:LYS:HE3	2.15	0.46
1:A:395:PHE:O	1:A:398:LEU:O	2.34	0.46
1:I:475:LYS:O	1:I:479:GLU:HB2	2.16	0.46
1:I:66:LEU:HD23	1:I:66:LEU:HA	1.70	0.46
1:A:411:TYR:OH	3:A:1004:PLM:H21	2.16	0.46
1:I:430:LEU:HD13	1:I:456:VAL:HG11	1.97	0.46
4:A:1006:DIF:CL2	4:A:1006:DIF:C8	2.99	0.46
1:A:11:PHE:CD2	1:A:54:VAL:HG21	2.51	0.46
1:A:398:LEU:H	1:A:398:LEU:HD23	1.81	0.46
3:I:1002:PLM:HF1	3:I:1002:PLM:HC1	1.72	0.46
1:A:281:LYS:HB3	1:A:282:PRO:HD2	1.98	0.45
1:I:416:PRO:HB2	1:I:497:TYR:CE1	2.51	0.45
1:I:302:LEU:HA	1:I:303:PRO:HD3	1.62	0.45
1:I:313:LYS:O	1:I:314:ASP:CB	2.63	0.45
1:I:416:PRO:HG2	1:I:497:TYR:CG	2.51	0.45
1:I:99:ASN:HB3	5:I:1154:HOH:O	2.16	0.45
1:I:32:GLN:NE2	1:I:107:ASP:H	2.03	0.45
1:A:203:LEU:HA	4:A:1008:DIF:H5	1.99	0.45
1:I:394:LEU:HD11	1:I:398:LEU:HD11	1.99	0.45
1:I:106:LYS:HB2	1:I:148:TYR:OH	2.16	0.45
1:I:558:CYS:HB3	1:I:568:PHE:CE2	2.51	0.45
1:A:405:ASN:OD1	1:A:526:GLN:HG2	2.17	0.44
1:A:482:VAL:HA	4:A:1008:DIF:H11	1.99	0.44
1:I:257:ARG:NH1	1:I:287:SER:OG	2.50	0.44
1:I:137:LYS:O	1:I:141:GLU:HG2	2.17	0.44
1:A:272:SER:HB3	1:A:275:LEU:HD22	2.00	0.44
1:I:494:ASP:OD1	1:I:496:THR:HB	2.17	0.44
1:A:95:GLU:O	1:A:97:GLU:N	2.51	0.44
1:A:562:ASP:O	1:A:563:ASP:HB3	2.17	0.44
1:I:398:LEU:HB3	1:I:402:LYS:HB2	2.00	0.44
1:I:500:LYS:HG3	1:I:501:GLU:N	2.33	0.44
1:A:39:HIS:CD2	1:A:140:TYR:HE2	2.36	0.44
1:I:551:PHE:CD1	2:I:1005:F15:H5	2.52	0.44

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:208:GLU:HG2	1:I:239:THR:HG21	2.00	0.43
1:A:260:LEU:O	1:A:264:ILE:HG13	2.18	0.43
1:A:481:LEU:C	4:A:1008:DIF:C11	2.87	0.43
1:A:274:LYS:HD2	1:A:296:ASP:HA	2.01	0.43
1:A:86:GLU:O	1:A:89:ASP:N	2.40	0.43
1:A:115:LEU:HA	1:A:115:LEU:HD23	1.84	0.43
1:A:152:PRO:O	1:A:156:PHE:CD2	2.72	0.43
1:A:312:SER:C	1:A:313:LYS:O	2.57	0.43
1:I:94:GLN:O	1:I:97:GLU:OE1	2.37	0.43
1:A:398:LEU:N	1:A:398:LEU:HD23	2.34	0.43
1:A:448:CYS:O	1:A:452:TYR:HD2	2.02	0.43
1:A:185:LEU:HA	1:A:185:LEU:HD12	1.77	0.43
1:I:35:PRO:HD2	1:I:38:ASP:OD2	2.18	0.43
1:I:525:LYS:HG2	1:I:551:PHE:HE2	1.84	0.43
1:A:494:ASP:OD1	1:A:496:THR:HB	2.18	0.43
1:I:138:TYR:CD1	2:I:1001:F15:H2	2.53	0.43
1:I:161:TYR:CD1	2:I:1001:F15:H31	2.54	0.43
1:A:150:TYR:CD2	1:A:152:PRO:HD2	2.54	0.43
1:I:523:ILE:H	1:I:523:ILE:HG12	1.65	0.43
1:A:35:PRO:HD2	1:A:38:ASP:OD2	2.19	0.43
1:A:66:LEU:HA	1:A:66:LEU:HD23	1.76	0.43
1:I:108:ASP:O	1:I:109:ASN:C	2.57	0.43
1:I:416:PRO:HD2	1:I:417:GLN:OE1	2.19	0.43
1:I:525:LYS:HG2	1:I:551:PHE:CE2	2.54	0.43
1:A:127:PHE:CE1	1:A:131:GLU:HG3	2.53	0.42
1:A:544:LEU:O	1:A:548:MET:HG3	2.18	0.42
1:I:535:HIS:HD2	2:I:1005:F15:C15	2.32	0.42
1:A:39:HIS:CD2	1:A:140:TYR:CE2	3.07	0.42
1:A:36:PHE:CE2	1:A:40:VAL:HG21	2.54	0.42
1:I:46:VAL:HG11	3:I:1002:PLM:HG1	2.00	0.42
1:I:516:LEU:HD22	1:I:520:GLU:CB	2.49	0.42
1:I:558:CYS:HB3	1:I:568:PHE:CD2	2.53	0.42
1:A:101:CYS:O	1:A:105:HIS:CD2	2.72	0.42
1:A:557:LYS:O	1:A:561:ALA:HB2	2.20	0.42
1:I:405:ASN:OD1	1:I:526:GLN:HG2	2.19	0.42
1:A:154:LEU:HD11	4:A:1006:DIF:H1	2.02	0.42
1:A:340:ASP:O	1:A:447:PRO:HD3	2.20	0.42
1:A:540:THR:CG2	1:A:542:GLU:H	2.32	0.42
1:A:60:GLU:O	1:A:61:ASN:HB2	2.18	0.42
1:I:535:HIS:HD2	2:I:1005:F15:H15	1.84	0.42
1:A:330:PHE:O	1:A:334:TYR:HB2	2.19	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:555:VAL:O	1:I:559:CYS:HB2	2.20	0.42
1:A:575:LEU:HD12	1:A:575:LEU:O	2.19	0.42
1:A:551:PHE:O	1:A:554:PHE:HB3	2.20	0.42
1:I:165:PHE:CE1	1:I:178:LEU:HD21	2.55	0.42
1:I:7:VAL:HG22	5:I:1137:HOH:O	2.19	0.42
1:A:189:GLY:HA3	4:A:1006:DIF:CL2	2.57	0.42
1:I:446:MET:HB3	1:I:447:PRO:HD3	2.01	0.42
1:I:513:ILE:HB	1:I:516:LEU:HD12	2.01	0.42
1:I:257:ARG:NH2	5:I:1105:HOH:O	2.38	0.41
1:A:115:LEU:HD11	1:A:141:GLU:CB	2.50	0.41
1:A:463:LEU:HD23	1:A:463:LEU:HA	1.85	0.41
1:I:370:TYR:HD1	1:I:370:TYR:C	2.24	0.41
1:I:408:LEU:HD13	1:I:427:SER:OG	2.21	0.41
1:I:195:LYS:O	1:I:199:LYS:HG3	2.21	0.41
1:I:70:PHE:HB2	3:I:1002:PLM:HE2	2.03	0.41
1:I:150:TYR:CD2	1:I:152:PRO:HD2	2.56	0.41
1:I:215:ALA:HB3	1:I:235:VAL:HG13	2.03	0.41
1:A:10:ARG:HA	1:A:10:ARG:NH1	2.25	0.41
1:A:81:ARG:NH2	1:A:89:ASP:OD1	2.49	0.41
1:A:532:LEU:HD22	2:A:1005:F15:H6	2.03	0.41
1:A:526:GLN:O	1:A:530:VAL:HG23	2.21	0.41
1:I:114:ARG:HH11	1:I:116:VAL:HG12	1.86	0.41
1:I:151:ALA:HB3	1:I:152:PRO:HD3	2.02	0.41
1:A:482:VAL:H	4:A:1008:DIF:H12	1.84	0.41
1:A:186:ARG:NE	5:A:1115:HOH:O	2.54	0.41
1:A:457:LEU:HA	1:A:457:LEU:HD12	1.90	0.41
1:A:556:GLU:O	1:A:556:GLU:HG2	2.19	0.41
1:I:10:ARG:HD2	5:I:1124:HOH:O	2.21	0.41
1:A:80:LEU:HD23	1:A:88:ALA:HA	2.02	0.40
1:A:97:GLU:HG3	5:A:1104:HOH:O	2.20	0.40
1:I:237:ASP:O	1:I:241:VAL:HG23	2.21	0.40
1:I:274:LYS:HD2	1:I:296:ASP:HA	2.03	0.40
1:I:7:VAL:CG2	5:I:1137:HOH:O	2.68	0.40
1:I:408:LEU:HD11	1:I:530:VAL:CG2	2.52	0.40
1:I:3:HIS:CG	1:I:9:HIS:CD2	3.09	0.40
1:I:430:LEU:HA	1:I:430:LEU:HD12	1.86	0.40
1:A:214:TRP:CD1	1:A:343:VAL:HG11	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/585 (99%)	545 (94%)	31 (5%)	3 (0%)	32	32
1	I	579/585 (99%)	549 (95%)	24 (4%)	6 (1%)	18	14
All	All	1158/1170 (99%)	1094 (94%)	55 (5%)	9 (1%)	22	19

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	95	GLU
1	A	469	VAL
1	I	190	LYS
1	I	469	VAL
1	I	110	PRO
1	A	397	GLN
1	I	479	GLU
1	I	189	GLY
1	I	310	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	458/511 (90%)	421 (92%)	37 (8%)	14	12
1	I	455/511 (89%)	422 (93%)	33 (7%)	16	16
All	All	913/1022 (89%)	843 (92%)	70 (8%)	15	14

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	VAL
1	A	10	ARG
1	A	14	LEU
1	A	65	SER
1	A	83	THR
1	A	95	GLU
1	A	103	LEU
1	A	114	ARG
1	A	121	ASP
1	A	132	GLU
1	A	144	ARG
1	A	185	LEU
1	A	203	LEU
1	A	205	LYS
1	A	225	LYS
1	A	238	LEU
1	A	275	LEU
1	A	297	GLU
1	A	334	TYR
1	A	370	TYR
1	A	380	LEU
1	A	383	GLU
1	A	398	LEU
1	A	430	LEU
1	A	442	GLU
1	A	453	LEU
1	A	457	LEU
1	A	460	LEU
1	A	465	GLU
1	A	467	THR
1	A	469	VAL
1	A	481	LEU
1	A	500	LYS
1	A	515	THR
1	A	540	THR
1	A	544	LEU
1	A	550	ASP
1	I	7	VAL
1	I	14	LEU
1	I	103	LEU
1	I	114	ARG
1	I	121	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	I	132	GLU
1	I	177	CYS
1	I	185	LEU
1	I	238	LEU
1	I	270	SER
1	I	272	SER
1	I	275	LEU
1	I	277	GLU
1	I	311	GLU
1	I	331	LEU
1	I	334	TYR
1	I	370	TYR
1	I	380	LEU
1	I	383	GLU
1	I	387	LEU
1	I	415	VAL
1	I	430	LEU
1	I	451	ASP
1	I	453	LEU
1	I	457	LEU
1	I	469	VAL
1	I	479	GLU
1	I	481	LEU
1	I	513	ILE
1	I	515	THR
1	I	523	ILE
1	I	542	GLU
1	I	544	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	HIS
1	A	32	GLN
1	A	39	HIS
1	A	67	HIS
1	A	105	HIS
1	A	109	ASN
1	A	318	ASN
1	A	459	GLN
1	A	580	GLN
1	I	9	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	I	32	GLN
1	I	67	HIS
1	I	105	HIS
1	I	109	ASN
1	I	242	HIS
1	I	318	ASN
1	I	580	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	F15	A	1001	-	9,12,16	0.47	0	8,12,16	0.33	0
3	PLM	A	1002	-	14,17,17	0.24	0	13,17,17	0.72	0
2	F15	A	1003	-	13,16,16	0.26	0	12,16,16	0.64	0
3	PLM	A	1004	-	14,17,17	0.23	0	13,17,17	0.80	0
2	F15	A	1005	-	13,16,16	0.31	0	12,16,16	0.70	0
4	DIF	A	1006	-	17,20,20	0.84	0	24,27,27	1.86	4 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	DIF	A	1007	-	17,20,20	0.82	1 (5%)	24,27,27	2.75	7 (29%)
4	DIF	A	1008	-	17,20,20	0.72	0	24,27,27	1.32	3 (12%)
2	F15	I	1001	-	9,12,16	0.42	0	8,12,16	0.38	0
3	PLM	I	1002	-	14,17,17	0.28	0	13,17,17	0.73	0
2	F15	I	1003	-	13,16,16	0.23	0	12,16,16	0.67	0
3	PLM	I	1004	-	14,17,17	0.27	0	13,17,17	0.65	0
2	F15	I	1005	-	13,16,16	0.29	0	12,16,16	0.69	0
4	DIF	I	1006	-	17,20,20	0.75	0	24,27,27	1.99	6 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	F15	A	1001	-	-	0/8/10/14	0/0/0/0
3	PLM	A	1002	-	-	0/13/15/15	0/0/0/0
2	F15	A	1003	-	-	0/12/14/14	0/0/0/0
3	PLM	A	1004	-	-	0/13/15/15	0/0/0/0
2	F15	A	1005	-	-	0/12/14/14	0/0/0/0
4	DIF	A	1006	-	-	0/6/8/8	0/2/2/2
4	DIF	A	1007	-	-	0/6/8/8	0/2/2/2
4	DIF	A	1008	-	-	0/6/8/8	0/2/2/2
2	F15	I	1001	-	-	0/8/10/14	0/0/0/0
3	PLM	I	1002	-	-	0/13/15/15	0/0/0/0
2	F15	I	1003	-	-	0/12/14/14	0/0/0/0
3	PLM	I	1004	-	-	0/13/15/15	0/0/0/0
2	F15	I	1005	-	-	0/12/14/14	0/0/0/0
4	DIF	I	1006	-	-	0/6/8/8	0/2/2/2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1007	DIF	C8-C7	-2.23	1.37	1.40

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1007	DIF	C7-C8-N1	-8.69	112.15	118.58
4	A	1006	DIF	C3-N1-C8	-6.50	109.09	123.00
4	A	1007	DIF	C13-C7-C8	-5.10	113.25	121.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1008	DIF	C4-C3-N1	-3.84	116.53	122.03
4	A	1007	DIF	C4-C3-N1	-3.44	117.09	122.03
4	I	1006	DIF	C13-C7-C12	-3.07	115.37	120.46
4	I	1006	DIF	C4-C3-N1	-2.74	118.10	122.03
4	A	1006	DIF	C2-C3-N1	-2.38	118.62	122.03
4	A	1007	DIF	C9-C8-N1	2.22	126.08	121.42
4	A	1008	DIF	C4-C3-C2	2.27	120.12	116.26
4	I	1006	DIF	C4-C3-C2	2.44	120.39	116.26
4	A	1008	DIF	C3-C2-CL2	2.59	122.36	119.29
4	A	1006	DIF	C4-C3-C2	2.60	120.68	116.26
4	A	1006	DIF	C7-C8-N1	2.82	120.67	118.58
4	I	1006	DIF	C3-C2-CL2	2.84	122.66	119.29
4	A	1007	DIF	C4-C3-C2	2.96	121.29	116.26
4	A	1007	DIF	C13-C7-C12	3.61	126.46	120.46
4	I	1006	DIF	C7-C8-N1	3.93	121.50	118.58
4	A	1007	DIF	C14-C13-C7	4.65	125.53	114.71
4	I	1006	DIF	C14-C13-C7	5.78	128.15	114.71

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

14 monomers are involved in 57 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	F15	1	0
3	A	1002	PLM	3	0
2	A	1003	F15	1	0
3	A	1004	PLM	2	0
2	A	1005	F15	1	0
4	A	1006	DIF	17	0
4	A	1007	DIF	1	0
4	A	1008	DIF	16	0
2	I	1001	F15	2	0
3	I	1002	PLM	4	0
2	I	1003	F15	2	0
3	I	1004	PLM	1	0
2	I	1005	F15	3	0
4	I	1006	DIF	4	0



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	581/585 (99%)	0.33	17 (2%) 52 53	33, 55, 78, 98	0
1	I	581/585 (99%)	0.35	14 (2%) 59 60	31, 55, 77, 105	0
All	All	1162/1170 (99%)	0.34	31 (2%) 55 55	31, 55, 77, 105	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	109	ASN	4.2
1	A	388	ILE	3.7
1	A	310	VAL	3.6
1	A	381	VAL	3.1
1	A	555	VAL	3.0
1	I	105	HIS	2.9
1	A	350	ALA	2.8
1	I	92	ALA	2.8
1	A	488	PHE	2.7
1	A	444	LYS	2.6
1	I	154	LEU	2.5
1	I	513	ILE	2.4
1	I	120	VAL	2.3
1	A	102	PHE	2.3
1	A	453	LEU	2.3
1	I	178	LEU	2.2
1	A	33	GLN	2.2
1	I	453	LEU	2.2
1	A	387	LEU	2.1
1	I	568	PHE	2.1
1	A	370	TYR	2.1
1	I	350	ALA	2.1
1	I	540	THR	2.1
1	A	566	THR	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	331	LEU	2.1
1	A	27	PHE	2.1
1	I	370	TYR	2.1
1	A	345	LEU	2.0
1	A	583	LEU	2.0
1	I	583	LEU	2.0
1	I	305	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	PLM	A	1002	18/18	0.91	0.35	6.48	36,46,102,105	0
2	F15	I	1001	13/17	0.57	0.40	6.28	36,74,91,91	0
2	F15	A	1005	17/17	0.90	0.30	5.42	43,52,61,61	0
4	DIF	A	1008	19/19	0.81	0.26	4.16	67,85,101,153	0
3	PLM	A	1004	18/18	0.85	0.35	4.14	48,66,83,91	0
2	F15	A	1001	13/17	0.76	0.27	3.63	44,67,85,86	0
3	PLM	I	1004	18/18	0.81	0.28	3.27	45,66,84,85	0
2	F15	A	1003	17/17	0.88	0.33	3.22	52,68,83,83	0
2	F15	I	1003	17/17	0.92	0.23	2.61	56,73,83,86	0
4	DIF	A	1006	19/19	0.91	0.20	2.28	39,76,97,218	0
4	DIF	I	1006	19/19	0.86	0.19	1.92	45,56,78,84	0
4	DIF	A	1007	19/19	0.87	0.17	0.90	42,59,92,100	0
2	F15	I	1005	17/17	0.87	0.18	0.85	35,50,63,64	0
3	PLM	I	1002	18/18	0.93	0.17	0.67	38,56,81,82	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.