



Full wwPDB NMR Structure Validation Report ⓘ

May 29, 2020 – 01:07 am BST

PDB ID : 2M8P
Title : The structure of the W184AM185A mutant of the HIV-1 capsid protein
Authors : Deshmukh, L.; Schwieters, C.D.; Grishaev, A.; Clore, G.; Ghirlando, R.
Deposited on : 2013-05-24

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR, SOLUTION SCATTERING

The overall completeness of chemical shifts assignment is 38%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	231	 81% 13% ...

2 Ensemble composition and analysis

This entry contains 100 models. Model 35 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:145 (145)	0.03	35
2	A:150-A:221 (72)	0.02	51

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 15 clusters and 4 single-model clusters were found.

Cluster number	Models
1	3, 5, 8, 10, 15, 20, 21, 28, 30, 35, 40, 45, 50, 51, 60, 63, 70, 73, 76, 85, 90, 93, 98, 100
2	1, 6, 11, 25, 26, 36, 46, 49, 55, 65, 66, 75, 80, 81, 95, 96
3	7, 12, 27, 37, 47, 67, 82, 97
4	19, 23, 34, 44, 53, 59, 78
5	24, 54, 64, 74, 79, 94
6	4, 9, 14, 29, 39, 99
7	17, 32, 42, 57, 87
8	16, 31, 41, 56
9	18, 43, 58, 88
10	13, 38, 48, 72
11	61, 71, 91
12	22, 52, 77
13	62, 92
14	2, 33
15	69, 84
Single-model clusters	68; 83; 86; 89

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3436 atoms, of which 1723 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Capsid protein p24.

Mol	Chain	Residues	Atoms						Trace
1	A	221	Total	C	H	N	O	S	0
			3436	1078	1723	300	323	12	

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	184	ALA	TRP	ENGINEERED MUTATION	UNP P12497
A	185	ALA	MET	ENGINEERED MUTATION	UNP P12497

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Capsid protein p24




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1


- Molecule 1: Capsid protein p24



4.2.2 Score per residue for model 2


- Molecule 1: Capsid protein p24






4.2.3 Score per residue for model 3

- Molecule 1: Capsid protein p24




4.2.4 Score per residue for model 4

- Molecule 1: Capsid protein p24




4.2.5 Score per residue for model 5

- Molecule 1: Capsid protein p24




4.2.6 Score per residue for model 6

- Molecule 1: Capsid protein p24




4.2.7 Score per residue for model 7

- Molecule 1: Capsid protein p24




4.2.8 Score per residue for model 8

- Molecule 1: Capsid protein p24




4.2.9 Score per residue for model 9

- Molecule 1: Capsid protein p24




4.2.10 Score per residue for model 10

- Molecule 1: Capsid protein p24




4.2.11 Score per residue for model 11

- Molecule 1: Capsid protein p24




4.2.12 Score per residue for model 12

- Molecule 1: Capsid protein p24




4.2.13 Score per residue for model 13

- Molecule 1: Capsid protein p24




4.2.14 Score per residue for model 14

- Molecule 1: Capsid protein p24




4.2.15 Score per residue for model 15

- Molecule 1: Capsid protein p24




4.2.16 Score per residue for model 16

- Molecule 1: Capsid protein p24




4.2.17 Score per residue for model 17

- Molecule 1: Capsid protein p24




4.2.18 Score per residue for model 18

- Molecule 1: Capsid protein p24




4.2.19 Score per residue for model 19

- Molecule 1: Capsid protein p24




4.2.20 Score per residue for model 20

- Molecule 1: Capsid protein p24




4.2.21 Score per residue for model 21

- Molecule 1: Capsid protein p24




4.2.22 Score per residue for model 22

- Molecule 1: Capsid protein p24




4.2.23 Score per residue for model 23

- Molecule 1: Capsid protein p24




4.2.24 Score per residue for model 24

- Molecule 1: Capsid protein p24




4.2.25 Score per residue for model 25

- Molecule 1: Capsid protein p24




4.2.26 Score per residue for model 26

- Molecule 1: Capsid protein p24




4.2.27 Score per residue for model 27

- Molecule 1: Capsid protein p24




4.2.28 Score per residue for model 28

- Molecule 1: Capsid protein p24




4.2.29 Score per residue for model 29

- Molecule 1: Capsid protein p24




4.2.30 Score per residue for model 30

- Molecule 1: Capsid protein p24




4.2.31 Score per residue for model 31

- Molecule 1: Capsid protein p24




4.2.32 Score per residue for model 32

- Molecule 1: Capsid protein p24




4.2.33 Score per residue for model 33

- Molecule 1: Capsid protein p24




4.2.34 Score per residue for model 34

- Molecule 1: Capsid protein p24




4.2.35 Score per residue for model 35 (medoid)

- Molecule 1: Capsid protein p24




4.2.36 Score per residue for model 36

- Molecule 1: Capsid protein p24




4.2.37 Score per residue for model 37

- Molecule 1: Capsid protein p24




4.2.38 Score per residue for model 38

- Molecule 1: Capsid protein p24




4.2.39 Score per residue for model 39

- Molecule 1: Capsid protein p24




4.2.40 Score per residue for model 40

- Molecule 1: Capsid protein p24




4.2.41 Score per residue for model 41

- Molecule 1: Capsid protein p24




4.2.42 Score per residue for model 42

- Molecule 1: Capsid protein p24




4.2.43 Score per residue for model 43

- Molecule 1: Capsid protein p24




4.2.44 Score per residue for model 44

- Molecule 1: Capsid protein p24




4.2.45 Score per residue for model 45

- Molecule 1: Capsid protein p24




4.2.46 Score per residue for model 46

- Molecule 1: Capsid protein p24




4.2.47 Score per residue for model 47

- Molecule 1: Capsid protein p24




4.2.48 Score per residue for model 48

- Molecule 1: Capsid protein p24



4.2.49 Score per residue for model 49


- Molecule 1: Capsid protein p24



4.2.50 Score per residue for model 50

- Molecule 1: Capsid protein p24


Chain A: 78% 13% . . .



4.2.51 Score per residue for model 51

- Molecule 1: Capsid protein p24


Chain A: 74% 17% . . .



4.2.52 Score per residue for model 52


- Molecule 1: Capsid protein p24


Chain A:  73% 19% . . .



4.2.53 Score per residue for model 53


- Molecule 1: Capsid protein p24

Chain A:  79% 13% . . .




4.2.54 Score per residue for model 54

- Molecule 1: Capsid protein p24




4.2.55 Score per residue for model 55

- Molecule 1: Capsid protein p24




4.2.56 Score per residue for model 56

- Molecule 1: Capsid protein p24




4.2.57 Score per residue for model 57

- Molecule 1: Capsid protein p24




4.2.58 Score per residue for model 58

- Molecule 1: Capsid protein p24




4.2.59 Score per residue for model 59

- Molecule 1: Capsid protein p24




4.2.60 Score per residue for model 60

- Molecule 1: Capsid protein p24




4.2.61 Score per residue for model 61

- Molecule 1: Capsid protein p24




4.2.62 Score per residue for model 62

- Molecule 1: Capsid protein p24




4.2.63 Score per residue for model 63

- Molecule 1: Capsid protein p24




4.2.64 Score per residue for model 64

- Molecule 1: Capsid protein p24




4.2.65 Score per residue for model 65

- Molecule 1: Capsid protein p24




4.2.66 Score per residue for model 66

- Molecule 1: Capsid protein p24




4.2.67 Score per residue for model 67

- Molecule 1: Capsid protein p24




4.2.68 Score per residue for model 68

- Molecule 1: Capsid protein p24




4.2.69 Score per residue for model 69

- Molecule 1: Capsid protein p24




4.2.70 Score per residue for model 70

- Molecule 1: Capsid protein p24




4.2.71 Score per residue for model 71

- Molecule 1: Capsid protein p24




4.2.72 Score per residue for model 72

- Molecule 1: Capsid protein p24




4.2.73 Score per residue for model 73

- Molecule 1: Capsid protein p24




4.2.74 Score per residue for model 74

- Molecule 1: Capsid protein p24




4.2.75 Score per residue for model 75

- Molecule 1: Capsid protein p24




4.2.76 Score per residue for model 76

- Molecule 1: Capsid protein p24




4.2.77 Score per residue for model 77

- Molecule 1: Capsid protein p24




4.2.78 Score per residue for model 78

- Molecule 1: Capsid protein p24




4.2.79 Score per residue for model 79

- Molecule 1: Capsid protein p24




4.2.80 Score per residue for model 80

- Molecule 1: Capsid protein p24




4.2.81 Score per residue for model 81

- Molecule 1: Capsid protein p24




4.2.82 Score per residue for model 82

- Molecule 1: Capsid protein p24




4.2.83 Score per residue for model 83

- Molecule 1: Capsid protein p24




4.2.84 Score per residue for model 84

- Molecule 1: Capsid protein p24




4.2.85 Score per residue for model 85

- Molecule 1: Capsid protein p24




4.2.86 Score per residue for model 86

- Molecule 1: Capsid protein p24




4.2.87 Score per residue for model 87

- Molecule 1: Capsid protein p24




4.2.88 Score per residue for model 88

- Molecule 1: Capsid protein p24




4.2.89 Score per residue for model 89

- Molecule 1: Capsid protein p24




4.2.90 Score per residue for model 90

- Molecule 1: Capsid protein p24




4.2.91 Score per residue for model 91

- Molecule 1: Capsid protein p24




4.2.92 Score per residue for model 92

- Molecule 1: Capsid protein p24




4.2.93 Score per residue for model 93

- Molecule 1: Capsid protein p24




4.2.94 Score per residue for model 94

- Molecule 1: Capsid protein p24




4.2.95 Score per residue for model 95

- Molecule 1: Capsid protein p24




4.2.96 Score per residue for model 96

- Molecule 1: Capsid protein p24




4.2.97 Score per residue for model 97

- Molecule 1: Capsid protein p24




4.2.98 Score per residue for model 98

- Molecule 1: Capsid protein p24




4.2.99 Score per residue for model 99

- Molecule 1: Capsid protein p24



4.2.100 Score per residue for model 100

- Molecule 1: Capsid protein p24



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 480 calculated structures, 100 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR NIH	refinement	2.32

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 6 of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	1
Total number of shifts	1060
Number of shifts mapped to atoms	1060
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	38%

No validations of the models with respect to experimental NMR restraints is performed at this time.

COVALENT-GEOMETRY INFOmissingINFO

5.1 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1687	1699	1694	30±5
All	All	168700	169900	169399	2954

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:150:ILE:HG22	1:A:171:THR:HG22	0.88	1.45	27	8
1:A:12:HIS:CD2	1:A:111:LEU:HD11	0.82	2.10	21	41
1:A:145:TYR:CG	1:A:145:TYR:O	0.81	2.33	7	3
1:A:150:ILE:O	1:A:150:ILE:HD12	0.74	1.83	47	1
1:A:150:ILE:HD13	1:A:150:ILE:N	0.73	1.98	37	1
1:A:150:ILE:HD12	1:A:150:ILE:O	0.72	1.85	7	1
1:A:144:MET:O	1:A:145:TYR:C	0.72	2.27	31	12
1:A:150:ILE:HD11	1:A:168:PHE:CZ	0.72	2.20	100	2
1:A:2:ILE:HD13	1:A:118:MET:SD	0.69	2.27	95	46
1:A:32:PHE:CE2	1:A:145:TYR:CE1	0.68	2.82	48	3
1:A:108:THR:HG22	1:A:108:THR:O	0.68	1.89	28	9
1:A:108:THR:O	1:A:108:THR:HG22	0.68	1.89	3	11
1:A:150:ILE:HG23	1:A:151:LEU:H	0.67	1.49	95	1
1:A:150:ILE:HG22	1:A:171:THR:CG2	0.66	2.20	47	6
1:A:32:PHE:CE1	1:A:145:TYR:CD2	0.66	2.84	25	2
1:A:80:TRP:CZ3	1:A:84:HIS:NE2	0.66	2.64	75	50
1:A:32:PHE:CE1	1:A:145:TYR:CD1	0.66	2.84	86	1
1:A:162:ARG:NH2	1:A:219:GLN:NE2	0.65	2.45	94	2
1:A:80:TRP:CE3	1:A:84:HIS:CE1	0.64	2.85	52	35
1:A:150:ILE:HD13	1:A:150:ILE:C	0.64	2.13	87	2
1:A:80:TRP:CZ3	1:A:84:HIS:CE1	0.64	2.86	57	39
1:A:5:ASN:HD22	1:A:9:GLN:HE22	0.63	1.37	27	14
1:A:97:ARG:HE	1:A:98:GLU:H	0.63	1.36	51	1
1:A:96:MET:SD	1:A:97:ARG:N	0.63	2.72	36	4
1:A:5:ASN:HD22	1:A:9:GLN:NE2	0.62	1.93	77	14
1:A:12:HIS:CG	1:A:111:LEU:HD11	0.62	2.29	42	39
1:A:32:PHE:CZ	1:A:145:TYR:CD2	0.62	2.87	41	5
1:A:80:TRP:CE3	1:A:84:HIS:CD2	0.62	2.88	66	46
1:A:173:ARG:NH2	1:A:182:LYS:NZ	0.62	2.48	8	2
1:A:173:ARG:O	1:A:173:ARG:NE	0.61	2.33	66	16
1:A:144:MET:O	1:A:145:TYR:CG	0.61	2.53	44	3
1:A:68:MET:SD	1:A:68:MET:N	0.61	2.74	91	2
1:A:91:ILE:HD11	1:A:97:ARG:NH2	0.61	2.11	53	20
1:A:32:PHE:CZ	1:A:145:TYR:CD1	0.61	2.87	80	4
1:A:5:ASN:ND2	1:A:9:GLN:HE22	0.61	1.93	52	9
1:A:144:MET:O	1:A:145:TYR:CD2	0.60	2.53	68	1
1:A:155:GLN:HE21	1:A:195:ASN:H	0.60	1.37	69	20
1:A:11:VAL:HG22	1:A:12:HIS:N	0.60	2.12	10	40
1:A:173:ARG:NE	1:A:173:ARG:O	0.60	2.34	81	23
1:A:32:PHE:CE1	1:A:145:TYR:CG	0.60	2.89	31	2
1:A:35:GLU:O	1:A:39:MET:SD	0.60	2.60	91	30
1:A:162:ARG:NH1	1:A:219:GLN:HE21	0.59	1.94	13	16

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:171:THR:O	1:A:175:GLU:OE2	0.59	2.21	37	2
1:A:30:LYS:O	1:A:31:ALA:C	0.59	2.41	85	100
1:A:173:ARG:HH22	1:A:182:LYS:NZ	0.59	1.95	8	2
1:A:5:ASN:OD1	1:A:6:LEU:N	0.59	2.35	52	32
1:A:78:ALA:O	1:A:82:ARG:NE	0.59	2.35	31	28
1:A:20:LEU:HD23	1:A:55:MET:SD	0.59	2.38	27	20
1:A:18:ARG:NH2	1:A:21:ASN:HD22	0.59	1.96	84	10
1:A:18:ARG:NH1	1:A:21:ASN:HD22	0.59	1.95	14	4
1:A:162:ARG:HH12	1:A:219:GLN:HE22	0.59	1.39	56	1
1:A:162:ARG:NE	1:A:219:GLN:HE22	0.59	1.95	64	2
1:A:153:ILE:HD12	1:A:153:ILE:N	0.58	2.13	89	5
1:A:50:GLN:OE1	1:A:111:LEU:HD13	0.58	1.97	42	20
1:A:162:ARG:NE	1:A:219:GLN:NE2	0.58	2.50	64	2
1:A:120:HIS:ND1	1:A:121:ASN:N	0.58	2.51	1	89
1:A:153:ILE:N	1:A:153:ILE:HD12	0.58	2.14	59	14
1:A:162:ARG:HH12	1:A:219:GLN:HE21	0.58	1.39	14	9
1:A:162:ARG:CZ	1:A:219:GLN:NE2	0.58	2.66	74	2
1:A:67:GLN:HE22	1:A:151:LEU:CD1	0.57	2.12	59	2
1:A:173:ARG:O	1:A:173:ARG:CZ	0.57	2.53	11	6
1:A:142:VAL:O	1:A:145:TYR:CE1	0.57	2.58	5	4
1:A:18:ARG:HH12	1:A:21:ASN:ND2	0.57	1.98	69	3
1:A:150:ILE:N	1:A:150:ILE:HD13	0.57	2.15	85	1
1:A:144:MET:O	1:A:145:TYR:CB	0.56	2.52	59	5
1:A:162:ARG:NH2	1:A:219:GLN:HE21	0.56	1.99	38	2
1:A:69:LEU:O	1:A:73:ILE:HD13	0.56	2.01	39	20
1:A:153:ILE:CD1	1:A:153:ILE:N	0.56	2.68	29	8
1:A:87:HIS:O	1:A:87:HIS:CG	0.56	2.59	7	6
1:A:153:ILE:N	1:A:153:ILE:CD1	0.56	2.68	44	11
1:A:150:ILE:HG23	1:A:151:LEU:N	0.56	2.16	94	5
1:A:145:TYR:O	1:A:145:TYR:CD2	0.56	2.58	53	4
1:A:80:TRP:CZ3	1:A:84:HIS:CD2	0.56	2.94	75	13
1:A:175:GLU:OE1	1:A:175:GLU:N	0.56	2.39	42	3
1:A:18:ARG:HH22	1:A:21:ASN:HD22	0.56	1.43	69	4
1:A:150:ILE:HD13	1:A:168:PHE:CE1	0.56	2.36	47	2
1:A:145:TYR:CD2	1:A:145:TYR:O	0.55	2.59	61	6
1:A:162:ARG:NH1	1:A:219:GLN:HE22	0.55	1.98	56	1
1:A:162:ARG:NE	1:A:219:GLN:OE1	0.55	2.39	94	1
1:A:86:VAL:HG12	1:A:100:ARG:NE	0.55	2.16	97	17
1:A:144:MET:O	1:A:145:TYR:HB2	0.55	2.02	8	1
1:A:215:MET:O	1:A:215:MET:SD	0.55	2.64	95	7
1:A:162:ARG:NH1	1:A:219:GLN:NE2	0.55	2.54	48	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:162:ARG:HH12	1:A:219:GLN:NE2	0.55	1.98	84	8
1:A:97:ARG:HE	1:A:98:GLU:N	0.55	2.00	51	1
1:A:7:GLN:O	1:A:9:GLN:NE2	0.55	2.40	13	18
1:A:173:ARG:CZ	1:A:173:ARG:O	0.55	2.55	46	11
1:A:144:MET:O	1:A:145:TYR:CD1	0.55	2.60	53	1
1:A:51:ASP:O	1:A:55:MET:SD	0.55	2.65	68	20
1:A:67:GLN:HE22	1:A:151:LEU:CB	0.55	2.15	59	2
1:A:91:ILE:HD11	1:A:97:ARG:CZ	0.54	2.32	98	7
1:A:113:GLU:OE1	1:A:117:TRP:CE3	0.54	2.60	36	3
1:A:145:TYR:O	1:A:145:TYR:CD1	0.54	2.60	2	1
1:A:81:ASP:OD2	1:A:100:ARG:NH2	0.54	2.40	26	10
1:A:145:TYR:O	1:A:145:TYR:CG	0.54	2.61	47	2
1:A:113:GLU:OE1	1:A:117:TRP:CZ3	0.54	2.59	6	2
1:A:32:PHE:CE1	1:A:145:TYR:O	0.54	2.61	16	3
1:A:18:ARG:HH12	1:A:21:ASN:HD22	0.54	1.43	69	4
1:A:163:ASP:OD1	1:A:167:ARG:NH1	0.54	2.40	90	26
1:A:15:ILE:H	1:A:15:ILE:HD12	0.54	1.63	98	8
1:A:80:TRP:CH2	1:A:84:HIS:NE2	0.54	2.76	86	39
1:A:15:ILE:HD12	1:A:15:ILE:H	0.54	1.63	53	12
1:A:175:GLU:N	1:A:175:GLU:OE1	0.54	2.41	67	5
1:A:167:ARG:HH21	1:A:171:THR:N	0.54	2.00	9	3
1:A:142:VAL:O	1:A:145:TYR:CD1	0.54	2.60	79	6
1:A:150:ILE:O	1:A:150:ILE:HG22	0.54	2.02	2	1
1:A:92:ALA:HB3	1:A:95:GLN:HG2	0.54	1.80	12	25
1:A:87:HIS:O	1:A:97:ARG:NH2	0.53	2.42	46	20
1:A:158:LYS:O	1:A:158:LYS:CD	0.53	2.56	76	2
1:A:32:PHE:CD2	1:A:145:TYR:CE1	0.53	2.97	48	3
1:A:79:GLU:OE2	1:A:82:ARG:NH2	0.53	2.42	35	27
1:A:167:ARG:NH2	1:A:171:THR:OG1	0.53	2.42	34	1
1:A:32:PHE:CE1	1:A:145:TYR:CE2	0.53	2.97	57	2
1:A:215:MET:SD	1:A:215:MET:O	0.53	2.66	1	5
1:A:12:HIS:CG	1:A:111:LEU:HD21	0.53	2.39	33	59
1:A:213:GLU:OE1	1:A:213:GLU:N	0.53	2.42	37	2
1:A:81:ASP:CG	1:A:100:ARG:NH2	0.52	2.63	6	6
1:A:32:PHE:CE2	1:A:145:TYR:CZ	0.52	2.97	48	2
1:A:12:HIS:HB2	1:A:115:ILE:HD11	0.52	1.81	80	30
1:A:15:ILE:CD1	1:A:55:MET:SD	0.52	2.98	49	20
1:A:68:MET:SD	1:A:140:LYS:NZ	0.52	2.74	52	9
1:A:189:LEU:O	1:A:189:LEU:HD13	0.52	2.03	28	9
1:A:150:ILE:HD11	1:A:168:PHE:CD1	0.52	2.40	20	5
1:A:12:HIS:HB3	1:A:115:ILE:HD11	0.52	1.82	88	40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:189:LEU:HD13	1:A:189:LEU:O	0.51	2.05	38	8
1:A:124:ILE:HD12	1:A:124:ILE:N	0.51	2.21	64	36
1:A:124:ILE:N	1:A:124:ILE:HD12	0.51	2.21	79	24
1:A:144:MET:SD	1:A:181:VAL:CG2	0.51	2.99	71	3
1:A:7:GLN:O	1:A:9:GLN:OE1	0.51	2.28	2	17
1:A:145:TYR:CD1	1:A:145:TYR:O	0.51	2.63	7	1
1:A:163:ASP:OD1	1:A:167:ARG:CZ	0.51	2.59	76	8
1:A:32:PHE:CD1	1:A:145:TYR:O	0.51	2.63	75	1
1:A:158:LYS:O	1:A:158:LYS:CG	0.51	2.59	76	3
1:A:95:GLN:O	1:A:96:MET:SD	0.51	2.69	67	15
1:A:112:GLN:NE2	1:A:112:GLN:H	0.51	2.04	32	3
1:A:155:GLN:N	1:A:164:TYR:CE1	0.51	2.79	37	7
1:A:17:PRO:O	1:A:21:ASN:OD1	0.51	2.28	65	40
1:A:87:HIS:O	1:A:97:ARG:NH1	0.51	2.44	83	4
1:A:69:LEU:HD21	1:A:138:LEU:HD12	0.50	1.84	62	20
1:A:162:ARG:CZ	1:A:219:GLN:HE21	0.50	2.19	48	2
1:A:143:ARG:O	1:A:145:TYR:CE2	0.50	2.64	85	1
1:A:39:MET:N	1:A:39:MET:SD	0.50	2.85	91	15
1:A:145:TYR:CE1	1:A:178:SER:OG	0.50	2.60	90	1
1:A:18:ARG:CZ	1:A:21:ASN:HD22	0.50	2.20	14	4
1:A:150:ILE:HD11	1:A:168:PHE:O	0.50	2.06	25	3
1:A:32:PHE:CE2	1:A:145:TYR:CE2	0.50	2.99	63	2
1:A:198:CYS:SG	1:A:202:LEU:HD11	0.50	2.47	22	100
1:A:150:ILE:HD13	1:A:150:ILE:O	0.50	2.06	12	1
1:A:96:MET:SD	1:A:97:ARG:O	0.50	2.70	36	1
1:A:132:ARG:NH2	1:A:135:ILE:HG21	0.49	2.22	9	6
1:A:108:THR:O	1:A:108:THR:CG2	0.49	2.60	93	11
1:A:108:THR:CG2	1:A:108:THR:O	0.49	2.60	33	9
1:A:158:LYS:CD	1:A:158:LYS:O	0.49	2.60	21	1
1:A:39:MET:SD	1:A:39:MET:N	0.49	2.86	6	21
1:A:144:MET:O	1:A:145:TYR:O	0.49	2.31	83	3
1:A:120:HIS:CG	1:A:121:ASN:N	0.49	2.80	36	22
1:A:139:ASN:ND2	1:A:143:ARG:HH11	0.49	2.05	11	2
1:A:145:TYR:CD1	1:A:145:TYR:C	0.49	2.86	54	2
1:A:213:GLU:N	1:A:213:GLU:OE1	0.49	2.45	92	1
1:A:69:LEU:HD21	1:A:138:LEU:CD1	0.49	2.38	12	20
1:A:215:MET:C	1:A:215:MET:SD	0.49	2.91	76	1
1:A:162:ARG:NH2	1:A:219:GLN:HE22	0.49	2.05	94	1
1:A:196:PRO:O	1:A:200:THR:HG23	0.49	2.08	4	80
1:A:159:GLU:CD	1:A:167:ARG:NH1	0.49	2.66	47	11
1:A:79:GLU:CD	1:A:82:ARG:NH2	0.49	2.67	76	6

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:175:GLU:CD	1:A:176:GLN:N	0.48	2.67	66	10
1:A:150:ILE:CG2	1:A:151:LEU:N	0.48	2.75	94	4
1:A:103:ASP:CB	1:A:109:SER:OG	0.48	2.62	47	20
1:A:11:VAL:CG2	1:A:12:HIS:N	0.48	2.77	5	40
1:A:81:ASP:O	1:A:81:ASP:OD1	0.48	2.32	65	33
1:A:86:VAL:CG1	1:A:100:ARG:CZ	0.48	2.91	36	7
1:A:210:THR:OG1	1:A:213:GLU:OE1	0.48	2.32	92	11
1:A:25:LYS:NZ	1:A:29:GLU:OE2	0.47	2.42	32	12
1:A:150:ILE:C	1:A:150:ILE:HD12	0.47	2.30	47	1
1:A:145:TYR:C	1:A:145:TYR:CD2	0.47	2.87	25	1
1:A:171:THR:O	1:A:175:GLU:OE1	0.47	2.32	42	8
1:A:155:GLN:NE2	1:A:195:ASN:H	0.47	2.05	14	20
1:A:121:ASN:O	1:A:121:ASN:OD1	0.47	2.33	52	4
1:A:150:ILE:O	1:A:150:ILE:CG1	0.47	2.62	12	1
1:A:7:GLN:CG	1:A:9:GLN:HE22	0.47	2.23	48	3
1:A:16:SER:OG	1:A:18:ARG:CZ	0.47	2.63	56	2
1:A:215:MET:SD	1:A:215:MET:C	0.47	2.93	51	2
1:A:21:ASN:O	1:A:24:VAL:HG12	0.47	2.10	79	20
1:A:67:GLN:NE2	1:A:151:LEU:HD13	0.47	2.25	59	1
1:A:12:HIS:CD2	1:A:111:LEU:HD21	0.46	2.46	53	23
1:A:145:TYR:C	1:A:145:TYR:CD1	0.46	2.88	86	1
1:A:81:ASP:OD1	1:A:81:ASP:O	0.46	2.33	6	27
1:A:61:GLY:O	1:A:63:GLN:OE1	0.46	2.34	88	20
1:A:150:ILE:HD12	1:A:150:ILE:C	0.46	2.30	7	1
1:A:152:ASP:O	1:A:152:ASP:CG	0.46	2.54	89	3
1:A:15:ILE:HD13	1:A:55:MET:SD	0.46	2.50	54	1
1:A:64:ALA:HB2	1:A:178:SER:OG	0.46	2.10	73	1
1:A:110:THR:HG22	1:A:111:LEU:N	0.46	2.25	65	40
1:A:80:TRP:CD2	1:A:84:HIS:CD2	0.46	3.04	48	53
1:A:15:ILE:H	1:A:15:ILE:CD1	0.46	2.24	43	7
1:A:7:GLN:HG3	1:A:9:GLN:HE22	0.46	1.69	13	3
1:A:7:GLN:CB	1:A:9:GLN:HE22	0.46	2.23	72	2
1:A:15:ILE:CD1	1:A:15:ILE:H	0.46	2.24	63	7
1:A:198:CYS:SG	1:A:202:LEU:CD1	0.45	3.04	94	100
1:A:12:HIS:CG	1:A:111:LEU:CD2	0.45	3.00	13	40
1:A:197:ASP:O	1:A:197:ASP:OD1	0.45	2.34	48	12
1:A:5:ASN:OD1	1:A:9:GLN:O	0.45	2.34	6	3
1:A:115:ILE:O	1:A:119:THR:HG22	0.45	2.12	9	20
1:A:197:ASP:OD1	1:A:197:ASP:O	0.45	2.34	13	8
1:A:173:ARG:NH2	1:A:174:ALA:HB2	0.45	2.26	76	1
1:A:32:PHE:CE2	1:A:145:TYR:CD1	0.45	3.05	81	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:81:ASP:CG	1:A:100:ARG:HH21	0.45	2.14	95	2
1:A:195:ASN:OD1	1:A:197:ASP:N	0.45	2.49	2	30
1:A:142:VAL:O	1:A:145:TYR:O	0.45	2.34	80	1
1:A:132:ARG:O	1:A:136:LEU:HD13	0.45	2.12	59	20
1:A:162:ARG:H	1:A:162:ARG:CD	0.45	2.23	76	2
1:A:5:ASN:CG	1:A:7:GLN:H	0.45	2.14	68	10
1:A:150:ILE:CD1	1:A:150:ILE:O	0.45	2.65	12	1
1:A:103:ASP:OD1	1:A:108:THR:OG1	0.45	2.33	95	6
1:A:15:ILE:HD11	1:A:51:ASP:HB3	0.45	1.89	2	60
1:A:28:GLU:OE1	1:A:29:GLU:OE1	0.45	2.35	43	1
1:A:75:GLU:OE1	1:A:76:GLU:OE2	0.44	2.36	6	4
1:A:150:ILE:HG23	1:A:171:THR:CG2	0.44	2.42	68	2
1:A:132:ARG:HH21	1:A:135:ILE:HD13	0.44	1.72	99	6
1:A:12:HIS:CE1	1:A:50:GLN:OE1	0.44	2.71	76	3
1:A:150:ILE:CD1	1:A:175:GLU:OE1	0.44	2.66	37	1
1:A:145:TYR:N	1:A:145:TYR:CD1	0.44	2.86	45	1
1:A:32:PHE:CZ	1:A:145:TYR:CZ	0.44	3.05	57	1
1:A:152:ASP:CG	1:A:152:ASP:O	0.44	2.56	44	3
1:A:173:ARG:CD	1:A:173:ARG:O	0.44	2.66	73	2
1:A:86:VAL:HG13	1:A:100:ARG:NH2	0.44	2.28	6	1
1:A:144:MET:C	1:A:145:TYR:CD2	0.44	2.92	44	1
1:A:175:GLU:OE2	1:A:176:GLN:O	0.44	2.36	66	2
1:A:121:ASN:O	1:A:121:ASN:CG	0.43	2.56	7	4
1:A:64:ALA:CB	1:A:178:SER:OG	0.43	2.66	100	1
1:A:5:ASN:OD1	1:A:7:GLN:OE1	0.43	2.36	23	3
1:A:150:ILE:HD11	1:A:168:PHE:CG	0.43	2.47	60	2
1:A:145:TYR:OH	1:A:178:SER:OG	0.43	2.36	35	1
1:A:113:GLU:O	1:A:113:GLU:OE1	0.43	2.36	36	1
1:A:23:TRP:CG	1:A:55:MET:CE	0.43	3.01	75	2
1:A:32:PHE:CZ	1:A:145:TYR:CE2	0.43	3.07	17	1
1:A:162:ARG:HH11	1:A:219:GLN:HE21	0.43	1.54	41	1
1:A:150:ILE:N	1:A:150:ILE:CD1	0.43	2.80	85	1
1:A:142:VAL:HG23	1:A:143:ARG:N	0.43	2.29	29	60
1:A:159:GLU:OE2	1:A:167:ARG:CZ	0.43	2.67	7	2
1:A:32:PHE:CZ	1:A:145:TYR:CE1	0.43	3.07	80	1
1:A:81:ASP:OD1	1:A:100:ARG:NH2	0.43	2.52	6	1
1:A:150:ILE:O	1:A:150:ILE:HG13	0.43	2.14	91	3
1:A:86:VAL:HG21	1:A:100:ARG:NH2	0.43	2.29	44	11
1:A:132:ARG:HH21	1:A:135:ILE:HG21	0.43	1.74	29	1
1:A:96:MET:SD	1:A:96:MET:C	0.43	2.97	36	1
1:A:53:ASN:OD1	1:A:53:ASN:O	0.43	2.37	1	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:18:ARG:NH1	1:A:21:ASN:ND2	0.43	2.63	14	2
1:A:32:PHE:CE2	1:A:145:TYR:CD2	0.43	3.07	65	1
1:A:121:ASN:CG	1:A:121:ASN:O	0.42	2.56	2	5
1:A:78:ALA:O	1:A:82:ARG:HG2	0.42	2.14	22	3
1:A:159:GLU:OE2	1:A:167:ARG:NH1	0.42	2.52	77	2
1:A:144:MET:C	1:A:145:TYR:CG	0.42	2.92	44	1
1:A:86:VAL:HG12	1:A:100:ARG:HE	0.42	1.74	82	2
1:A:150:ILE:HD12	1:A:150:ILE:N	0.42	2.30	90	1
1:A:150:ILE:O	1:A:150:ILE:CD1	0.42	2.63	7	2
1:A:32:PHE:CD2	1:A:145:TYR:CZ	0.42	3.07	73	1
1:A:158:LYS:CG	1:A:158:LYS:O	0.42	2.67	80	1
1:A:143:ARG:O	1:A:145:TYR:CE1	0.42	2.73	100	1
1:A:132:ARG:HH21	1:A:135:ILE:CD1	0.42	2.28	99	3
1:A:5:ASN:ND2	1:A:7:GLN:OE1	0.42	2.53	23	2
1:A:5:ASN:ND2	1:A:7:GLN:CB	0.42	2.83	33	2
1:A:103:ASP:CG	1:A:109:SER:OG	0.42	2.58	2	10
1:A:144:MET:O	1:A:145:TYR:HB3	0.42	2.15	40	1
1:A:162:ARG:HE	1:A:219:GLN:HE22	0.42	1.53	64	1
1:A:164:TYR:OH	1:A:193:ASN:CB	0.42	2.68	37	1
1:A:150:ILE:C	1:A:150:ILE:CD1	0.41	2.83	87	1
1:A:167:ARG:HH21	1:A:171:THR:CA	0.41	2.28	34	1
1:A:67:GLN:NE2	1:A:151:LEU:CD1	0.41	2.82	59	1
1:A:179:GLN:O	1:A:183:ASN:OD1	0.41	2.37	67	6
1:A:121:ASN:OD1	1:A:121:ASN:O	0.41	2.38	57	1
1:A:173:ARG:NH2	1:A:182:LYS:HZ3	0.41	2.13	8	1
1:A:154:ARG:NH1	1:A:155:GLN:O	0.41	2.53	36	1
1:A:112:GLN:NE2	1:A:112:GLN:N	0.41	2.69	32	1
1:A:5:ASN:CB	1:A:9:GLN:NE2	0.41	2.84	52	1
1:A:18:ARG:HH22	1:A:21:ASN:ND2	0.41	2.12	69	1
1:A:152:ASP:OD1	1:A:154:ARG:NH1	0.41	2.53	64	1
1:A:87:HIS:CG	1:A:87:HIS:O	0.41	2.72	67	1
1:A:80:TRP:CE2	1:A:84:HIS:CD2	0.41	3.09	83	3
1:A:80:TRP:CH2	1:A:84:HIS:CE1	0.41	3.09	92	2
1:A:195:ASN:OD1	1:A:195:ASN:C	0.40	2.60	2	1
1:A:32:PHE:O	1:A:32:PHE:CD2	0.40	2.75	21	1
1:A:143:ARG:O	1:A:145:TYR:CD1	0.40	2.74	100	1
1:A:216:THR:O	1:A:219:GLN:OE1	0.40	2.39	7	2
1:A:32:PHE:CD2	1:A:32:PHE:O	0.40	2.75	51	1
1:A:174:ALA:O	1:A:176:GLN:OE1	0.40	2.38	76	1
1:A:150:ILE:HG23	1:A:189:LEU:CD2	0.40	2.46	80	1
1:A:112:GLN:H	1:A:112:GLN:NE2	0.40	2.15	2	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:211:LEU:O	1:A:211:LEU:HD23	0.40	2.15	34	1
1:A:63:GLN:CD	1:A:180:GLU:CG	0.40	2.90	93	1
1:A:162:ARG:CZ	1:A:219:GLN:OE1	0.40	2.69	94	1
1:A:211:LEU:HD23	1:A:211:LEU:O	0.40	2.15	44	2
1:A:53:ASN:O	1:A:53:ASN:OD1	0.40	2.39	95	1

5.2 Torsion angles [i](#)

5.2.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	215/231 (93%)	211±1 (98±0%)	2±1 (1±0%)	2±1 (1±0%)	20	68
All	All	21500/23100 (93%)	21055 (98%)	235 (1%)	210 (1%)	20	68

All 3 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	31	ALA	100
1	A	150	ILE	73
1	A	145	TYR	37

5.2.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/192 (95%)	176±1 (97±1%)	6±1 (3±1%)	39	86
All	All	18200/19200 (95%)	17568 (97%)	632 (3%)	39	86

All 29 unique residues with a non-rotameric sidechain are listed below. They are sorted by the

frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	198	CYS	100
1	A	189	LEU	60
1	A	58	THR	60
1	A	195	ASN	57
1	A	39	MET	37
1	A	173	ARG	33
1	A	162	ARG	30
1	A	82	ARG	28
1	A	145	TYR	21
1	A	55	MET	20
1	A	24	VAL	20
1	A	138	LEU	20
1	A	211	LEU	20
1	A	15	ILE	20
1	A	18	ARG	18
1	A	150	ILE	15
1	A	215	MET	12
1	A	213	GLU	12
1	A	158	LYS	9
1	A	175	GLU	8
1	A	97	ARG	7
1	A	153	ILE	6
1	A	9	GLN	6
1	A	132	ARG	5
1	A	68	MET	2
1	A	113	GLU	2
1	A	112	GLN	2
1	A	32	PHE	1
1	A	7	GLN	1

5.2.3 RNA ⓘ

There are no RNA molecules in this entry.

5.3 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.4 Carbohydrates

There are no carbohydrates in this entry.

5.5 Ligand geometry

There are no ligands in this entry.

5.6 Other polymers

There are no such molecules in this entry.

5.7 Polymer linkage issues

There are no chain breaks in this entry.

6 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 38% for the well-defined parts and 38% for the entire structure.

6.1 Chemical shift list 1

File name: input_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

6.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1060
Number of shifts mapped to atoms	1060
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

6.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	226	0.14 ± 0.09	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	205	1.33 ± 0.07	Should be applied
$^{13}\text{C}'$	217	-0.34 ± 0.07	None needed (< 0.5 ppm)
^{15}N	206	0.09 ± 0.16	None needed (< 0.5 ppm)

6.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 38%, i.e. 999 atoms were assigned a chemical shift out of a possible 2660. 0 out of 31 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	805/1053 (76%)	194/418 (46%)	417/434 (96%)	194/201 (97%)
Sidechain	194/1451 (13%)	0/852 (0%)	194/534 (36%)	0/65 (0%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	0/156 (0%)	0/80 (0%)	0/62 (0%)	0/14 (0%)
Overall	999/2660 (38%)	194/1350 (14%)	611/1030 (59%)	194/280 (69%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 38%, i.e. 1016 atoms were assigned a chemical shift out of a possible 2697. 0 out of 31 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	818/1071 (76%)	197/425 (46%)	424/442 (96%)	197/204 (97%)
Sidechain	198/1470 (13%)	0/864 (0%)	198/541 (37%)	0/65 (0%)
Aromatic	0/156 (0%)	0/80 (0%)	0/62 (0%)	0/14 (0%)
Overall	1016/2697 (38%)	197/1369 (14%)	622/1045 (60%)	197/283 (70%)

6.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

6.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

